API NUMBER: 011 23845 В

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000**

(Rule 165:10-3-1)

Approval Date: 08/21/2017 02/21/2018 Expiration Date:

Oil & Gas Horizontal Hole

Amend reason: CORRECT LAND APPLICATION PERMIT NUMBER; UPDATE ORDER

AMEND PERMIT TO DRILL

WELL LOCATION: Sec: 03 Twp: 16N Rge: 12W County: BLAINE

FEET FROM QUARTER: SPOT LOCATION: NW FROM NORTH FROM WEST NW || NE Inw SECTION LINES: 240 1335

Lease Name: COYOTE 3_10-16N-12W Well No: 1HX Well will be 240 feet from nearest unit or lease boundary.

DEVON ENERGY PRODUCTION CO LP Operator Telephone: 4052353611: 4052353 OTC/OCC Number: 20751 0 Name:

DEVON ENERGY PRODUCTION CO LP 333 W SHERIDAN AVE

OKLAHOMA CITY. OK 73102-5015 KENT PLASTER & SHARMI PLASTER

P.O. BOX 245

MUSTANG OK 73064

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth MISSISSIPPIAN 1 9429 6 2 WOODFORD 11101 7 3 8 4 9 5 10 646884 Spacing Orders: Location Exception Orders: 673774 Increased Density Orders: 670700 646107 670701

Pending CD Numbers: Special Orders:

Total Depth: 20508 Ground Elevation: 1500 Surface Casing: 1999 Depth to base of Treatable Water-Bearing FM: 140

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 17-33311 H. SEE MEMO

Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well?

Wellhead Protection Area?

located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is ALLUVIAL

Pit Location Formation: ALLUVIUM

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is ALLUVIAL

Pit Location Formation: ALLUVIUM

HORIZONTAL HOLE 1

Sec 10 Twp 16N Rge 12W County **BLAINE** SW Spot Location of End Point: SE SW SW Feet From: SOUTH 1/4 Section Line: 50 Feet From: WEST 1/4 Section Line: 380

Depth of Deviation: 9611 Radius of Turn: 477

Direction: 186

Total Length: 10148

Measured Total Depth: 20508

True Vertical Depth: 11101

End Point Location from Lease,
Unit, or Property Line: 50

Notes:

Category Description

DEEP SURFACE CASING 8/10/2017 - G58 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS

OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 8/10/2017 - G58 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS

TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 670700 1/12/2018 - G75 - 3-16N-12W

X646107 MSSP

2 WELLS

DEVON ENERGY PROD. CO., L.P.

12-4-2017

INCREASED DENSITY - 670701 1/12/2018 - G75 - 10-16N-12W

X646884 MSSP

2 WELLS

DEVON ENERGY PROD. CO., L.P.

12-4-2017

Category Description

INTERMEDIATE CASING 8/10/2017 - G58 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER-

PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE

MORROW SERIES

LOCATION EXCEPTION - 673774 4/11/2018 - G75 - (I.O.) 3 & 10-16N-12W

X646107 MSSP, WDFD 3-16N-12W X646884 MSSP, WDFD 10-16N-12W

COMPL. INT. (3-16N-12W) NCT 165' FNL, NCT 0' FSL, NCT 330' FWL COMPL. INT. (10-16N-12W) NCT 0' FNL, NCT 165' FSL, NCT 330' FWL

DEVON ENERGY PROD. CO., L.P.

2-20-2018

MEMO 8/10/2017 - G58 - PIT 1 & 2 - CLOSED SYSTEM=STEEL PITS (REQUIRED - NORTH CANADIAN

RIVER); PIT 2 - OBM TO VENDOR, OBM CUTTINGS PER DISTRICT

SPACING - 646107 8/16/2017 - G75 - (640)(HOR) 3-16N-12W

VAC 201845 CSTR, OTHER EST MSSP, WDFD, OTHER POE TO BHL (MSSP) NCT 660' FB

POE TO BHL (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL

SPACING - 646884 8/16/2017 - G75 - (640)(HOR) 10-16N-12W

VAC 201845 CSTR, OTHER EST MSSP, OTHER EXT 645179 WDFD

POE TO BHL (MSSP) NCT 660' FB

POE TO BHL (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL

SPACING - 671141 1/12/2018 - G75 - (I.O.) 3 & 10-16N-12W

EST MULTIUNIT HORÍZONTAL WELL X646107 MSSP, WDFD 3-16N-12W X646884 MSSP, WDFD 10-16N-12W

(WDFD ASSOCIATED COMMON SOURCE OF SUPPLY TO MSSP)

50% 3-16N-12W 50% 10-16N-12W

DEVON ENERGY PROD. CO., L.P.

12-13-2017