API NUMBER: 073 26263

Oil & Gas

Horizontal Hole

## OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 09/21/2018 03/21/2020 **Expiration Date** 

PERMIT TO DRILL

WELL LOCATION:	Sec:	19	Twp:	17N	Rge:	W8	County:	KINGFISHER	
	$\overline{}$				$\overline{}$	_			

SPOT LOCATION: NW SW SE SE FEET FROM QUARTER: SOUTH EAST 340 1180

Lease Name: HELEN Well No: 1708 5H-30X Well will be 340 feet from nearest unit or lease boundary.

**NEWFIELD EXPLORATION MID-CON INC** Operator Telephone: 2816742521; 9188781 OTC/OCC Number: 20944 0 Name:

NEWFIELD EXPLORATION MID-CON INC 24 WATERWAY AVE STE 900

THE WOODLANDS. TX 77380-2764 ANN AMME 540 NW 48TH ST.

**OKLAHOMA CITY** OK 73116

Special Orders:

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth MISSISSIPPIAN 1 8368 6 2 WOODFORD 8944 7 3 8 4 9 5 10 646834

Spacing Orders: Location Exception Orders: Increased Density Orders:

Pending CD Numbers: 201805408 201805419 201805415

201805416

201805407

Total Depth: 19191 Ground Flevation: 1113 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 260

Under Federal Jurisdiction: Fresh Water Supply Well Drilled: No Surface Water used to Drill: No

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is BED AQUIFER Pit Location Formation: CEDAR HILLS D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 18-35342 E. Haul to Commercial pit facility: Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498

H. SEE MEMO

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: CEDAR HILLS

## **HORIZONTAL HOLE 1**

Sec 31 Twp 17N Rge 8W County KINGFISHER

Spot Location of End Point: S2 S2 S2 SE

Feet From: SOUTH 1/4 Section Line: 85

Feet From: EAST 1/4 Section Line: 1320

Depth of Deviation: 8289 Radius of Turn: 382 Direction: 179

Total Length: 10301

Measured Total Depth: 19191
True Vertical Depth: 8944
End Point Location from Lease,
Unit, or Property Line: 85

INTERMEDIATE CASING

Additional Surface Owner	Address	City, State, Zip
SUE JOHNSON	4946 EAGLE CREST ROAD	BIRMINGHAM, AL 35242
KAY BREZNY	2704 ELMHURST	OKLAHOMA CITY, OK 73120
DON GRUNTMEIR	13621 E. 860 RD	KINGFISHER, OK 73762

Notes:

Category Description

DEEP SURFACE CASING 9/12/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 9/12/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE

HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG 9/19/2018 - G57 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER-

PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE

**MORROW SERIES** 

Category Description

MEMO 9/12/2018 - G71 - PIT 1 & 2 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST,

WBM/CUTTINGS & OBM CUTTINGS CAPTURED IN STEEL HALF PITS, WBM CUTTINGS WILL BE

SOIL FARMED, WBM & OBM CUTTINGS TRANSFERRED TO R360 587498 (31-12N-8W),

CANADIAN CO, PIT 2 - OBM TO VENDOR

PENDING CD - 201805407 9/19/2018 - G57 - 30-17N-8W

X646834 MSSP 5 WELLS NO OP. NAMED

REC 8-7-2018 (P. PORTER)

PENDING CD - 201805408 9/19/2018 - G57 - 31-17N-8W

X646834 MSSP 5 WELLS NO OP. NAMED

REC 8-7-2018 (P. PORTER)

PENDING CD - 201805415 9/19/2018 - G57 - (I.O.) 30 & 31-17N-8W

EST MULTIUNIT HORÍZONTAL WELL

X646834 MSSP, WDFD

(WDFD IS AN ADJACENT COMMON SOURCE OF SUPPLY TO THE MSSP)

50% 30-17N-8W 50% 31-17N-8W

NEWFIELD EXPLORATION MID-CONTINENT INC.

REC 8-7-2018 (P. PORTER)

PENDING CD - 201805416 9/19/2018 - G57 - (I.O.) 30 & 31-17N-8W

X646834 MSSP, WDFD SHL SE4 31-17N-8W\*\*

COMPL. INT. (31-17N-8W) NCT 165' FSL, NCT 0' FNL, NCT 990' FEL COMPL. INT. (30-17N-8W) NCT 0' FSL, NCT 165' FNL, NCT 990' FEL

NO OP. NAMED

REC 8-7-2018 (P. PORTER)

\*\*S/B SHL 340' FSL, 1180' FEL 19-17N-8W & DIRECTION OF LATERAL FROM N-S; WILL BE

CORRECTED AT THE HEARING FOR THE FINAL ORDER PER OPERATOR

PENDING CD - 201805419 9/19/2018 - G57 - (I.O.) 30 & 31-17N-8W

X165:10-3-28(C)(2)(B) MSSP, WDFD (HELEN 1708 5H-30X) MAY BE CLOSER THAN 600' TO THE

HELEN 1H-30X & PROPOSED HORIZONTAL WELLS NEWFIELD EXPLORATION MID-CONTINENT INC.

REC 8-7-2018 (P. PORTER)

SPACING - 646834 9/19/2018 - G57 - (640)(HOR) 30 & 31-17N-8W

EXT 639736 MSSP EXT 644685 WDFD

POE TO BHL (MSSP) NLT 660' FB

POE TO BHL (WDFD) NLT 165' FNL & FSL, NLT 330' FEL & FWL (COEXIST W/ SP. ORDER

143434/168065 MNNG, ORDER 143505/168065 MSSLM 30-17N-8W)

(COEXIST W/ SP. ORDER 143434 MNNG S2 & NW4, ORDER 143434/213918 MNNG NE4, ORDER 143505 S2 & NW4 MSSLM, ORDER 143505/213918 NE4, 209749 CRLMN NW4, ORDER 212530

CRLMN SW4, ORDER 213918 CRLM NE4, ORDER 504686 CRLM SE4 31-17N-8W)

N:332340.47

E:1974784.00

S 00°19'54" 5276.99

1974814.55

N-327063

Ш

00°17'11"

S

G.P.S. WITH O.P.U.S. DATA.

> This location has been staked according to the best official survey records available to us. The metrical data shown hereon is for permitting the well location and the section location may or may not be field verified. Please review this plat and notify us immediately of any discrepancy.

## CERTIFICATE:

I Aaron Morris a Registered Land Surveyor in the State Of Oklahoma, do hereby certify that the above described Well Location was surveyed and staked on the ground as shown and that said plat meets or exceeds the Oklahoma Minimum Technical Standards for the practice of land surveying as adopted by the Oklahoma State Board of Licensure for Professional Engineers and Land Surveyors.



Aaron L. Morris R.P.L.S. No.1477 Bennett-Morris & Associates Land Surveying P.C. ~ C.A. No. 5795 (LS) Phone (580) 226-5108

Fax (888) 662-7778 1010 Northwest Boulevard Ardmore, OK 73401

SURVEY BY: M & M Land Surveying, Inc. ~ C.A. No. 3093 (LS)
DRAWING BY: Bennett-Morris And Associates Land Surveying, P.C C.A. No. 5975 (LS) ~ Aaron L. Morris, RPLS SITE VISIT: (Explanation and Date) STAKING DATE: 08/07/2018 PROJECT NUMBER SHEET: 6 OF 10 DRAWING DATE: 08/21/2018

S 89°57'21" E

5243.94

T17N-R8W

LAST TAKE POINT

**BOTTOM HOLE** 

N 89°51'17" W

5285.51'

165' FSL

1320' FEL

85' FSL

1320' FEL

ш

00°07'11" W

5267.58

1969529.06 96

шi

327076.

GOV.

LOT 1

GOV. LOT 2

GOV.

LOT 3

GOV.

LOT 4