API NUMBER: 073 26273

Oil & Gas

Horizontal Hole

## OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 09/24/2018 03/24/2020 **Expiration Date** 

PERMIT TO DRILL

County: KINGFISHER WELL LOCATION: Sec: Twp: 15N Rge: 9W

FEET FROM QUARTER: SPOT LOCATION: lsw SOUTH WEST Isw NE lsw SECTION LINES: 725 790

Lease Name: STROUD FED Well No: 1509 7H-29 Well will be 725 feet from nearest unit or lease boundary.

**NEWFIELD EXPLORATION MID-CON INC** Operator Telephone: 2816742521; 9188781 OTC/OCC Number: 20944 0 Name:

NEWFIELD EXPLORATION MID-CON INC

24 WATERWAY AVE STE 900

THE WOODLANDS. TX 77380-2764

TERRI S. VOGT P.O. BOX 73762

**OKARCH** OK 73762

Formation(s) (Permit Valid for Listed Formations Only):

Depth Name Depth MISSISSIPPIAN (LESS CHESTER) 1 9967 6 2 7 3 8 4 9 10 649977 Spacing Orders: Location Exception Orders: Increased Density Orders: 682679

Pending CD Numbers: 201805202 Special Orders:

201805205

Total Depth: 15687 Depth to base of Treatable Water-Bearing FM: 460 Ground Elevation: 1239 Surface Casing: 1500

Under Federal Jurisdiction: Fresh Water Supply Well Drilled: No Surface Water used to Drill: No.

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

FLOWERPOT Pit Location Formation:

D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 18-35343 E. Haul to Commercial pit facility: Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498

H. SEE MEMO

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is NON HSA

Pit Location Formation: FLOWERPOT

## HORIZONTAL HOLE 1

Sec 29 Twp 15N Rge 9W County KINGFISHER

Spot Location of End Point: SW SE SW SW
Feet From: SOUTH 1/4 Section Line: 85
Feet From: WEST 1/4 Section Line: 832

Depth of Deviation: 9414
Radius of Turn: 800
Direction: 179
Total Length: 5016

Measured Total Depth: 15687

True Vertical Depth: 10475

End Point Location from Lease,

Unit, or Property Line: 0

 Additional Surface Owner
 Address
 City, State, Zip

 MICHAEL J. VOGT
 P.O. BOX 598
 OKARCH, OK 73762

Notes:

Category Description

DEEP SURFACE CASING 9/11/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 9/11/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 682679 9/21/2018 - G57 - 29-15N-9W

X649977 MSNLC

7 WELLS

NEWFIELD EXPLORATION MID-CONTINENT, INC.

8-7-2018

INTERMEDIATE CASING 9/11/2018 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER-

PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE

MORROW SERIES

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

073 26273 STROUD FED 1509 7H-29

Category Description

MEMO 9/11/2018 - G71 - PIT 1 & 2 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST,

WBM/CUTTINGS & OBM CUTTINGS CAPTURED IN STEEL HALF PITS, WBM/CUTTINGS WILL BE SOIL FARMED, OBM CUTTINGS TRANSFERRED TO R360 587498 (31-12N-8W), CANADIAN CO,

PIT 2 - OBM TO VENDOR

PENDING CD - 201805202 9/21/2018 - G57 - (I.O.) 29-15N-9W

X649977 MSNLC

COMPL. INT. NCT 165' FNL, NCT 165' FSL, NCT 660' FWL

NO OP. NAMED REC 8-13-2018 (DUNN)

PENDING CD - 201805205 9/21/2018 - G57 - (I.O.) 29-15N-9W

X165:10-3-28(C)(2)(B) MSNLC (STROUD FED 7H-29) MAY BE CLOSER THAN 600' FROM THE GOMEZ 1-29, NORENE 1-29, STROUD 1H-29, ALMA 29-B, DRAGGING OTTER 1-29, BUD 29-A &

PROPOSED HORIZONTAL WELLS

NEWFIELD EXPLORATION MID-CONTINENT, INC.

REC 8-13-2018 (DUNN)

SPACING - 649977 9/21/2018 - G57 - (640)(HOR) 29-15N-9W

EST MSNLC, OTHER

COMPL. INT. (MSNLC) NLT 660' FB

(COEXIST SP. ORDER # 168822 MNNG, MSSSD)

Phone (580) 226-0446

520 E Street N.W.

Ardmore, OK 73401

M & M Land Surveying, Inc.

API:073 26273


Lease Name: STROUD FED 1509 7H-29

Original Location:

Section 20 Township 15 N Range 9 W, I.B.M, County of Kingfisher, State of Oklahoma

Good Location? Elevation 1239' GROUND YES

725'FSL - 790'FWL Distance & Direction From Nearest Town: 11.9 miles West of Okarche.



SURFACE LOCATION DATUM: NAD27 35° 45' 21.83"N LAT: LONG: 98° 11' 11.24"W I AT 35.756065°N LONG: 98.186456°W STATE PLANE COORDINATES: (US SURVEY FEET)

ZONE: NORTH ZONE 275266.45 Y (N): X (E): 1944675.03

BASIS OF BEARINGS ARE GRID NORTH

SCALE 1" = 1500'

1500

DATUM: NAD83 35° 45' 21.99"N LAT: LONG: 98° 11' 12.46"W

35.756109°N I AT: LONG: 98.186795°W STATE PLANE

COORDINATES: (US SURVEY FEET) ZONE: NORTH ZONE

Y (N): 275290.17 X (E): 1913075.88

DATA DERIVED FROM G.P.S. WITH O.P.U.S. DATA.

This location has been staked according to the best official survey records available to us. The metrical data shown hereon is for permitting the well location and the section location may or may not be field verified. Please review this plat and notify us immediately of any discrepancy.

## **CERTIFICATE:**

AARON L

MORRIS

1477

OKLAHOM

SUR

I Aaron Morris a Registered Land Surveyor in the State Of Oklahoma, do hereby certify that the above described Well Location was surveyed and staked on the ground as shown and that said plat meets or exceeds the Oklahoma Minimum Technical Standards for the practice of land surveying as adopted by the Oklahoma State Board of Licensure for Professional Engineers and Land Surveyors.

SURVEY BY: M & M Land Surveying, Inc. ~ C.A. No. 3093 (LS) DRAWING BY: Bennett-Morris And Associates Land Surveying, P.C. C.A. No. 5975 (LS) ~ Aaron L. Morris, RPLS SITE VISIT: (Explanation and Date) STAKING DATE: 07/24/2017 © COPYRIGHT 2016 PROJECT NUMBER: SHEET: 6 OF 12 DRAWING DATE: 08/03/2018

832' FWL

Aaron L. Morris R.P.L.S. No.1477 Bennett-Morris & Associates Land Surveying P.C. ~ C.A. No. 5795 (LS) Phone (580) 226-5108

Fax (888) 662-7778 1010 Northwest Boulevard Ardmore, OK 73401