API NUMBER: 011 23926

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 01/23/2018 07/23/2018 **Expiration Date**

PERMIT TO DRILL

WELL LOCATION:	Sec:	31	Twp:	15N	Rge:	12W	County:	BLAINE

SPOT LOCATION: SE FEET FROM QUARTER: sw lsw SOUTH FROM WEST ll se SECTION LINES: 246 1841

Lease Name: SIMBA Well No: 5-7-6XHM Well will be 246 feet from nearest unit or lease boundary.

CONTINENTAL RESOURCES INC Operator OTC/OCC Number: Telephone: 4052349020: 4052349 3186 0 Name:

CONTINENTAL RESOURCES INC

PO BOX 269000

OKLAHOMA CITY. OK 73126-9000 GIDDEON ERIC COWAN 27928 JONES ROAD

GEARY OK 73040

Special Orders:

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth MISSISSIPPIAN 1 12342 6 2 WOODFORD 13122 7 3 8 4 9 10 665391 Spacing Orders: Location Exception Orders: Increased Density Orders:

201708778 201708767 201708768

201708777

Pending CD Numbers:

Total Depth: 22752 Ground Elevation: 1762 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 260

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 17-33667

H. SEE MEMO Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is AP/TE DEPOSIT Pit Location Formation:

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is AP/TE DEPOSIT
Pit Location Formation: TERRACE

HORIZONTAL HOLE 1

Sec 07 Twp 14N Rge 12W County BLAINE

Spot Location of End Point: S2 SW SW SE
Feet From: SOUTH 1/4 Section Line: 30
Feet From: EAST 1/4 Section Line: 2310

Depth of Deviation: 11537 Radius of Turn: 477

Direction: 175

Total Length: 10466

Measured Total Depth: 22752

True Vertical Depth: 13122

End Point Location from Lease,
Unit, or Property Line: 30

Notes:

Category Description

DEEP SURFACE CASING 1/4/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 1/4/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INTERMEDIATE CASING 1/4/2018 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER-

PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE

MORROW SERIES

MEMO 1/5/2018 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 -

OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

Category Description

PENDING CD - 201708767 1/5/2018 - G58 - (I.O.) 6-14N-12W

X665391 MSSP 5 WELLS NO OP. NAMED

REC 1/23/2018 (NORRIS)

PENDING CD - 201708768 1/5/2018 - G58 - (I.O.) 7-14N-12W

X665391 MSSP 5 WELLS NO OP. NAMED

REC 1/23/2018 (NORRIS)

PENDING CD - 201708777 1/5/2018 - G58 - (I.O.) 6 & 7-14N-12W

EST MULTIUNIT HORIZONTAL WELL

X665391 MSSP, WDFD

(WDFD IS ADJACENT COMMON SOURCE OF SUPPLY TO MSSP)

50% 6-14N-12W 50% 7-14N-12W NO OP. NAMED

REC 1/23/2018 (NORRIS)

PENDING CD - 201708778 1/5/2018 - G58 - (I.O.) 6 & 7-14N-12W

X665391 MSSP, WDFD

COMPL. INT. (6-14N-12W) NCT 150' FNL, NCT O' FSL, NCT 1320' FEL COMPL. INT. (7-14N-12W) NCT 0' FNL, NCT 150' FSL, NCT 1320' FEL

NO OP. NAMÈD

REC 1/23/2018 (NORRIS)