API NUMBER: 137 27526

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 01/24/2018

Expiration Date: 07/24/2018

PERMIT TO DRILL

WELL LOCATION:	Sec:	30	Twp:	1N	Rge: 4\	V County	: STE	PHENS		
SPOT LOCATION:	SE	NE	N	E	NW	FEET FROM QUARTER:	FROM	NORTH	FROM	WEST

SECTION LINES: 590 2370

Lease Name: ELY Well No: 0104 4H-18X Well will be 590 feet from nearest unit or lease boundary.

Operator NEWFIELD EXPLORATION MID-CON INC Telephone: 2816742521; 9188781 OTC/OCC Number: 20944 0

NEWFIELD EXPLORATION MID-CON INC 4 WATERWAY SQ PL STE 100

SPRING, TX 77380-2764

MARY ALICE BELYEU 9713 WINTER PK DR.

FRISCO TX 75035

F. Haul to Commercial soil farming facility: Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No:

Formation(s) (Permit Valid for Listed Formations Only):

 Name
 Depth
 Name
 Depth

 1
 WOODFORD
 10100
 6

 2
 7

 3
 8

 4
 9

 5
 10

Spacing Orders: 642263 Location Exception Orders: Increased Density Orders:

Pending CD Numbers: 201707770 Special Orders:

Total Depth: 22014 Ground Elevation: 1025 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 610

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No

665063

H. SEE MEMO

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: ON SITE A. Evaporation/dewater and backfilling of reserve pit.

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well?

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: 4

Type of Mud System: AIR

Liner not required for Category: 4

Pit Location is BED AQUIFER

Pit Location Formation: PURCELL

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED
Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: PURCELL

PIT 3 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: PURCELL

HORIZONTAL HOLE 1

Sec 18 Twp 1N Rge 4W County STEPHENS

Spot Location of End Point: NW NE NE NW
Feet From: NORTH 1/4 Section Line: 50
Feet From: WEST 1/4 Section Line: 2300

Depth of Deviation: 9850 Radius of Turn: 1158

Direction: 358

Total Length: 10345

Measured Total Depth: 22014

True Vertical Depth: 11240

End Point Location from Lease,
Unit, or Property Line: 50

Additional Surface Owner	Address	City, State, Zip
MARY ALICE BELYEU	9713 WINTER PK DR.	FRISCO, TX 75035
JUNITA JEAN KAUBLE	9713 WINTER PK DR.	FRISCO, TX 75035
WANDA DARLENE SCOTT	9713 WINTER PK DR.	FRISCO, TX 75035

Notes:

Category Description

DEEP SURFACE CASING 1/4/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

Category Description

HYDRAULIC FRACTURING 1/4/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

MEMO 1/4/2018 - G71 - PIT 2 & 3 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST, WBM &

OBM CUTTINGS CAPTURED IN STEEL HALF PITS & TRANSFERRED TO BACKYARD ENERGY SERVICES SOUTH SCOOP FACILITY (SE4 28-2N-4W, STEPHENS CO.); PIT 3 - OBM TO VENDOR

PENDING CD - 201707762 1/5/2018 - G60 - (E.O.) 18-1N-4W

X642263 WDFD

7 WELLS

NEWFIELD EXPLORATION MID-CONTINENT INC.

REC. 12/12/17 (DUNN)

PENDING CD - 201707765 1/5/2018 - G60 - (E.O.) 19-1N-4W

X642263 WDFD

8 WELLS

NEWFIELD EXPLORATION MID-CONTINENT INC.

REC. 12/12/17 (DUNN)

PENDING CD - 201707770 1/5/2018 - G60 - 18 & 19-1N-4W

EST MULTIUNIT HORIZONTAL WELL

X642263 WDFD 50% 18-1N-4W 50% 19-1N-4W

NEWFIELD EXPLORATION MID-CONTINENT INC.

REC. 1/19/18 (DUNN)

PENDING CD - 201707771 1/5/2018 - G60 - 18 & 19-1N-4W

X642263 WDFD SHL SW4 19 **

COMPL. INT. (19-1N-4W) NCT 165' FSL, NT 0' FNL, NCT 1980' FWL COMPL. INT. (18-1N-4W) NCT 0' FSL, NCT 165' FNL, NCT 1980' FWL

NEWFIELD EXPLORATION MID-CONTINENT INC.

REC. 1/19/18 (DUNN)

**SURFACE HOLE WILL BE CORRECTED AT HEARING FOR FINAL ORDER LOCATION

EXCEPTION PER OPERATOR

SPACING - 642263 1/5/2018 - G60 - (640) 18 & 19-11-4W

EST WDFD, OTHERS

COMPL. INT. (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL

(COEXIST WITH SP. ORDER 297379 WDFD 18; SP. ORDER 440390 WDFD 19; SP. ORDER

441878 WDFD 19)

3513727526

OKLAHOMA
CORPORATION COMMISSION

P.O. BOX 52000 OKLAHOMA CITY, OKLAHOMA 73152-2000 253 Jim Thorpe Building Telephone: (405) 521-2240 FAX: (405) 521-3099 www.occeweb.com



Tim Baker, Director

OIL & GAS CONSERVATION DIVISION

November 3, 2017

Backyard Energy Services Conor O'Reily 1601 NW Expressway Suite 1450 Oklahoma City, OK 73118

Re: Backyard Energy Services, Oil Based Drill Cuttings Treatment Process Approval of Pilot Project State of Oklahoma.

Dear Mr. O'Reilly,

The Pollution Abatement Department has reviewed the documentation and analyses furnished to us by Backyard energy services, LLC (Backyard) in support of a commercial non-deleterious facility (Facility), filed in Cause P.D. No. 201700132, requesting statewide authority.

It's our understanding that Backyard has an agreement with Newfield Exploration Co. to furnish oil based drill cuttings (Drill Cuttings) for processing into a material that will be used for construction of the companies' drill sites. As a result of our review and technical meetings with Backyard representatives, you will have the ability to recycle/process the operator's drill cuttings for use for construction of the drill sites, until January 31st, 2018, or until a final Commission order issues. Prior to using the processed material for construction, Backyard will provide the Pollution Abatement Department with the analyses of the processed material to be used, demonstrating it complies with the Target Limits set forth in the Amended Application in Cause PD No. 201700132. Backyard will also furnish the legal location and amount of processed material to be used for the construction of each drill site prior to commencement of construction. Once the construction has been completed, Backyard will prepare a post summary report. Records of the amount of incoming drill cuttings and the amount of outgoing processed material will be kept, as well as dates and the origin of the drill cuttings and the final destination. Such records will be made available to Commission staff upon request. This Facility will not be considered a commercial recycling facility for the purpose of this pilot project. If the project is to continue after January 31st, 2018, a reevaluation may be required by the Pollution Abatement Department in order to determine if additional authorization may be granted by the Commission. If operations at the facility are terminated prior to January 31st, 2018, the Pollution Abatement department shall be notified immediately.

If there are any questions, please feel free to contact me at 405-521-2240.

Tim Baker

Sincerely,

Director, OGCD

C: Mike Moore, Terri Grooms, Brad Ice, Gayland Darity, Grant Ellis, Cheri Wheeler



Newfield Exploration Company

24 Waterway Avenue | Suite 900 The Woodlands, Texas 77380

October 19, 2017

Oklahoma Corporation Commission Tim Baker, Director of the Oil and Gas Conservation Division 2101 N. Lincoln Blvd Oklahoma City, Oklahoma 73105

RE: Cause PD. No. 201700132, Backyard Energy Services, LLC Oil Based Drill Cuttings Treatment Pilot Project, State of Oklahoma

Dear Mr. Baker:

Please be advised that Newfield Exploration Mid-Con, Inc. (Newfield) understands and agrees it will be the sole operator under a Commission pilot project which will allow Backyard Energy Services, LLC to process Newfield's oil based drill cuttings using the process and requirements outlined in the amended application filed in Cause PD No. 201700132. The results of the processing will be a material that will be used in the construction of Newfield's drill sites.

Newfield further understands the initial pilot project will be for a period of ninety (90) days, or until such time as an order issues if the above referenced cause.

If there are further questions, please do not hesitate to contact Evelyn Smith at (281)674-2521.

Sincerely,

Matt Cooley Drilling Manager

PERMIT PLAT

1500

3513727526 M & M Land Surveying, Inc. N 89°59'03" W N:448409.38 Phone (580) 226-0446 E:2105231.16 5342.41 165' HARD LINE 520 E Street N.W. N:448410.84 Ardmore, OK 73401 E:2099888. **BOTTOM HOLE** GOV. Company Name: NEWFIELD EXPLORATION MID-CONTINENT INC. 50' FNL Lease Name: ELY 0104 4H-18X LOT 1 2300' FWL Section 30 Township 1 N Range 4 W , I.B.M, County of Stephens, State of Oklahoma Original Location: 590'FNL - 2370'FWL Elevation 1025'GROUND LAST TAKE POINT Good Location? YES 165' FNL Distance & Direction From Nearest Town: 5.10 miles North of Velma. 2300' FWL GOV. 3 00"10'42" W SURFACE LOCATION 10" € LOT 2 5287.90" 62 DATUM: NAD27 .60.00 5282. 34° 32' 03.92"N SECTION 18 T1N-R4W LAT: LONG: 97° 39' 37.31"W 34.534423°N LAT: LONG: 97.660363°W GOV. STATE PLANE LOT 3 COORDINATES: (US SURVEY FEET) GRID N ZONE: SOUTH ZONE Y (N): 437260.52 E:2099902.82 N:443128.24 X (E): 2102290.2 GOV. DATUM: NAD83 LOT 4 SCALE 1" = 1500' 34° 32' 04.22"N LAT: LONG: 97° 39' 38.41"W 89°55'38" E N:443121.50 34.534505°N LAT: 5311.87 E:2105214.69 LONG: 97.660671°W STATE PLANE HARD GOV. COORDINATES: (US LOT 1 SURVEY FEET) 330 ZONE: SOUTH ZONE Y (N): 437302.66 2070695.05 X (E): DATA DERIVED FROM GOV. G.P.S. WITH O.P.U.S. LOT 2 \$ 00°09'10" 5282.62" 00°06'01" 02 DATA. 5265. This location has been staked according SECTION 19 T1N-R4W to the best official survey records available to us. The metrical data shown hereon is for permitting the well location GOV. and the section location may or may not LOT 3 be field verified. Please review this plat and notify us immediately of any discrepancy. N:437845.64 E:2099916.90 LANDING POINT CERTIFICATE: 165' FSL GOV. I D. Harry McClintick a Registered Land Surveyor 2300' FWL LOT 4 in the State Of Oklahoma, do hereby certify that 165' HARD LINE 8 89°52'57" W the above described Well Location was surveyed N:437856.49 and staked on the ground as shown and that said 5288.59 E:2105205.48 plat meets or exceeds the Oklahoma Minimum Technical Standards for the practice of land SURFACE 2370 surveying as adopted by the Oklahoma State GOV. LOCATION Board of Licensure for Professional Engineers and \$ 00"21'08" 5287.57" LOT 1 590'FNL Land Surveyors. 2370'FWL N 00°11'14" W SECTION 30 SSIONA T1N-R4W 2099949.41 8

N:432576.48

E:2105222.73

MCCLINTICK

1367

OKLAHOMA

SURVEY BY: M & M Land Surveying, Inc. ~ C.A. No. 3093 (LS)
DRAWING BY: Bennett-Morris And Associates Land Surveying, P.C C.A. No. 5975 (LS) ~ Aaron L. Morris, RPLS SITE VISIT: (Explanation and Date) STAKING DATE: 12/11/2017 © COPYRIGHT 2017 PROJECT NUMBER SHEET: 6 OF 10 DRAWING DATE: 12/12/2017

N 89°48'04" E

5273.36

N:432558.

GOV. LOT 2

D. Harry McClintick

PLS. No.1367 CFEDS