API NUMBER: 011 23922

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 01/22/2018 07/22/2018 **Expiration Date**

PERMIT TO DRILL

WELL LOCATION: Sec: Twp: 16N Rge: 12W County: BLAINE

FEET FROM QUARTER: SPOT LOCATION: lsw FROM SOUTH WEST sw SE SE SECTION LINES: 255 2090

Lease Name: CHIPMUNK 11_2-16N-12W Well No: 2HX Well will be 255 feet from nearest unit or lease boundary.

DEVON ENERGY PRODUCTION CO LP Operator OTC/OCC Number: Telephone: 4052353611: 4052353 20751 0 Name:

DEVON ENERGY PRODUCTION CO LP 333 W SHERIDAN AVE

OKLAHOMA CITY. OK 73102-5010 LARRY BODEN & MONA LOU BODEN

259073 E. 800 RD.

WATONGA OK 73772

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth MISSISSIPPIAN 1 9350 6 2 7 3 8 4 9 5 10 662140 Spacing Orders: Location Exception Orders: 669261 Increased Density Orders: 669015 670609 668143

Pending CD Numbers: Special Orders:

Total Depth: 19984 Ground Elevation: 1508 Surface Casing: 1999 Depth to base of Treatable Water-Bearing FM: 220

Under Federal Jurisdiction: Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 18-33717

H. SEE MEMO Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is ALLUVIAL

Pit Location Formation: ALLUVIUM

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED Chlorides Max: 300000, Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is ALLUVIAL

Pit Location Formation: ALLUVIUM

HORIZONTAL HOLE 1

Sec 02 Twp 16N Rge 12W County **BLAINE** NW Spot Location of End Point: ΝE NW NF Feet From: NORTH 1/4 Section Line: 50 Feet From: WEST 1/4 Section Line: 1680

Depth of Deviation: 9080 Radius of Turn: 477 Direction: 358

Total Length: 10155

Measured Total Depth: 19984 True Vertical Depth: 10418 End Point Location from Lease, Unit, or Property Line: 50

Notes:

Category Description

DEEP SURFACE CASING 1/16/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS

OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 1/16/2018 - G71 - OCC 165:10-3-10 REQUIRES:

> 1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS

TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 668143 1/22/2018 - G75 - 2-16N-12W

X662140 MSSP

4 WFILS

DEVON ENERGY PROD. CO., L.P.

9-13-2017

INCREASED DENSITY - 669015 1/22/2018 - G75 - 11-16N-12W

X662140 MSSP, OTHER

4 WELLS

DEVON ENERGY PROD. CO., L.P.

10-12-2017

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

011 23922 CHIPMUNK 11_2-16N-12W 2HX

Category Description

INTERMEDIATE CASING 1/16/2018 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER-

PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE

MORROW SERIES

LOCATION EXCEPTION - 669261 1/22/2018 - G75 - (I.O.) 11 & 2-16N-12W

X662140 MSSP, OTHÉR

SHL (11-16N-12W) 255' FSL, 2090' FWL

COMPL. INT. (11-16N-12W) NCT 165' FSL, NCT 0' FNL, NCT 330' FWL

COMPL. INT. (2-16N-12W) NCT 0' FSL, NCT 165' FNL, NCT 330' FWL DEVON ENERGY PROD.

CO., L.P. 10-20-2017

MEMO 1/16/2018 - G71 - PIT 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST; PIT 2 -

OBM TO VENDOR, OBM CUTTINGS PER DISTRICT

SPACING - 662140 1/22/2018 - G75 - (640)(HOR) 11 & 2-16N-12W

EST OTHERS

EXT 656735 MSSP, OTHERS COMPL. INT. NLT 660' FB

(COEXIST SP. ORDER # 563506 CSTR & ORDER # 587524 MSSLM 11-16N-12W)

SPACING - 670609 1/22/2018 - G75 - (I.O.) 11 & 2-16N-12W

EST MULTIUNIT HORIZONTAL WELL

X662140 MSSP, OTHER 50% 11-16N-12W 50% 2-16N-12W

DEVON ENERGY PROD. CO., L.P.

11-30-2017

