PI NUMBER: 045 23761 rizontal Hole Oil & Gas	OIL & GAS CON P.O. OKLAHOMA	PORATION COMMISSION ISERVATION DIVISION BOX 52000 CITY, OK 73152-2000 9 165:10-3-1)	Approval Date: 08/14/2018 Expiration Date: 02/14/2019
	PERI	<u>MIT TO DRILL</u>	
WELL LOCATION: Sec: 19 Twp: 18N Rge: 24	W County: ELLIS		
SPOT LOCATION: SE NW NW NE	FEET FROM QUARTER: FROM NORTH		
SPOT LOCATION. SE INV INV INV	SECTION LINES:		
	450	2235	
Lease Name: BROWN	Well No: 18 3H	v	Well will be         450         feet from nearest unit or lease boundary.
Operator EOG RESOURCES INC Name:	Tel	ephone: 4052463212	OTC/OCC Number: 16231 0
EOG RESOURCES INC 3817 NW EXPRESSWAY STE 500			ID GEORGE GIFFIN 6TH ST SOUTH
OKLAHOMA CITY, OK	73112-1483	SAPULPA	OK 74066
Name 1 MARMATON 2 3 4 5 Spacing Orders: <sup>586080</sup>	Depth 9300 Location Exception Orders:	Name 6 7 8 9 10	Depth
Pending CD Numbers:         201805094           201805095         201805097           Total Depth:         15425         Ground Elevation:         22	<sup>289</sup> Surface Casin	g: 1500	Special Orders: Depth to base of Treatable Water-Bearing FM: 530
Under Federal Jurisdiction: No	Fresh Water Supply	Well Drilled: No	Surface Water used to Drill: Yes
PIT 1 INFORMATION		Approved Method for disp	osal of Drilling Fluids:
Type of Pit System: CLOSED Closed System Means	Steel Pits		
Type of Mud System: WATER BASED		D. One time land applica	tion (REQUIRES PERMIT) PERMIT NO: 18-3464
Chlorides Max: 8000 Average: 5000			it facility: Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498
Is depth to top of ground water greater than 10ft below ba	se of pit? Y	H. SEE MEMO	
Within 1 mile of municipal water well? N			
Wellhead Protection Area? N			
Pit <b>is</b> located in a Hydrologically Sensitive Area.			
Category of Pit: C			
Category of Pit: C Liner not required for Category: C			

PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. Category of Pit: C Liner not required for Category: C

Pit Location is BED AQUIFER Pit Location Formation: CLOUD CHIEF

## HORIZONTAL HOLE 1

Sec 18 Twp 18N Rge 24W County ELLIS Spot Location of End Point: N2 NE NE NE Feet From: NORTH 1/4 Section Line: 165 Feet From: EAST 1/4 Section Line: 330 Depth of Deviation: 9000 Radius of Turn: 930 Direction: 15 Total Length: 4963 Measured Total Depth: 15425 True Vertical Depth: 9350 End Point Location from Lease, Unit, or Property Line: 165

Notes:	
Category	Description
DEEP SURFACE CASING	7/16/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	7/16/2018 - G71 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
МЕМО	7/16/2018 - G71 - PIT 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST; PIT 1 – WBM & CUTTINGS TO BE SOIL FARMED; PIT 2 - OBM TO VENDOR, OBM CUTTINGS TO COMMERCIAL PIT OR LONE MOUNTAIN FACILITY, EPA ID # OKD065438376, 28 & 33-23N-15W, MAJOR CO
PENDING CD - 201805094	8/14/2018 - G58 - 18-18N-9W X586080 MRMN 2 WELLS NO OP. NAMED REC 7/23/2018 (FOREMAN)

Category	Description
PENDING CD - 201805095	8/14/2018 - G58 - (I.O.) 18-18N-24W X586080 MRMN COMPL. INT. NCT 165' FSL, NCT 165' FNL, NCT 330' FEL NO OP. NAMED REC 7/23/2018 (FOREMAN)
PENDING CD - 201805097	8/14/2018 - G58 - (I.O.) 18-18N-9W X165:10-3-28(C)(2)(B) MRMN (BROWN 18 3H) MAY BE CLOSER THAN 600' FROM THE BROWN 18 2H WELL REC 7/23/2018 (FOREMAN)
SPACING - 586080	8/14/2018 - G58 - (640)(HOR) 18-18N-24W EST MRMN, OTHERS COMPL. INT. NLT 660' FB (SUPERSEDE NON-PRODUCING, NON-HORIZONTAL SPACING UNITS; COEXIST WITH PRODUCING, NON-HORIZONTAL SPACING UNITS)