PI NUMBER: 073 26208	OIL & GAS OKLAHO	CORPORATION COMMISSION CONSERVATION DIVISION P.O. BOX 52000 DMA CITY, OK 73152-2000 (Rule 165:10-3-1)	Approval Date: 08/14/2018 Expiration Date: 02/14/2019	
WELL LOCATION: Sec: 06 Twp: 17N Rge: 0 SPOT LOCATION: SW SW SW SE	6W County: KING	PERMIT TO DRILL FISHER SOUTH FROM EAST 268 2413		
Lease Name: TULLAMORE 1706	Well No:		Vell will be 268 feet from nearest unit or lease boundary.	
Operator OKLAHOMA ENERGY ACQUISIT Name:	TIONS LP	Telephone: 2815300991	OTC/OCC Number: 23509 0	
OKLAHOMA ENERGY ACQUISITIONS LP 15021 KATY FREEWAY STE 400 HOUSTON, TX 77094-1900			BERNADINE JUNE THEIMS TRUST P.O. BOX 115 KINGFISHER OK 73750	
Formation(s) (Permit Valid for Listed For Name 1 MISSISSIPPIAN (LESS CHESTER) 2 3 4 5	ormations Only): Depth 7791	Name 6 7 8 9 10	Depth	
Spacing Orders: 651906	Location Exception	Orders:	Increased Density Orders: 680045	
Pending CD Numbers: 201804263 Total Depth: 12500 Ground Elevation:	1071 Surface (Casing: 500	Special Orders: Depth to base of Treatable Water-Bearing FM: 220	
Under Federal Jurisdiction: No Fresh Water S PIT 1 INFORMATION		Supply Well Drilled: No Approved Method for disp	Surface Water used to Drill: No osal of Drilling Fluids:	
Type of Pit System: CLOSED Closed System Means Type of Mud System: WATER BASED Chlorides Max: 4000 Average: 1800 Is depth to top of ground water greater than 10ft below			tion (REQUIRES PERMIT) PERMIT NO: 18-3496 TEEL PITS PER OPERATOR REQUEST	
Within 1 mile of municipal water well? N				

HORIZONTAL HOLE 1

Sec 07 Twp 17N Rge 6W County	KINGFISHER		
Spot Location of End Point: SW SE SW	SE		
Feet From: SOUTH 1/4 Section Line: 1	165		
Feet From: EAST 1/4 Section Line: 1	1879		
Depth of Deviation: 6939			
Radius of Turn: 382			
Direction: 179			
Total Length: 4961			
Measured Total Depth: 12500			
True Vertical Depth: 7791			
End Point Location from Lease,			
Unit, or Property Line: 165			
,	Additional Surface Owner	Address	City, State, Zip
	JEFFREY N. THEMER	11000 US HWY 81	DOVER, OK 73734

Neters	
Notes: Category	Description
HYDRAULIC FRACTURING	8/3/2018 - G71 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
INCREASED DENSITY - 680045	8/13/2018 - G57 - 7-17N-6W X651906 MSNLC 6 WELLS OKLAHOMA ENERGY ACQUISITIONS, LP. 7-9-2018
PENDING CD - 201804263	8/13/2018 - G57 - (I.O.) 7-17N-6W X651906 MSNLC COMPL. INT. NCT 165' FNL, NCT 165' FSL, NCT 1729' FEL NO OP. NAMED REC 6-18-2018 (DENTON)
SPACING - 651906	8/13/2018 - G57 - (640)(HOR) 7-17N-6W VAC OTHER EXT 644675 MSNLC, OTHER EST OTHER POE TO BHL NLT 660' FB (COEXIST WITH SP. ORDER 243717 MSSLM)
SURFACE CASING	8/3/2018 - G71 - MIN. 300' PER ORDERS 23720/41036/42410

API:073 26208

