API NUMBER: 049 25240

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 12/07/2018 06/07/2020 **Expiration Date**

PERMIT TO DRILL

WELL LOCATION: Sec: Twp: 3N Rge: 4W County: GARVIN 13

FEET FROM QUARTER: SPOT LOCATION: NW FROM NORTH WEST Isw SE ll ne SECTION LINES:

Lease Name: BUD Well No: 5-12-1 WXH Well will be 170 feet from nearest unit or lease boundary.

2143

CASILLAS OPERATING LLC Operator OTC/OCC Number: Telephone: 9185825310 23838 0 Name:

1118

CASILLAS OPERATING LLC 401 S BOSTON AVE STE 2400

TULSA. OK 74103-4060 MARY F. ENGLISH

14387 E. COUNTY ROAD 1575

LINDSAY OK 73052

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth WOODFORD 1 10903 6 2 7 8 3 4 9 10 677714 Spacing Orders: Location Exception Orders: Increased Density Orders:

201808088

Pending CD Numbers:

201808110

201808087

Total Depth: 22837 Ground Elevation: 1143 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 260

Fresh Water Supply Well Drilled: No Under Federal Jurisdiction: Surface Water used to Drill: No

PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? N

Within 1 mile of municipal water well? N Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is NON HSA Pit Location Formation: BISON

F. Haul to Commercial soil farming facility: Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No:

Special Orders:

665063

G. Haul to recycling/re-use facility: Sec. 13 Twn. 3N Rng. 4W Cnty. 49 Order No: 680707

H. SEE MEMO

Approved Method for disposal of Drilling Fluids:

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is NON HSA
Pit Location Formation: BISON

HORIZONTAL HOLE 1

County Sec 01 Twp 3N Rge 4W **GARVIN** Spot Location of End Point: ΝE NW ΝE NW Feet From: NORTH 1/4 Section Line: 50 Feet From: WEST 1/4 Section Line: 1920

Depth of Deviation: 10645 Radius of Turn: 562

Direction: 1

Total Length: 11630

Measured Total Depth: 22837

True Vertical Depth: 10903

End Point Location from Lease,
Unit, or Property Line: 50

Notes:

Category Description

DEEP SURFACE CASING 11/18/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS

OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR

OR SURFACE CASING

MEMO 11/18/2018 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2

- OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

EST MULTIUNIT HORIZONTAL WELL

X677714 WDFD, OTHERS

50% 1-3N-4W 50% 12-3N-4W NO OP. NAMED

REC 10/30/2018 (JOHNSON)

PENDING CD - 201808088 12/4/2018 - G58 - (I.O.) 1 & 12-3N-4W

X677714 WDFD, OTHÉRS

X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO EMERSON 1-1 WELL***

COMPL. INT. 12-3N-4W NCT 165' FSL, NCT 0' FNL, NCT 1870' FWL COMPL. INT. 1-3N-4W NCT 0' FSL, NCT 165' FNL, NCT 1870' FWL

NO OP. NAMED

REC 10/30/2018 (JOHNSON)

***SHOULD ADD EXCEPTION FOR PROPOSED WELL. WELL IS 385' FROM PROPOSED BUD 4-12-1WHX; WILL BE ADDED AT HEARING FOR INTERM ORDER PER ATTORNEY FOR OP.

Category Description

12/4/2018 - G58 - 1 & 12-3N-4W PENDING CD - 201808110

X677714 WDFD 5 WELLS NO OP. NAMED

REC 10/30/2018 (JOHNSON)

12/4/2018 - G58 - (1280)(HOR) 1 & 12-3N-4W EXT 660070 WDFD, OTHERS **SPACING - 677714**


COMPL. INT. NLT 165' FNL & FSL, NLT 330' FEL & FWL

(COEXIST SP ORDER 343360 WDFD; SP ORDER 346248 WDFD;***, SP ORDER 348687 WDFD;

SP ORDER 345241 WDFD; SP ORDER 349600 WDFD)

*** SHOULD COEXIST SP ORDER 347970 WDFD; NPT FILED AND SUBMITTED TO OCC, OK PER

MCCOY



X 2126053 Best Accessibility to Location Good Drill Site? Topography & Vegetation Loc. Operator: Distance & Direction from Hwy Jct or Town <u>From the Junction of St. Hwy. 19 and St. Hwy. 76 in Lindsay, OK, go South on State Hwy.</u> Lease Name: 0 F N W 33 CASILLAS OPERATING, 738 pipeline ±61' Yes fell in pasture From South of SE corner of East off county road Stakes Set Reference Stakes or Alternate Location trees, 0/H power line ±80' East of pad Well No.; **ELEVATION:** 118'FNL-2143'FWI 5-12-1WXH Gr. at Stake œ 76 STATE PLANE Ā. LONG: 97°34'23.1"W DATUM: NAD-27 ZONE: COORDINATES LONG: 97.573094332°W 2128262 34.736075451°N 34°44'09.9"N (US FEET): County, This information gathered with a GPS with ±1 foot Horiz, Vert. was receiver accuracy, Oklahoma of Topographic Land Surveyors of Oklahoma, do CERTIFICATE: Licensed Land Surveyor and an authorized agent hereby certify to the information shown herein 303888 Date Staked: Thomas L. Howell Date of Drawing: an Oklahoma Sept. 28, 2018 0ct. 3, 2018 TAW ENSED ESS 10NA, KLAHON

TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA
13800 WIRELESS WAY, OKLA. CITY, OKLA. 73134 * LOCAL (405) 843-4847 * OUT OF STATE (800) 654-3219
Certificate of Authorization No. 1293 LS

BOTTOM HOLE, LANDING POINT, AND DRILL PATH INFORMATION PROVIDED BY OPERATOR LISTED, NOT SURVEYED.

for ±5.5 miles, go East ±0.8 miles, go South ±1.7 miles to Lease Rd., West into Location in the SW/4 of Sec. 13-T3N-R4W.

510746


Oklahoma Lic. No.

1433

TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA

Surveying and Mapping for the Energy Industry
13800 Wireless Way. Oklahoma City, OK 73134 www.topographic.com
Telephone Numbers: Local (405) 843-4847 Toll Free (800) 654-3219

LOCATION & ELEVATION VERIFICATION MAP



Sec. 13 Twp. 3N Rng. 4W IM

County GARVIN State OK

Operator CASILLAS OPERATING, LLC

Description 1118'FNL-2143'FWL

Lease BUD 5-12-1WXH

Elevation 1143' Gr. at Stake

U.S.G.S. Topographic Quadrangle Map ELMORE CITY, OK

Above Background Data from U.S.G.S. Topographic Map Scale: 1"=2000'

Contour Interval 10'

When elevation is shown hereon it is the ground elevation of the location stake.

Review this plat and inform us immediately of any possible discrepancy.




LAND SURVEYORS OF OKLAHOMA

TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA

Surveying and Mapping for the Energy Industry 13800 Wireless Way. Oklahoma City, OK 73134 www.topographic.com Telephone Numbers: Local (405) 843-4847 Toll Free (800) 654-3219

VICINITY MAP



Scale: 1" = 3 Miles

100 Per 1000

Sec1	3 Twp	3N	Rng	4W	IM
County	GARVIN	Sta	ate	OK	9
Operator_	CASILLAS O	PERATING,	LLC		



