API NUMBER: 063 24820 Α

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 07/12/2018 01/12/2019 Expiration Date:

Horizontal Hole Amend reason: SHL Oil & Gas

AMEND PERMIT TO DRILL

							SECTION LINES:		242		241
SPOT LOCATION:	SW	SW	S	W	SW		FEET FROM QUARTER:	FROM	SOUTH	FROM	WEST
WELL LOCATION:	Sec:	11	Twp:	9N	Rge:	9E	County	: HUG	HES		

Lease Name: MAVERICK Well No: 1-14-23CH Well will be 241 feet from nearest unit or lease boundary.

CALYX ENERGY III LLC Operator OTC/OCC Number: Telephone: 9189494224 23515 0 Name:

CALYX ENERGY III LLC 6120 S YALE AVE STE 1480

TULSA. OK 74136-4226 WILLIAM H. LAYCOCK

7611 E. 120 RD

WETUMKA OK 74883

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth
1	MISSISSIPPIAN	3600	6	
2			7	
3			8	
4			9	
5			10	
Spacing Orders:	678870	Location Exception Orders: 681139		Increased Density Orders:

Pending CD Numbers: Special Orders:

Total Depth: 14157 Ground Elevation: 749 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 240

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION Type of Pit System: ON SITE

Type of Mud System: AIR

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: 4

Liner not required for Category: 4

Pit Location is ALLUVIAL

Pit Location Formation: ALLUVIUM

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

B. Solidification of pit contents.

Approved Method for disposal of Drilling Fluids:

A. Evaporation/dewater and backfilling of reserve pit.

F. Haul to Commercial soil farming facility: Sec. 14 Twn. 7N Rng. 9E Cnty. 63 Order No: 551649

H. SEE MEMO

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED
Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is ALLUVIAL

Pit Location Formation: ALLUVIUM

HORIZONTAL HOLE 1

Sec 23 Twp 9N Rge 9E County HUGHES

Spot Location of End Point: S2 SW SW SW Feet From: SOUTH 1/4 Section Line: 165
Feet From: WEST 1/4 Section Line: 330

Depth of Deviation: 3173
Radius of Turn: 477
Direction: 179

Total Length: 10234

Measured Total Depth: 14157

True Vertical Depth: 3875

End Point Location from Lease,
Unit, or Property Line: 165

Notes:

Category Description

DEEP SURFACE CASING 7/5/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 7/5/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE

HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

LOCATION EXCEPTION - 681139 7/9/2018 - G57 - (I.O.) 14 & 23-9N-9E

X678870 MSSP

COMPL. INT. (14-9N-9E) NCT 165' FNL, NCT 330' FWL COMPL. INT. (23-9N-9E) NCT 165' FSL, NCT 330' FWL

CALYX ENERGY III, LLĆ.

8-8-2018

MEMO 7/5/2018 - G71 - PIT 2 - CLOSED SYSTEM=STEEL PITS (REQUIRED - LITTLE WEWOKA CREEK),

WBM/CUTTINGS CAPTURED IN CONCRETE-LINED PIT, SOLIDFIED AND HELD UNTIL DISPOSAL

APPROVED BY OCC

Category Description

SPACING - 678870

7/9/2018 - G57 - (1280)(HOR) 14 & 23-9N-9E EST MSSP, OTHERS POE TO BHL (MSSP) NLT 660' FB

Calyx Well Location Plat S.H.L. Sec. 11-9N-9E I.M. B.H.L. Sec. 23-9N-9E I.M. Operator: CALYX ENERGY III, LLC API:063 24820 A Lease Name and No.: MAVERICK 1-14-23CH Footage: 242' FSL - 241' FWL Gr. Elevation: 749' Section: 11 Township: 9N Range: 9E I.M. County: Hughes State of Oklahoma Terrain at Loc.: Location under construction. 1" = 1500 **GPS DATUM NAD 83 NAD 27** OK SOUTH ZONE Surface Hole Loc.: Lat: 35°15'41.87"N Lon: 96°20'03.25"W X: 2465785.61 SURFACE HOLE LOC. 242' FSL - 241' FWL Y: 705876.43 Surface Hole Loc. Lat: 35°15'41.57"N Lon: 96°20'02.22"W ~S13°26'E-X: 2497383.22 Y: 705827.36 POE: Lat: 35°15'37.85"N Lon: 96°20'02.16"W X: 2465882.48 Y: 705470.75 POE: Lat: 35°15'37.54"N Lon: 96°20'01.13"W X: 2497480.09 Y: 705421.69 Bottom Hole Loc. Lat: 35°13'56.62"N Lon: 96°20'02.22"W X: 2466046.32 Y: 695236.81 Bottom Hole Loc.: Lat: 35°13'56.31"N Lon: 96°20'01.19"W X: 2497643.97 "EW 122 RD. Y: 695187.94 STATE HWY 9 :695162 :250259 Mar con White SSIONAL OR POSSO Certification: Arkoma Surveying and Mapping, PLLC LANCE G. SURVEYOR This is to certify that this Well Location Plat represents P.O. Box 238 Wilburton, OK 74578 Ph. 918-465-5711 Fax 918-465-5030 Certificate of Authorization No. 5348 the results of a survey made on the ground performed **MATHIS** under the supervision of the undersigned. 1664 Expires June 30, 2020 Invoice #7904-A-C OKLAHOMA 08/08/18 Date Staked: 07/30/18 Date Drawn: 08/01/18 By: H.S. By: C.K. LANCE G. MATHIS **OK LPLS 1664**