API NUMBER: 073 26117

Oil & Gas

Horizontal Hole

## OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 06/18/2018
Expiration Date: 12/18/2018

PERMIT TO DRILL

WELL LOCATION: Sec: 18 Twp: 15N Rge: 8W County: KINGFISHER

SPOT LOCATION: SE NE NW NW FEET FROM QUARTER: FROM NORTH FROM WEST

SECTION LINES: 350 1058

Lease Name: SAFARI 7\_6-15N-8W Well No: 5HX Well will be 350 feet from nearest unit or lease boundary.

 Operator Name:
 DEVON ENERGY PRODUCTION CO LP
 Telephone:
 4052353611; 4052353
 OTC/OCC Number:
 20751
 0

DEVON ENERGY PRODUCTION CO LP 333 W SHERIDAN AVE

OKLAHOMA CITY, OK 73102-5015

ELDON BREDEL & SUSAN BREDEL

6081 E. 860 ROAD

OKARCHE OK 73762

Special Orders:

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth MISSISSIPPIAN 9151 1 6 2 7 8 3 4 9 10 634508

Spacing Orders: 634508 Location Exception Orders: Increased Density Orders:

201804176 201804112 201804111

Pending CD Numbers:

Total Depth: 19976 Ground Elevation: 1165 Surface Casing: 1999 Depth to base of Treatable Water-Bearing FM: 290

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

201804114

201804578

Type of Mud System: WATER BASED
Chlorides Max: 5000 Average: 3000

Within 1 mile of municipal water well? N Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: CHICKASHA

\_\_\_\_\_

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 18-34480

H. SEE MEMO

## PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is NON HSA

Pit Location Formation: CHICKASHA

## HORIZONTAL HOLE 1

Sec 06 Twp 15N Rge 8W County KINGFISHER

Spot Location of End Point: NW NW NE NW
Feet From: NORTH 1/4 Section Line: 50
Feet From: WEST 1/4 Section Line: 1350

Depth of Deviation: 8857 Radius of Turn: 477

Direction: 2

Total Length: 10370

Measured Total Depth: 19976

True Vertical Depth: 9334

End Point Location from Lease,
Unit, or Property Line: 50

Notes:

Category Description

DEEP SURFACE CASING 6/8/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 6/8/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INTERMEDIATE CASING 6/8/2018 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER-

PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE

MORROW SERIES

MEMO 6/8/2018 - G71 - PIT 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST; PIT 2 -

OBM TO VENDOR, OBM CUTTINGS PER DISTRICT

Category Description

6/14/2018 - G75 - (E.O.) 6-15N-8W X634508 MSSP \*\* PENDING CD - 201804111

4 WELLS

DEVON ENERGY PROD. CO., L.P. REC 6-8-2018 (M. PORTER)

\*\* S/B X634508/201804578 MSSP: TO BE CORRECTED IN ORDER SUBMITTED TO OCC FOR

REVIEW PER ATTORNEY FOR OPERATOR

PENDING CD - 201804112 6/14/2018 - G75 - (E.O.) 7-15N-8W

X634508 MSSP \*\*

4 WELLS DEVON ENERGY PROD. CO., L.P. REC 6-8-2018 (M. PORTER)

\*\* S/B  $\times$  X634508/201804578 MSSP; TO BE CORRECTED IN ORDER SUBMITTED TO OCC FOR

REVIEW PER ATTORNEY FOR OPERATOR

PENDING CD - 201804114 6/14/2018 - G75 - (E.O.) 7 & 6-15N-8W

EST MULTIUNIT HORIZONTAL WELL

X634508 MSSP \*\* 50% 7-15N-8W 50% 6-15N-8W

DEVON ENERGY PROD. CO., L.P. REC 6-8-2018 (M. PORTER)

\*\* S/B X634508/201804578 MSSP; TO BE CORRECTED IN ORDER SUBMITTED TO OCC FOR

REVIEW PER ATTORNEY FOR OPERATOR

6/14/2018 - G75 - (E.O.) 7 & 6-15N-8W X634508 MSSP \*\* PENDING CD - 201804176

X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO EXISTING/PROPOSED WELLS

COMPL. INT. (7-15N-8W) NCT 165' FSL, NCT 0' FNL, NCT 990' FWL COMPL. INT. (6-15N-8W) NCT 0' FSL, NCT 165' FNL, NCT 990' FWL

DEVON ENERGY PROD. CO., L.P. REC 6-8-2018 (M. PORTER)

\*\* S/B X634508/201804578 MSSP: TO BE CORRECTED IN ORDER SUBMITTED TO OCC FOR

REVIEW PER ATTORNEY FOR OPERATOR

PENDING CD - 201804578 6/14/2018 - G75 - MODIFY 634508 TO VAC SP. ORDER # 91355 MNNG N2. SE4. E2 SW4 6-15N-

8W & COEXIST SP. ORDER # 91355 MNNG W2 SW4 6-15N-8W

HEARING 7-3-2018 (OK'D PER HULLINGER)

**SPACING - 634508** 6/14/2018 - G75 - (640)(HOR) 7 & 6-15N-8W

VAC 91355 MNNG 6-15N-8W \*\*

VAC 91355 MISS E2 NW4, E2 SW4, W2 NE4, SE4 6-15N-8W

**EST MSSP** 

POE TO BHL NCT 660' FB

(COEXIST SP. ORDER # 141175 CSTCU, MGLCS, MSSSD 7-15N-8W; ORDER # 91355 MISS W2

NW4, W2 SW4, E2 NE4 6-15N-8W) ++

\*\* S/B VAC 91355 MNNG N2, SE4, E2 SW4 6-15N-8W; CORRECTED BY CD # 201804578

++ SHOULD INCLUDE COEXIST ORDER # 91355 MNNG W2 SW4 6-15N-8W; CORRECTED BY CD

# 201804578

