API NUMBER: 073 26235 A Horizontal Hole Oil & Gas	OIL & GAS C P OKLAHON	ORPORATION COMMISSION CONSERVATION DIVISION P.O. BOX 52000 MA CITY, OK 73152-2000 Rule 165:10-3-1)	Approval Date: 08/27/2018 Expiration Date: 02/27/2019	
Amend reason: CHANGED 1ST TAKE AND BHL	AMEN	D PERMIT TO DRILL		
WELL LOCATION: Sec: 30 Twp: 15N Rge: 5/	-	HER		
SPOT LOCATION: SE SE SW SE	FEET FROM QUARTER: FROM SC SECTION LINES: 18	DUTH FROM EAST 3 1580		
Lease Name: TORO TORO 1505	Well No: 1-	30MH	Well will be 183 feet from nearest unit or lease boundary.	
Operator OKLAHOMA ENERGY ACQUISITH Name:	DNS LP	Telephone: 2815300991	OTC/OCC Number: 23509 0	
OKLAHOMA ENERGY ACQUISITIONS	S LP			
15021 KATY FREEWAY STE 400			JAMES M. & NANCY D. SIMMONS 26030 E. 870 ROAD	
HOUSTON, TX	77094-1900	CASHION	OK 73016	
Formation(s) (Permit Valid for Listed For Name 1 MISSISSIPPIAN (LESS CHESTER) 2 3 4	rmations Only): Depth 7009	Name 6 7 8 9	Depth	
5		10		
Spacing Orders: 677770	Location Exception Orc	ders: 679447	Increased Density Orders:	
Pending CD Numbers: Total Depth: 12500 Ground Elevation: 1	¹⁵⁹ Surface Ca	sing: 500	Special Orders: Depth to base of Treatable Water-Bearing FM: 430	
Under Federal Jurisdiction: No	Fresh Water Su	pply Well Drilled: No	Surface Water used to Drill: No	
PIT 1 INFORMATION		Approved Method for disp	posal of Drilling Fluids:	
Type of Pit System: CLOSED Closed System Means Type of Mud System: WATER BASED Chlorides Max: 4000 Average: 1800 Is depth to top of ground water greater than 10ft below b			ation (REQUIRES PERMIT) PERMIT NO: 18-35166 STEEL PITS PER OPERATOR REQUEST	
Within 1 mile of municipal water well? N				
Wellhead Protection Area? N				
Pit is not located in a Hydrologically Sensitive Area.				
Category of Pit: C Liner not required for Category: C				
Liner not required for Category: C Pit Location is NON HSA				
Pit Location Formation: SALT PLAINS				

HORIZONTAL HOLE 1

KINGFISHER Sec 30 Twp 15N Rge 5W County Spot Location of End Point: NF NW NE NE Feet From: NORTH 1/4 Section Line: 165 Feet From: EAST 1/4 Section Line: 1355 Depth of Deviation: 6667 Radius of Turn: 573 Direction: 8 Total Length: 4933 Measured Total Depth: 12500 True Vertical Depth: 7009 End Point Location from Lease. Unit. or Property Line: 165 Notes: Description Category HYDRAULIC FRACTURING 8/20/2018 - G71 - OCC 165:10-3-10 REQUIRES: 1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE: 2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND, 3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG LOCATION EXCEPTION - 679447 8/27/2018 - G57 - (I.O.) 30-15N-5W X677770 MSNLC COMPL. INT. NCT 165' FSL, NCT 165' FNL, NCT 330' FWL & FEL OKLAHOMA ENERGY ACQUISITIONS, LP. 6-21-2018 8/27/2018 - G57 - (640)(HOR) 30-15N-5W SPACING - 677770 EXT 666011 MSNLC, OTHERS POE TO BHL NLT 660' FB (COEXIST W/ SP. ORDER 59564/61637 S2, NE4 MSSLM, ORDER 59564/61637/199331 NW4 MSSLM)

API:073 26235 A

