

Oklahoma Corporation Commission  
Oil & Gas Conservation Division  
Post Office Box 52000  
Oklahoma City, Oklahoma 73152-2000  
Rule 165: 10-3-25

Form 1002A

API No.: 35073257510000

**Completion Report**

Spud Date: September 16, 2017

OTC Prod. Unit No.: 073-222692-0-0000

Drilling Finished Date: September 29, 2017

1st Prod Date: December 14, 2017

Completion Date: November 27, 2017

**Drill Type:** HORIZONTAL HOLE

Well Name: ELIXIR 1805 1-8MH

Purchaser/Measurer:

Location: KINGFISHER 8 18N 5W  
NW NW NE NW  
183 FNL 1469 FWL of 1/4 SEC  
Latitude: 36.05747 Longitude: -97.76009  
Derrick Elevation: 1182 Ground Elevation: 1152

First Sales Date:

Operator: OKLAHOMA ENERGY ACQUISITIONS LP 23509

15021 KATY FREEWAY STE 400  
HOUSTON, TX 77094-1900

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	677465		There are no Increased Density records to display.	
	Commingled				

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	16"		X42	123			
SURFACE	9 5/8"	36#	J55	418		300	SURFACE
PRODUCTION	7"	29#	P110	7239		285	4310

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4 1/2"	13.5#	P110	5110	0	0	7035	12145

**Total Depth: 12147**

Packer		Plug	
Depth	Brand & Type	Depth	Plug Type
6998	ASIII	There are no Plug records to display.	

Initial Test Data
-------------------

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Jan 12, 2018	MISSISSIPPIAN (LESS CHESTER)	230	39	26	113	1008	GAS LIFT		OPEN	96

<b>Completion and Test Data by Producing Formation</b>	
Formation Name: MISSISSIPPIAN (LESS CHESTER)	Code: 359MSNLC
Class: OIL	

Spacing Orders	
Order No	Unit Size
667597	640

Perforated Intervals	
From	To
There are no Perf. Intervals records to display.	

Acid Volumes	
4842 BBLS 15% HCL	

Fracture Treatments	
310,926 BBLS SLICKWATER 5,768,095# SAND PROPPANT	

Formation	Top
COTTAGE GROVE	5457
HOGSHOOTER	5769
CHECKERBOARD	5835
BIG LIME	6022
OSWEGO (4TH)	6156
VERDIGRIS LIME	6257
SKINNER SS	6313
INOLA LIME	6440
MERAMEC	6571

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

<b>Other Remarks</b>
THIS IS AN OPEN HOLE COMPLETION FROM THE BOTTOM OF THE 7" CASING @ 7239' TO TERMINUS @ 12147'. THE 4 1/2" LINER IS NOT CEMENTED.

<b>Lateral Holes</b>
Sec: 8 TWP: 18N RGE: 5W County: KINGFISHER  SE SE SW SW  170 FSL 1030 FWL of 1/4 SEC  Depth of Deviation: 6521 Radius of Turn: 667 Direction: 180 Total Length: 4625  Measured Total Depth: 12147 True Vertical Depth: 7083 End Pt. Location From Release, Unit or Property Line: 170

<b>FOR COMMISSION USE ONLY</b>	
Status: Accepted	1138354

