# **OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION**

P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

API NUMBER: Horizontal Hole

Pit Location is NON HSA

Pit Location Formation: CHICKASHA

Oil & Gas

073 25807

10/31/2017 Approval Date: **Expiration Date:** 04/30/2018

# PERMIT TO DRILL

ELL LOCATION: Sec: 33 Twp: 16N Rge: 8W  POT LOCATION: NE SE SW SE FEET FROM		FISHER  SOUTH FROM E.	AST	
SECTION L	INES:		140	
Lease Name: MARGIE	Well No:	1608 4H-28X	Well w	vill be 450 feet from nearest unit or lease boundary
Operator NEWFIELD EXPLORATION MID-CON INC Name:		Telephone: 2816		OTC/OCC Number: 20944 0
)				
NEWFIELD EXPLORATION MID-CON INC 4 WATERWAY SQ PL STE 100 SPRING, TX 77380	-2764		NANCY & JERR' HC 64, BOX 1A KINGFISHER	Y COPELAND OK 73750
ormation(s) (Permit Valid for Listed Formations  Name	S Only): Depth		Name	Depth
1 MISSISSIPPIAN	8683	6	Name	
2 WOODFORD	9238	7		
3		8		
4		9		
5		10		
acing Orders: 635440	Location Exception	Orders:		Increased Density Orders:
ending CD Numbers: 201705326				Special Orders:
201705320				
201705321				
201705311				
201705313				
Total Depth: 19664 Ground Elevation: 1150	Surface (	Casing: 1500		Depth to base of Treatable Water-Bearing FM: 160
Under Federal Jurisdiction: No	Fresh Water	Supply Well Drilled:	No	Surface Water used to Drill: Yes
T 1 INFORMATION		Appro	ved Method for disposal	of Drilling Fluids:
pe of Pit System: ON SITE		A. E	/aporation/dewater and ba	ackfilling of reserve pit.
pe of Mud System: AIR				
depth to top of ground water greater than 10ft below base of pit? fithin 1 mile of municipal water well? N	Y	F. H. 6650		ming facility: Sec. 28 Twn. 2N Rng. 4W Cnty. 137 Order No
/ellhead Protection Area? N		H. S	ЕЕ МЕМО	
it is not located in a Hydrologically Sensitive Area.		-		
ategory of Pit: 4				
iner not required for Category: 4				

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is NON HSA

Pit Location Formation: CHICKASHA

### PIT 3 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is NON HSA

Pit Location Formation: CHICKASHA

# **HORIZONTAL HOLE 1**

Sec 28 KINGFISHER Twp 16N Rge 8W County

Spot Location of End Point: NE NW NW NE Feet From: NORTH 1/4 Section Line: 50 Feet From: **EAST** 1/4 Section Line: 2145

Depth of Deviation: 8155 Radius of Turn: 750 Direction: 355

Total Length: 10331

Measured Total Depth: 19664 True Vertical Depth: 9238 End Point Location from Lease,

Unit, or Property Line: 50

Additional Surface Owner

City, State, Zip

DAVID WITTROCK & DEBRA WITTR 4424 248TH ST. NW

OKARCHE, OK 73762

Notes:

Category

Description

DEEP SURFACE CASING

9/27/2017 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR

SURFACE CASING

Category

Description

HYDRAULIC FRACTURING

9/27/2017 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACEOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

9/27/2017 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER-INTERMEDIATE CASING

PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE

MORROW SERIES

9/27/2017 - G71 - PIT 2 & 3 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST; WBM, **MEMO** 

WBM & OBM CUTTINGS CAPTURED IN STEEL HALF PITS & TRANSFERRED TO BACKYARD ENERGY SERVICES SOUTH SCOOP FACILITY (SE4 28-2N-4W, STEPHENS CO.); PIT 3 - OBM TO

VENDOR

PENDING CD - 201705311 10/9/2017 - G75 - 28-16N-8W

X635440 MSSP 5 WELLS NO OP. NAMED

**REC 9-5-2017 (JOHNSON)** 

PENDING CD - 201705313 10/9/2017 - G75 - 33-16N-8W

> X635440 MSSP 5 WELLS NO OP. NAMED **REC 9-5-2017 (JOHNSON)**

PENDING CD - 201705320 10/9/2017 - G75 - (I.O.) 33 & 28-16N-8W

EST MULTIUNIT HORÍZONTAL WELL

X635440 MSSP, WDFD (WDFD ASSOCIATED COMMON SOURCE OF SUPPLY TO MSSP)

50% 33-16N-8W 50% 28-16N-8W NO OP. NAMED

**REC 9-5-2017 (JOHNSON)** 

PENDING CD - 201705321 10/9/2017 - G75 - (I.O.) 33 & 28-16N-8W

X635440 MSSP, WDFD SHL (33-16N-8W) SE4

COMPL. INT. (33-16N-8W) NCT 165' FSL, NCT 0' FNL, NCT 1320' FEL COMPL. INT. (28-16N-8W) NCT 0' FSL, NCT 165' FNL, NCT 1320' FEL

NO OP. NAMED

**REC 9-5-2017 (JOHNSON)** 

PENDING CD - 201705326 10/9/2017 - G75 - (E.O.) 28 & 33-16N-8W

X165:10-3-28(C)(2)(B) MSSP (MARGIE 1608 4H-28X)

MAY BE CLOSER THAN 600' TO YOST 1 NEWFIELD EXPLOR. MID-CONT. INC. REC 10-17-2017 (MCKEOWN)

**SPACING - 635440** 10/9/2017 - G75 - (640)(HOR) 28 & 33-16N-8W

VAC OTHER

VAC 83896 MNNG, MISS NW4, E2 NE4, S2 28-16N-8W

VAC 207512 MNNG, MISS E2 NW4, W2 NE4, W2 SE4 33-16N-8W

VAC 567481 MNNG, MISS SW4 33-16N-8W EXT 626748 MSSP, WDFD POE TO BHL (MSSP) NCT 660' FB

POE TO BHL (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL

(COEXIST SP. ORDER # 83896 MNNG, MISS W2 NE4 28-16N-8W & ORDER # 207512 MNNG,

MISS E2 NE4, E2 SE4, W2 NW4 33-16N-8W)

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

# PERMIT PLAT

M & M Land Surveying, Inc. Phone (580) 226-0446 520 E Street N.W. Ardmore, OK 73401

Company Name: NEWFIELD EXPLORATION MID-CONTINENT INC.

Lease Name: MARGIE 1608 4H-28X

Section 33 Township 16 N Range 8 W , I.B.M, County of Kingfisher, State of Oklahoma

> Elevation Good Location?

Original Location: 450'FSL - 1340'FEL 1150' GROUND YES Distance & Direction From Nearest Town: 7.4 miles West / Southwest of Kingfisher.

N:306280.38 N 89°53'39" E 5263,86 E:1985801.37 N:306270.65 E:1980537.52 165' HARD LINE **BOTTOM HOLE** 50' FNL 2145' FEL LAST TAKE POINT 165' FNL 2145' FEL V 00°00'44" W N 00°11'25" W 5282.08" SECTION 28 E:1980555.07 N:300988.61 10331.92 N 89°41'48" N:301016.38 5247.50 HARD E:1985802.50 N 00°15'46" HARD 30 N 00°31'06" W 5276.89' N 00°16'48" W 5273.77' T16N-R8W SURFACE LOCATION 450'FSL 1340'FEL LANDING N:295714.90 1980580. POINT 165' FSL 2145' FEL ш 165' HARD LINE N 89°43'49" E 5269.47 -450 N:295739.71 S 70°12'42" W E:1985850.25

852 89

SURFACE LOCATION DATUM: NAD27 35° 48' 49.18"N LONG: 98° 03' 08.12"W LAT: 35.813662°N LONG: 98.052255°W STATE PLANE COORDINATES: (US SURVEY FEET) ZONE: NORTH ZONE Y (N): 296183.34 X (E): 1984506.12

DATUM: NAD83 35° 48' 49.34"N LAT: LONG: 98° 03' 09.32"W LAT: 35.813706°N LONG: 98.052590°W

STATE PLANE COORDINATES: (US SURVEY FEET) ZONE: NORTH ZONE 296207.08 Y (N):

X (E): 1952907.36

DATA DERIVED FROM G.P.S. WITH O.P.U.S.

DATA.

BASIS OF BEARINGS ARE GRID NORTH COORDINATES ARE NAD27

SCALE 1" = 1500' 1500

This location has been staked according to the best official survey records available to us. The metrical data shown hereon is for permitting the well location and the section location may or may not be field verified. Please review this plat and notify us immediately of any discrepancy.

# CERTIFICATE:

I D. Harry McClintick a Registered Land Surveyor in the State Of Oklahoma, do hereby certify that the above described Well Location was surveyed and staked on the ground as shown and that said plat meets or exceeds the Oklahoma Minimum Technical Standards for the practice of land surveying as adopted by the Oklahoma State Board of Licensure for Professional Engineers and Land Surveyors.

MCCLINTICK

OKLAHOMA

D. Harry McClintick PLS. No.1367 CFEDS

SURVEY BY: M & M Land Surveying, Inc. ~ C.A. No. 3093 (LS)
DRAWING BY: Bennett-Morris And Associates Land Surveying, P.C.
© COPYRIGHT 2017 C.A. No. 5975 (LS) ~ Aaron L. Morris, RPLS
PROJECT NUMBER: SITE VISIT: (Explanation and Date)
17292 STAKING DATE: 07/11/2017 SHEET: 6 OF 10 DRAWING DATE: 07/17/2017

OKLAHOMA

CORPORATION COMMISSION

**OIL & GAS CONSERVATION DIVISION** 

P.O. BOX 52000 OKLAHOMA CITY, OKLAHOMA 73152-2000 255 Jim Thorpe Building Telephone: (405) 521-2500

FAX: (405) 522-0757

POLLUTION ABATEMENT

Underground Injection Control

July 27, 2017

API 073-25807

Backyard Energy Services, LLC Conor O'Reilly 1601 NW Expressway, Suite 1450 Oklahoma City, Oklahoma 73118

RE: Backyard Energy Services, LLC, Oil Based Drill Cuttings Treatment Process, Pilot Project, State of

Oklahoma

Dear Mr. O'Reilly,

The Pollution Abatement Department has reviewed the documentation and analyses furnished to us by Backyard Energy Services, LLC (Backyard) in support of a commercial non-deleterious facility (Facility), filed in Cause PD No. 201700132, requesting statewide authority.

It is our understanding that Backyard has an agreement with an operator in the area that is willing to furnish oil based drill cuttings (Drill Cuttings) for processing into a material that will be used for construction of the operator's drill sites. As a result of our review and technical meeting with Backyard representatives, you will have the ability to recycle/process the operator's Drill Cuttings for use for construction of drill sites, until October 27, 2017, or until a final Commission order issues.

Prior to using the processed material for construction, Backyard will provide the Pollution Abatement Department with the analyses of the processed material to be used, demonstrating it complies with the Target Limits set forth in the Amended Application in Cause PD No. 201700132. Backyard will also furnish the legal location and amount of processed material to be used for the construction of each drill site prior to commencement of construction. Once the construction has been completed, Backyard will prepare a post summary report. Records of the amount of incoming oil based drill cutting and the amount of outgoing processed material will be kept, as well as dates and the origin of the Drill Cuttings and the final destination. Such records be made available to Commission staff upon request.

This Facility will not be considered a commercial recycling facility for the purpose of this pilot project. If the project is to continue after the October 27<sup>th</sup> 2017 date, a reevaluation will be required by the Pollution Abatement Department in order to determine if additional authorization may be granted by the Commission.

If operations at the Facility are terminated prior to October 27th, the Pollution Abatement Department shall be notified immediately.

If there are any questions, please feel free to contact me at 405-521-2240. Sincerely,

Tim Baker

Director.

Oil and Gas Conservation Division

CC: Mike Moore

Gayland Darity Grant Ellis Brad Ice Terry Grooms Cheri Wheeler



## **Newfield Exploration Company**

24 Waterway Avenue, Suite 900 The Woodlands, Texas 77380 PH 281-210-5100 | FAX 346-224-7026

July 27, 2017

Oklahoma Corporation Commission Tim Baker, Director of the Oil and Gas Conservation Division 2101 N. Lincoln Blvd Oklahoma City, Oklahoma 73105

RE: Cause PD. No. 201700132, Backyard Energy Services, LLC, Oil Based Drill Cutting Treatment Pilot Project, State of Oklahoma

Dear Mr. Baker:

Please be advised that Newfield Exploration Mid-Con, Inc. (Newfield) understands and agrees it will be the sole operator under a Commission pilot project which will allow Backyard Energy Services, LLC to process Newfield's oil based drill cuttings using the process and requirements outlined in the amended application filed in Cause PD No. 201700132. The results of the processing will be a material that will be used in the construction of Newfield's drill sites.

Newfield further understands the initial pilot project will be for a period of ninety (90) days, or until such time as an order issues if the above referenced cause.

If there are further questions, please do not hesitate to contact Evelyn Smith at (281)674-2521.

Sincerely,

Math Land