

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area

BISON

Category of Pit: C

Pit Location Formation:

Liner not required for Category: (Pit Location is NON HSA

HORIZONTAL HOLE 1

Sec 17 CANADIAN Twp 13N Rge 5W

Spot Location of End Point: S2 SE SE

Feet From: SOUTH 1/4 Section Line: Feet From: EAST 1/4 Section Line: 330

Depth of Deviation: 7288 Radius of Turn: 462 Direction: 178 Total Length: 10198

Measured Total Depth: 18212 True Vertical Depth: 8284 End Point Location from Lease, Unit, or Property Line: 50

Notes:

Category Description

8/11/2017 - G58 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR DEEP SURFACE CASING

SURFACE CASING

8/11/2017 - G58 - OCC 165:10-3-10 REQUIRES HYDRAULIC FRACTURING

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK.

HTTP://WWW.OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3)THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING NGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK

HTTP://FRACFOCUS.ORG/

8/11/2017 - G58 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS REQUIRED, PIT 2 - OBM

RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

MEMO

Category Description 8/18/2017 - G60 - (I.O.) 8 & 17-13N-5W EST MULTIUNIT HORIZONTAL WELL PENDING CD - 201703401 X615498 MSSP (8-13N-5W) X201703402 MSSP (17-13N-5W) 51.3% 17-13N-5W 48.7% 8-13N-5W NO OP. NAMED REC. 8/22/17 (LEAVITT) PENDING CD - 20170340 8/18/2017 - G60 - (640)(HOR) 17-13N-5W VAC 108937 MISS EXT 620700 MSSP, OTHER COMPL. INT. NLT 660' FB REC. 8/22/17 (LEAVITT) PENDING CD - 201703405 8/18/2017 - G60 - (I.O.) 8 & 17-13N-5W X615498 MSSP (8-13N-5W) X201703402 MSSP (17-13N-5W) COMPL. INT. (8-13N-5W) NCT 165' FNL, NCT 0' FSL, NCT 330' FEL COMPL. INT. (17-13N-5W) NCT 0' FNL, NCT 165' FSL, NCT 330' FEL O OP. NAMED REC. 8/22/17 (LEAVITT) 8/18/2017 - G60 - (640)(HOR) 8-13N-5W EST MSSP COMPL INT. NLT 660' FB **SPACING - 615498** (COEXIST WITH SP. ORDER 169876/191092 MSSP)