

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35051240720001

Completion Report

Spud Date: November 25, 2016

OTC Prod. Unit No.: 051218495

Drilling Finished Date: February 10, 2016

1st Prod Date: April 04, 2017

Completion Date: March 31, 2017

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: ISAAC TAYLOR 0606 2-15-10WXH

Purchaser/Measurer: MARATHON OIL

Location: GRADY 10 6N 6W
SW SE NW NW
1165 FNL 980 FWL of 1/4 SEC
Derrick Elevation: 0 Ground Elevation: 0

First Sales Date: 01363

Operator: MARATHON OIL COMPANY 1363

5555 SAN FELIPE ST
HOUSTON, TX 77056-2701

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	664625		657592	
	Commingled				

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	20	94	J55	100			SURFACE
SURFACE	13 3/8	54.50	J55	1479		760	SURFACE
INTERMEDIATE	9 5/8	40	P-110 HC	12640		465	10248
PRODUCTION	5 1/2	23	P 110	24113		4597	15426

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 24125

Packer		Plug	
Depth	Brand & Type	Depth	Plug Type
There are no Packer records to display.		23936	COPPERHEAD 10K BRIDGE PLU

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut- In Pressure	Choke Size	Flow Tubing Pressure
Apr 12, 2017	WOODFORD- MISSISSIPPIAN	490		6197	12647	3251	FLOWING	2690	36/64	

Completion and Test Data by Producing Formation

Formation Name: WOODFORD

Code: 319WDFD

Class: OIL

Spacing Orders

Order No	Unit Size
609380	640
657949	640
658782	MULTIUNIT

Perforated Intervals

From	To
15056	23910

Acid Volumes

158,216 GALS ACID 15% HCL

Fracture Treatments

416,334 BBLS FLUID 11,985,600 LBS PROPPANT

Formation Name: MISSISSIPPIAN

Code: 359MSSP

Class: OIL

Spacing Orders

Order No	Unit Size
657949	640
658782	MULTIUNIT

Perforated Intervals

From	To
14156	15002

Acid Volumes

ACIDIZED WITH WOODFORD

Fracture Treatments

FRACED WITH WOODFORD

Formation Name: WOODFORD-MISSISSIPPIAN

Code:

Class: OIL

Formation	Top
WOODFORD	12931

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

OCC - THIS DOCUMENT IS ACCEPTED BASED ON THE DATA SUBMITTED THE FINAL MULTIUNIT ORDER HAS NOT BEEN ISSUED.

Lateral Holes

Sec: 15 TWP: 6N RGE: 6W County: GRADY

SE SW SW SW

90 FSL 386 FWL of 1/4 SEC

Depth of Deviation: 13644 Radius of Turn: 1825 Direction: 180 Total Length: 9354

Measured Total Depth: 24125 True Vertical Depth: 14295 End Pt. Location From Release, Unit or Property Line: 90

FOR COMMISSION USE ONLY

1137861

Status: Accepted