API NUMBER: 073 25817

Oil & Gas

Horizontal Hole

## OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 11/13/2017
Expiration Date: 05/13/2018

## PERMIT TO DRILL

		GFISHER	: KINC	County	6W	Rge:	18N	Twp:	35	Sec:	WELL LOCATION:
WEST	FROM	SOUTH	FROM	FEET FROM QUARTER:		SW		SF	sw	SW	SPOT LOCATION:
1574		268		SECTION LINES:							

Lease Name: THE TRICK 1706 Well No: 6-2MH Well will be 268 feet from nearest unit or lease boundary.

Operator OKLAHOMA ENERGY ACQUISITIONS LP Telephone: 2815300991 OTC/OCC Number: 23509 0

OKLAHOMA ENERGY ACQUISITIONS LP 15021 KATY FREEWAY STE 400

HOUSTON, TX 77094-1900

RUELLE KINSLOW AND ALMETRICE KINSLOW 24244 FAST 710 ROAD

DOVER OK 73734

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth
1	MISSISSIPPIAN (EX CHESTER)	7495	6	
2			7	
3			8	
4			9	
5			10	
Spacing Orders:	662139	Location Exception Orders:		Increased Density Orders:

Pending CD Numbers: 201704541 Special Orders:

Total Depth: 12500 Ground Elevation: 1095 Surface Casing: 500 Depth to base of Treatable Water-Bearing FM: 120

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED
Chlorides Max: 4000 Average: 1800

Is depth to top of ground water greater than 10ft below base of pit?  $\quad \mbox{Y}$ 

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is AP/TE DEPOSIT
Pit Location Formation: TERRACE

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 17-33336
H. CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST

## **HORIZONTAL HOLE 1**

Sec 02 Twp 17N Rge 6W County KINGFISHER

Spot Location of End Point: SE SE SE SW
Feet From: SOUTH 1/4 Section Line: 165
Feet From: EAST 1/4 Section Line: 2539

Depth of Deviation: 6922
Radius of Turn: 300
Direction: 170
Total Length: 5107

Measured Total Depth: 12500

True Vertical Depth: 7495

End Point Location from Lease,
Unit, or Property Line: 165

Notes:

Category Description

DEEP SURFACE CASING 11/9/2017 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 11/9/2017 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH

WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS

TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE

HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

PENDING CD - 201704541 11/9/2017 - G60 - (I.O.) 2-17N-6E

X662139 MSNLC

COMPL. INT. NCT 165' FNL, NCT 165' FSL, NCT 2610' FWL

NO OP. NAMED

REC. 10/9/17 (M. PORTER)

SPACING - 662139 11/9/2017 - G60 - (640) 2-17N-6W

EST MSNLC

**EXT OTHERS** 

COMPL. INT. NLT 660' FB


(COEXIST WITH SP. ORDER 53420/62761 S2, E2 NE4 AND NW4; SP. ORDER

119269/371358/450744 LINCOLN NORTH UNIT (MISSISSIPPI LIME)

DRAWN BY: S.R.T.

REVISION

DATE



MIKE DOSSEY R.P.L.S. #

1431