zontal Hole Oil & Gas	(R	A CITY, OK 73152-2000 ule 165:10-3-1)	Expiration Date: 05/16/2018			
VELL LOCATION: Sec: 09 Twp: 17N Rge: SPOT LOCATION: SW SE SE SW	24W County: ELLIS	UTH FROM WEST				
Lease Name: GROSS	Well No: 16		Well will be 250 feet from nearest unit or lease boundary.			
Operator EOG RESOURCES INC Name:		Telephone: 4052463212	OTC/OCC Number: 16231 0			
EOG RESOURCES INC 3817 NW EXPRESSWAY STE 500 OKLAHOMA CITY, OK	73112-1483		ILLER FAMILY TRUST TH VAN BUREN OK 73832			
Formation(s) (Permit Valid for Listed For Name	ormations Only): Depth	Name	Depth			
1 MARMATON 2 3 4 5	9450	6 7 8 9 10				
Spacing Orders: 594259	Location Exception Ord	ers: 665866	Increased Density Orders: 666120			
Pending CD Numbers:			Special Orders:			
Total Depth: 15052 Ground Elevation:	2274 Surface Cas	sing: 1500	Depth to base of Treatable Water-Bearing FM: 420			
Under Federal Jurisdiction: No Fresh Water S		oply Well Drilled: No	Surface Water used to Drill: Yes			
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Mean	s Stool Dits	Approved Method for o	disposal of Drilling Fluids:			
Type of Mud System: WATER BASED Chlorides Max: 100000 Average: 5000 Is depth to top of ground water greater than 10ft below			D. One time land application (REQUIRES PERMIT) PERMIT NO: 17-34003 E. Haul to Commercial pit facility: Sec. 21 Twn. 14N Rng. 21W Cnty. 129 Order No: 376462 H. SEE MEMO			
Within 1 mile of municipal water well? N Wellhead Protection Area? N						
Pit is located in a Hydrologically Sensitive Area. Category of Pit: C						
Liner not required for Category: C						

PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. Category of Pit: C Liner not required for Category: C

 Pit Location is
 AP/TE DEPOSIT

 Pit Location Formation:
 TERRACE

HORIZONTAL HOLE 1

Sec	16	Twp	17N	Rge	24W	Сс	ounty	ELLIS	
Spot I	Locatior	n of En	d Point	t: SN	N SV	V	SW	SE	
Feet I	From:	SOL	JTH	1/4 Se	ction Lir	ne:	50		
Feet I	From: EAST		т	1/4 Se	ction Li	ne:	2605		
Depth of Deviation: 9106									
Radius of Turn: 369									
Direction: 175									
Total Length: 5366									
Measured Total Depth: 15052									
True Vertical Depth: 9686									
End Point Location from Lease,									
Unit, or Property Line: 50									

Notes:	
Category	Description
DEEP SURFACE CASING	11/3/2017 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	11/3/2017 - G71 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
INCREASED DENSITY - 666120	11/16/2017 - G60 - 16-17N-24W X594259 MRMN 2 WELLS EOG RESOURCES, INC. 7/19/17
LOCATION EXCEPTION - 665866	11/16/2017 - G60 - (I.O.) 16-17N-24W X594259 MRMN COMPL. INT. NCT 165' FNL, NCT 2000' FWL, NCT 165' FSL, NCT 2600' FEL EOG RESOURCES INC. 7/12/17

Category

MEMO

SPACING - 594259

Description

11/15/2017 - G71 - PIT 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST; PIT 1 - WBM CUTTINGS TO BE SOIL FARMED, PIT 2 - OBM CUTTINGS TO HAULED TO COMM PITS, OBM TO VENDOR

11/16/2017 - G60 - (640)(HOR) 16-17N-24W EST MRMN, OTHERS POE TO BHL: NCT 660' FB (COEXIST WITH PRODUCING NON-HORIZONTAL SPACING UNITS; SUPERCEDE NON-DEVELOPED NON-HORIZONTAL SPACING UNITS)

