API NUMBER: 133 25270

Straight Hole Oil & Gas

OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)

Approval Date: 01/03/2018
Expiration Date: 07/03/2018

PERMIT TO DRILL

WELL LOCATION: Sec: 36 Twp: 9N Rge: 6E County: SEMINOLE

SPOT LOCATION: SW NE NE SE FEET FROM QUARTER: FROM **SOUTH** FROM **WEST**
SECTION LINES: **2145** **2145**

Lease Name: OSCEOLA **Well No: 1-36** **Well will be 195 feet from nearest unit or lease boundary.**

Operator Name: **BLACKSTONE SEMINOLE LLC** Telephone: 7136006220 OTC/OCC Number: 24108 0

BLACKSTONE SEMINOLE LLC
600 TRAVIS ST STE 300
HOUSTON, TX 77002-2931

RIKEY LYNN & ATONIA LOVETT
12463 NS 3590
SEMINOLE OK 74868

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth		Name	Depth
1	WEWOKA	1600	6	UNION VALLEY-CROMWELL	3700
2	CALVIN	2050	7	MISENER	3900
3	SENORA	2700	8	HUNTON	4000
4	EARLSBORO	2900	9	WILCOX	4100
5	BOOCH	3250	10		

Spacing Orders: 256718 Location Exception Orders: Increased Density Orders:

Pending CD Numbers: Special Orders:

Total Depth: 4500 Ground Elevation: 855 **Surface Casing: 880** Depth to base of Treatable Water-Bearing FM: 820

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits
Type of Mud System: WATER BASED
Chlorides Max: 8000 Average: 5000
Is depth to top of ground water greater than 10ft below base of pit? Y
Within 1 mile of municipal water well? N
Wellhead Protection Area? N
Pit **is** located in a Hydrologically Sensitive Area.
Category of Pit: C
Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: VAMOOSA

Approved Method for disposal of Drilling Fluids:

H. CLOSED SYSTEM=STEEL PITS (REQUIRED - WEWOKA CREEK)
E. Haul to Commercial pit facility: Sec. 19 Twn. 8N Rng. 5E Cnty. 125 Order No: 274874

Notes:

This permit does not address the right of entry or settlement of surface damages.
The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.
Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

Category	Description
HYDRAULIC FRACTURING	10/5/2017 - G71 - OCC 165:10-3-10 REQUIRES: 1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE; 2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND, 3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
SPACING	10/9/2017 - G58 - EARLSBORO UNSPACED; 160 ACRE LEASE (SE4)
SPACING - 256718	10/6/2017 - G58 - (20) SE4 36-9N-6E SU NE/SW EXT 171130 HNTN, WLCX EST WWOK, CLVN, SNOR, BOCH, UVCM, MSNR, OTHERS

This permit does not address the right of entry or settlement of surface damages.
The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.
Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

BOB ANTHONY
Commissioner

TODD HIETT
Commissioner

DANA MURPHY
Commissioner

OKLAHOMA
CORPORATION COMMISSION
P.O. BOX 52000
OKLAHOMA CITY, OKLAHOMA 73152-2000

258 Jim Thorpe Building

OIL & GAS CONSERVATION DIVISION ***Technical Services Dept.***

Q1002A&C;1001A;LOGS

November 06, 2019

24108-0
BLACKSTONE SEMINOLE LLC
ATTN: TODD BROOKS
500 DALLAS STREET, SUITE 1650
HOUSTON, TX 77002-2931

RE: ABIAKA 1-36, API 133-25269-00, C SW NW SE 36-09N-06E, SEMINOLE COUNTY
FIRE WATER 1-36, API 133-25272-00, C SW NE SE 36-09N-06E, SEMINOLE COUNTY
HADJO 1-36, API 133-25274-00, C SW SW SE 36-09N-06E, SEMINOLE COUNTY
JOHN HORSE 1-36, API 133-25276-00, N2 SW SE SE 36-09N-06E, SEMINOLE COUNTY
MIKASUKI 1-36, API 133-25275-00, C NE NW SE 36-09N-06E, SEMINOLE COUNTY
OSCEOLA 1-36, API 133-25270-00, SW NE NE SE 36-09N-06E, SEMINOLE COUNTY
WILD CAT 1-36, API 133-25271-00, C SE SW SE 36-09N-06E, SEMINOLE COUNTY

Dear Mr. Brooks:

We have not received Form 1002A Completion Reports, Form 1002C Cementing Reports, Form 1001A Spud Notices, nor open-hole wireline logs for the above wells, as required by Rules 165:10-3-2, 165:10-3-4(i), 165:10-3-25, and 165:10-3-26. These rules specify that a completion report with an attached cementing report, and well logs, shall be submitted within 60 days after completion of operations, regardless of whether a well is a producer, dry hole, injection, disposal or service well, or a well that was plugged at a later date. A spud notice is also required within 14 days of the well spudding date.

We are requesting that you submit the above Form 1002A Completion Reports, Form 1002C Cementing Reports, Form 1001A Spud Notifications, and well logs within 15 days from the date of receipt of this letter. Well logs must be complete, in one piece, and with complete locations noted. Please submit these forms along with a copy of this letter, marked to the attention of the staff member named in the closing sentence.

If you require further assistance or have questions, please contact Dennis Niskern at (405) 522-2977.

Sincerely,

Duncan Woodliff
Compliance Section

xc: Judicial and Legislative Services

Dennis Niskern

From: bob@rdgraylaw.com
Sent: Thursday, November 21, 2019 3:32 PM
To: Dennis Niskern; Duncan Woodliff
Cc: Tyler Trout; 'Scott Nowak'; 'Leo Whelan (External)'; 'Jackie Shafer'
Subject: [External] BLACKSTONE SEMINOLE LLC VARIOUS WELLS SEMINOLE CO.,OK
Attachments: 20191118160626103.pdf

Dennis/Duncan:

Attached is the OCC letter of inquiry dated 11/6/19 covering various wells. The purpose of this e-mail is to advise none of these wells were drilled.

Bob Gray

Bob Gray
Robert Dean Gray, PC
3500 S. Boulevard, Suite 10B
Edmond, OK 73013
Telephone: (405) 848-8998
Telephone: (405) 216-3600
Fax: (405) 216-3602

This e-mail, including attached files, may contain confidential and privileged information for the sole use of the intended recipient(s). Any review, use, distribution or disclosure by others is strictly prohibited. If you are not the intended recipient (or authorized to receive information from the recipient) please contact the sender by reply e-mail and delete and/or destroy all copies of this message and any attachments.


TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA


6709 NORTH CLASSEN BLVD., OKLA. CITY, OKLA. 73116 * LOCAL (405) 843-4847 * OUT OF STATE (800) 654-3219
Certificate of Authorization No. 1293 LS

SEMINOLE County, Oklahoma

2145'FSL-2145'FWL-SE/4 Section 36 Township 9N Range 6E I.M.

133-25270





NOTES:
1. THE INFORMATION SHOWN HEREIN IS FOR CONSTRUCTION PURPOSES ONLY.
2. PROPOSED WELL STAKE NOT SURVEYED IN THE FIELD.

Operator: BLACKSTONE SEMINOLE, LLC.

Lease Name: OSCEOLA Well No.: 1-36

ELEVATION: N/A

Topography & Vegetation N/A

Good Drill Site? N/A

Reference Stakes or Alternate Location Stakes Set None

Best Accessibility to Location From South off US Hwy 270

Distance & Direction from Hwy Jct or Town From the junction of US Hwy 270/St. Hwy 9 & St. Hwy 3 in Seminole, Oklahoma, go ± 5 miles South-Southeast on US Hwy 270 to the Southeast Corner of Section 36, T9N-R6E.

Date of Drawing: Oct. 12, 2017

Invoice # 282416D Date Staked: N/A NMB

This information was gathered with a GPS receiver with ±1 foot Horiz./Vert. accuracy.

DATUM: NAD-27
LAT: 35°12'31.7" N
LONG: 96°37'09.7" W
LAT: 35.208794118° N
LONG: 96.619348405° W

STATE PLANE COORDINATES (US FEET):
ZONE: OK SOUTH
X: 2412448
Y: 685342

CERTIFICATE:

I, Lee K. Goss an Oklahoma Licensed Land Surveyor and an authorized agent of Topographic Land Surveyors of Oklahoma, do hereby certify to the information shown herein.

Oklahoma Reg. No. 1778

LICENSED PROFESSIONAL LAND SURVEYOR
LEE K. GOSS 1778
OKLAHOMA

10-12-17


TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA

6709 NORTH CLASSEN BLVD., OKLA. CITY, OKLA. 73116 * LOCAL (405) 843-4847 * OUT OF STATE (800) 654-3219
Certificate of Authorization No. 1293 LS

SEMINOLE County, Oklahoma

2145'FSL-2145'FWL-SE/4 Section 36 Township 9N Range 6E I.M.





NOTES:
1. THE INFORMATION SHOWN HEREIN IS FOR CONSTRUCTION PURPOSES ONLY.
2. PROPOSED WELL STAKE NOT SURVEYED IN THE FIELD.

Operator: BLACKSTONE SEMINOLE, LLC.

Lease Name: OSCEOLA Well No.: 1-36

ELEVATION: N/A

Topography & Vegetation N/A

Good Drill Site? N/A

Reference Stakes or Alternate Location Stakes Set None

Best Accessibility to Location From South off US Hwy 270

Distance & Direction from Hwy Jct or Town From the junction of US Hwy 270/St. Hwy 9 & St. Hwy 3 in Seminole, Oklahoma, go ± 5 miles South-Southeast on US Hwy 270 to the Southeast Corner of Section 36, T9N-R6E.

This information was gathered with a GPS receiver with ±1 foot Horiz./Vert. accuracy

DATUM: NAD-27
LAT: 35°12'31.7" N
LONG: 96°37'09.7" W
LAT: 35.208794118° N
LONG: 96.619348405° W

STATE PLANE COORDINATES (US FEET):
ZONE: OK SOUTH
X: 2412448
Y: 685342

Date of Drawing: Oct. 12, 2017

Invoice # 282416D Date Staked: N/A NMB

CERTIFICATE:

I, Lee K. Goss an Oklahoma Licensed Land Surveyor and an authorized agent of Topographic Land Surveyors of Oklahoma, do hereby certify to the information shown herein.


Oklahoma Reg. No. 1778

LICENSED PROFESSIONAL LAND SURVEYOR
LEE K. GOSS 1778
OKLAHOMA
10-12-2017

TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA

Surveying and Mapping for the Energy Industry
6709 North Classen Blvd. Oklahoma City, OK 73116 www.topographic.com
Telephone Numbers: Local (405) 843-4847 Toll Free (800) 654-3219

VICINITY MAP



Scale: 1" = 3 Miles

Sec. 36 Twp. 9N Rng. 6E I.M.

County SEMINOLE State OK


Operator BLACKSTONE SEMINOLE, LLC.

TOPOGRAPHIC
LOYALTY INNOVATION LEGACY
LAND SURVEYORS OF OKLAHOMA

TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA

Surveying and Mapping for the Energy Industry
6709 North Classen Blvd. Oklahoma City, OK 73116 www.topographic.com
Telephone Numbers: Local (405) 843-4847 Toll Free (800) 654-3219

LOCATION & ELEVATION VERIFICATION MAP



Sec. 36 Twp. 9N Rng. 6E I.M.

County SEMINOLE State OK

Operator BLACKSTONE SEMINOLE, LLC.

Description 2145'FSL–2145'FWL–SE/4

Lease OSCEOLA 1–36

Elevation N/A

U.S.G.S. Topographic Quadrangle Map WEWOKA WEST, OK

Above Background Data from U.S.G.S. Topographic Map
Scale: 1"=2000'

Contour Interval 10'

When elevation is shown hereon it is the ground elevation of the location stake.
Review this plat and inform us immediately of any possible discrepancy.

TOPOGRAPHIC
LOYALTY INNOVATION LEGACY
LAND SURVEYORS OF OKLAHOMA