		BOX 52000 CITY, OK 73 165:10-3-1)	152-2000	Approval Date:05/02/2018Expiration Date:11/02/2018
	PERM	<u>IIT TO DRIL</u>	L	
			_	
VELL LOCATION: Sec: 15 Twp: 18N Rge: 6W	County: KINGFISHER			
	FEET FROM QUARTER: FROM NORTH	FROM EA	ST	
	SECTION LINES: 215	330	D	
Lease Name: STATES 15-18-6	Well No: 4HC		Well will b	e 215 feet from nearest unit or lease boundary.
Operator CHESAPEAKE OPERATING LLC Name:	Tele	ephone: 40593	53425; 4059358	OTC/OCC Number: 17441 0
CHESAPEAKE OPERATING LLC PO BOX 18496			OLIVER AND WANI 7089 N 2870 RD	DA STATES
OKLAHOMA CITY, OK 7	/3154-0496		HENNESSEY	OK 73742
Name 1 OSWEGO 2 3 4 5 Spacing Orders: 663562 655776 674745	Depth 6273 Location Exception Orders:	6 7 8 9 10 674119 674120 674118 676422	Name	Depth Increased Density Orders: 670450 674746
Pending CD Numbers:				Special Orders:
Total Depth: 17500 Ground Elevation: 1176	Surface Casing	g: 1500	Dep	oth to base of Treatable Water-Bearing FM: 170
Under Federal Jurisdiction: No	Fresh Water Supply	Well Drilled: N	0	Surface Water used to Drill: No
PIT 1 INFORMATION		Approv	ed Method for disposal of Dr	illing Fluids:
Type of Pit System: CLOSED Closed System Means Ste	eel Pits			
Type of Mud System: WATER BASED		D. On	e time land application (RE	EQUIRES PERMIT) PERMIT NO: 18-34315
Chlorides Max: 5000 Average: 3000		H. CL	OSED SYSTEM=STEEL PIT	S PER OPERATOR REQUEST
Is depth to top of ground water greater than 10ft below base Within 1 mile of municipal water well? N Wellhead Protection Area? N	e of pit? Y			
Pit is located in a Hydrologically Sensitive Area.				
Category of Pit: C				
Liner not required for Category: C Pit Location is AP/TE DEPOSIT				
Pit Location Formation: TERRACE				

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

HORIZONTAL HOLE 1

HORIZONTAL HOLE I	
Sec 22 Twp 18N Rge 6W Court Spot Location of End Point: SW SE SI	
Feet From: SOUTH 1/4 Section Line:	250
Feet From: EAST 1/4 Section Line:	380
Depth of Deviation: 6012	
Radius of Turn: 880	
Direction: 181	
Total Length: 10105	
Measured Total Depth: 17500	
True Vertical Depth: 6373	
End Point Location from Lease, Unit, or Property Line: 250	
Notes:	
Category	Description
DEEP SURFACE CASING	4/20/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
EXCEPTION TO RULE - 676422	5/2/2018 - G60 - 22-18N-6W X165:10-3-28(C)(2)(B) OSWG MAY BE CLOSER THAN 600' TO F. WEBER 1, F. WEBER 4, WEBER 1 WELLS CHESAPEAKE OPERATING, LLC. 4/18/18
EXCEPTION TO RULE- 674118	5/1/2018 - G60 - 15-18N-6W X165:10-3-28(C)(2)(B) OSWG MAY BE CLOSER THAN 600' TO JOHN STATES 1 WELL CHESAPEAKE OPERATING, LLC. 2/27/18
	**CORRECT WELL NAME OF PROPOSED WELL AT FINAL HEARING
HYDRAULIC FRACTURING	4/20/2018 - G71 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
INCREASED DENSITY - 670450	5/1/2018 - G60 - 22-18N-6W X663562 OSWG 1 WELL CHESAPEAKE OPERATING, LLC. 11/27/18
INCREASED DENSITY - 674746	4/30/2018 - G60 - 15-18N-6W X663562 OSWG 1 WELL CHESAPEAKE OPERATING, LLC. 3/15/18
LOCATION EXCEPTION - 674119	5/1/2018 - G60 - 22-18N-6W X663562 OSWG COMPL. INT. NCT 0' FNL, NCT 330' FSL, NCT 330' FEL CHESAPEAKE OPERATING, LLC. 2/27/18

Category	Description
LOCATION EXCEPTION - 674120	4/30/2018 - G60 - (I.O.) 15-18N-6W X663562 OSWG COMPL. INT. NCT 330' FNL, NCT 0' FSL, NCT 330' FEL CHESAPEAKE OPERATING, LLC. 2/27/18
SPACING - 655776	4/30/2018 - G60 - (640)(HOR) 22-18N-6W EXT 630826 OSWG POE TO BHL NCT 660' FB (COEXIST WITH SP. ORDER 51905 OSWG)
SPACING - 663562	4/30/2018 - G60 - (640)(HOR) 15-18N-6W EXT 630826 OSWG POE TO BHL NCT 660' FB (COEXIST WITH SP. ORDER 51905 OSWG)
SPACING - 674745	4/30/2018 - G60 - (640) 25 & 22-18N-6W EST MULTIUNIT HORIZONTAL WELL X663562 OSWG (15-18N-6W) X655776 OSWG (22-18N-6W) 50% 15-18N-6W 50% 22-18N-6W CHESAPEAKE OPERATING, LLC. 3/15/18

