API NUMBER: 045 23701

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 11/16/2017
Expiration Date: 11/16/2018

PERMIT TO DRILL

WELL LOCATION:	Sec:	09	Twp:	17N	Rge: 24W	County:	ELLIS
----------------	------	----	------	-----	----------	---------	-------

SPOT LOCATION: SW SE SE SW FEET FROM QUARTER: FROM SOUTH FROM WEST SECTION LINES: 250 2150

Lease Name: GROSS Well No: 16 3H Well will be 250 feet from nearest unit or lease boundary.

Operator EOG RESOURCES INC Telephone: 4052463212 OTC/OCC Number: 16231 0

EOG RESOURCES INC

PO BOX 4362

OKLAHOMA CITY, OK 73112-1483

MAX E MILLER FAMILY TRUST 121 NORTH VAN BUREN STREET

ARNETT OK 73832

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth	l
1	MARMATON	9450	6		
2			7		
3			8		
4			9		
5			10		
Spacing Orders:	594259	Location Exception Orders: 6	666004	Increased Density Orders:	666120

Pending CD Numbers: Special Orders:

Total Depth: 15147 Ground Elevation: 2274 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 420

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED
Chlorides Max: 100000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? $\quad \mbox{Y}$

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is AP/TE DEPOSIT
Pit Location Formation: TERRACE

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 17-34002
E. Haul to Commercial pit facility: Sec. 21 Twn. 14N Rng. 21W Cnty. 129 Order No: 376462

H SEE MEMO

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is AP/TE DEPOSIT
Pit Location Formation: TERRACE

HORIZONTAL HOLE 1

Sec. 16 Twp 17N Rge 24W County **ELLIS** SE Spot Location of End Point: SW SE SW Feet From: SOUTH 1/4 Section Line: 50 Feet From: EAST 1/4 Section Line: 1850

Depth of Deviation: 9092
Radius of Turn: 369
Direction: 173
Total Length: 5475

Measured Total Depth: 15147

True Vertical Depth: 9672

End Point Location from Lease,
Unit, or Property Line: 50

Notes:

Category Description

DEEP SURFACE CASING 11/3/2017 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 11/3/2017 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS

TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 666120 11/16/2017 - G60 - 16-17N-24W

X594259 MRMN

2 WELLS

EOG RESOURCES, INC.

7/19/17

LOCATION EXCEPTION - 666004 11/16/2017 - G60 - (I.O.) 16-17N-24W

X594259 MRMN

COMPL. INT. NCT 165' FNL, NCT 2240' FEL, NCT 165' FSL, NCT 1850' FEL

EOG RESOURCES INC.

7/17/17

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

045 23701 GROSS 16 3H

Category Description

MEMO 11/15/2017 - G71 - PIT 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST; PIT 1 -

WBM CUTTINGS TO BE SOIL FARMED, PIT 2 - OBM CUTTINGS TO HAULED TO COMM PITS,

OBM TO VENDOR

SPACING - 594259 11/16/2017 - G60 - (640)(HOR) 16-17N-24W

EST MRMN, OTHERS
POE TO BHL: NCT 660' FB

(COEXIST WITH PRODUCING NON-HORIZONTAL SPACING UNITS; SUPERCEDE NON-

DEVELOPED NON-HORIZONTAL SPACING UNITS)



fermit ex 5/16/18 Surety ex 2/23/19 Operator # 16231

EOG Resources, Inc. 3817 NW Expressway Suite 500 Oklahoma City, OK 73112-1483 (405) 246-3100

April 25, 2018

Via Fed Ex Overnight Delivery

Attention: Ms. Virginia Hullinger Oklahoma Corporation Commission Oil and Gas Conservation Division Jim Thorpe Building 2101 N. Lincoln Blvd. Oklahoma City, OK 73105

RE:

Request for Six (6) Month Extension of OCC Drilling Permit

Gross 16 #3H - API No. 35 045 23701 / Surface Location: Section 9-17N-24W / Ellis County, Oklahoma /

Dear Ms. Hullinger:

EOG Resources, Inc. respectfully requests a six (6) month extension on the approved permit of the above well. All information included on the permit remains the same. We understand the extension will be granted for only one six-month period and once that period has elapsed, the permit and fee must be re-filed.

If additional information is required, please feel free to contact me directly at 246-3114, fax number 246-3115, or email linda_young@eogresources.com.

Sincerely.

Linda Bruster Young, CPL Senior Landman / Regulatory Approved for 6 Month Extension From

5-16-1

BIECIEIVED

APR 2 5 2018

OKLAHOMA CORPORATION COMMISSION