PI NUMBER: 003 23297 raight Hole Oil & Gas	OIL & GAS OKLAHO		73152-2000	Approval Date: 11/27/2017 Expiration Date: 05/27/2018	
	E		RILL		
WELL LOCATION:  Sec:  27  Twp:  29N  Rge:  12V    SPOT LOCATION:	FEET FROM QUARTER: FROM N	FA IORTH FROM 980	EAST 1980		
Lease Name: SCHWARTZ A	Well No: 1	1-27	Well will	be 1980 feet from nearest unit or lease boundary.	
Operator TRANS PACIFIC OIL CORPORATIO Name:	N	Telephone: 31	62623596	OTC/OCC Number: 23435 0	
TRANS PACIFIC OIL CORPORATION 100 S MAIN ST STE 200 WICHITA, KS	67202-3735		COLLEEN WARD 8700 NW 73RD ST OKLAHOMA CITY		
Formation(s) (Permit Valid for Listed Forr Name	nations Only): Depth		Name	Depth	
1 DOUGLAS	3970	6	HUNTON	5285	
2 LANSING-KANSAS CITY	4300	7	VIOLA	5335	
3 DES MOINES	4600	8	SIMPSON GROUP	5420	
4 MISSISSIPPIAN	4835	9			
5 MISENER	5275	10	J		
Spacing Orders: No Spacing	Location Exception O	rders:		Increased Density Orders:	
Pending CD Numbers: 201707690				Special Orders:	
Total Depth: 5800 Ground Elevation: 12	SS Surface C	asing: 240	De	epth to base of Treatable Water-Bearing FM: 190	
Under Federal Jurisdiction: No	Fresh Water S	supply Well Drilled:	No	Surface Water used to Drill: No	
PIT 1 INFORMATION	Approved Method for disposal of Drilling Fluids:				
Type of Pit System: ON SITE		A.	Evaporation/dewater and back	filling of reserve pit.	
Type of Mud System: WATER BASED Chlorides Max: 80000 Average: 5000 Is depth to top of ground water greater than 10ft below bas	se of pit? Y	H. MIN. SOIL COMPACTED PIT, NOTIFY DISTRICT PRIOR TO TESTING SOIL PIT LINER			
Within 1 mile of municipal water well? N Wellhead Protection Area? N					
Pit is located in a Hydrologically Sensitive Area. Category of Pit: 1B					
Liner required for Category: 1B					
Pit Location is AP/TE DEPOSIT					
Pit Location Formation: TERRACE					
	Additional Surface Ov	wner /	Address	City, State, Zip	
	COLE WARD TRUST	ş	3700 NW 73RD ST.	OKLAHOMA CITY, OK 73132	

Notes:

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

Description
11/22/2017 - G71 - OCC 165:10-3-10 REQUIRES:
1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
11/22/2017 - G75 - (E.O.)(640) 27-29N-12W EXT 343900 DGLS, LGKC, DSMN, MSNR, VIOL, SMPSG EXT 591556 MSSP EST HNTN TRANS PACIFIC OIL CORP. REC 11-27-2017 (THOMAS)

API 003-23297

API NUMBER: 000 00000 Straight Hole Oil & Gas	OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)				
	PERMI	T TO DRILL			
WELL LOCATION: Sec: 27 Twp: 29N rege: 12V SPOT LOCATION: SW N Lease Name: SCHWARTZ A Operator TRANS PACIFIC OIL CORPORATIO Name:	FEELFRUNQUATER NON NORTH SECTION IN SECTION WEIL NO: 1-27		000 1980 feet from nearest unit or lease boundary. DTC/OCC Number: 23435 0		
TRANS PACIFIC OIL CORPORATION					
100 S MAIN ST STE 200		COLLEEN WARD TRUST			
WICHITA, KS	67202-3735	8700 NW 73RD ST.			
		OKLAHOMA CITY	OK 73132		
Formation(s) (Permit Valid for Listed Forr	nations Only):				
Name	Depth	Name	Depth		
1 DOUGLAS	3970	6 MISENER	5275		
2 LANSING-KANSAS CITY	4300	7 HUNTON	5285		
3 DES MOINES 4	4600	8 VIOLA 9 SIMPSON	5335 5420		
5 MISSISSIPPIAN	4835	9 SIMPSON Groun			
Spacing Orders: No Spacing	Location Exception Orders:		ncreased Density Orders:		
	tearing 11-207.	-2017	Special Orders:		
Total Depth: 5800 Ground Elevation: 12	65 Surface Casing	: 240 Depth	to base of Treatable Water-Bearing FM: 190		
Under Federal Jurisdiction: No	Fresh Water Supply W	/ell Drilled: No	Surface Water used to Drill: No		
Approved Method for disposal of Drilling Fluids:					
Pitt: water-based, SOK-SK ppr	n chlorides	A. Evaporation/dewater and backfilli	ng of reserve pit.		
		H. MIN. SOIL COMPACTED PIT, N	DTIFY DISTRICT PRIOR TO TESTING SOIL PIT LINER		
	Additional Surface Owner	Address	City, State, Zip		
	COLE WARD TRUST	8700 NW 73RD ST.	OKLAHOMA CITY, OK 73132		
		TEMPORARY AU TO D			
		Signature: 12= 165:10	i-DOIT in MSG for Virginia itulinge-		

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.