

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35073255420000

Completion Report

Spud Date: March 24, 2017

OTC Prod. Unit No.: 073-222273-0-0000

Drilling Finished Date: April 11, 2017

1st Prod Date: October 14, 2017

Completion Date: April 12, 2017

Drill Type: HORIZONTAL HOLE

Well Name: SCOUT 1906 1-34MH

Purchaser/Measurer:

Location: KINGFISHER 34 19N 6W
SW SE SW SE
182 FSL 1812 FEL of 1/4 SEC
Latitude: 36.07325 Longitude: -97.82391
Derrick Elevation: 0 Ground Elevation: 1165

First Sales Date:

Operator: OKLAHOMA ENERGY ACQUISITIONS LP 23509

15021 KATY FREEWAY STE 400
HOUSTON, TX 77094-1900

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	663209		There are no Increased Density records to display.	
	Commingled				

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	16"		X42	123			
SURFACE	9 5/8"	36#	NT95	335		300	SURFACE
PRODUCTION	7"	29#	P110	7125		280	4181

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4 1/2"	13.5#	P110	5175	0	0	6984	12159

Total Depth: 12161

Packer		Plug	
Depth	Brand & Type	Depth	Plug Type
6977	ASIII	There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Nov 12, 2017	MISSISSIPPIAN (LESS CHESTER)	424	39	414	976	1064	GAS LIFT		OPEN	165

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPIAN (LESS CHESTER)

Code: 359MSNLC

Class: OIL

Spacing Orders

Order No	Unit Size
663207	640

Perforated Intervals

From	To
There are no Perf. Intervals records to display.	

Acid Volumes

4854BBLS 15% HCL

Fracture Treatments

325,012 BBLS SLICKWATER 6,297,040# SAND PROPPANT

Formation	Top
COTTAGE GROVE	5578
HOGSHOOTER LS	5938
CHECKERBOARD LS	5991
CLEVELAND SS	6089
BIG LIME	6184
OSWEGO (4TH)	6324
VERDIGRIS	6415
PINK LS	6531
INOLA LS	6617
MERAMEC	6842

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

THIS IS AN OPEN HOLE COMPLETION FROM THE BOTTOM OF THE 7" CASING @ 7125' TO TERMINUS @ 12161'. THE 4 1/2" LINER IS NOT CEMENTED. OCC - THIS DOCUMENT IS ACCEPTED BASED ON DATA SUBMITTED, THE FINAL LOCATION EXCEPTION HAS NOT BEEN ISSUED.

Lateral Holes

Sec: 34 TWP: 19N RGE: 6W County: KINGFISHER

NW NE NE NE

204 FNL 351 FEL of 1/4 SEC

Depth of Deviation: 7031 Radius of Turn: 584 Direction: 360 Total Length: 4332

Measured Total Depth: 12161 True Vertical Depth: 7276 End Pt. Location From Release, Unit or Property Line: 204

FOR COMMISSION USE ONLY

Status: Accepted

1137881

—