Oklahoma Corporation Commission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000 Rule 165: 10-3-25

| API No.: 35039225040002 | | Completion Report | Spud Date: June 08, 2017 |
|-------------------------|---|------------------------|--|
| OTC Prod. U | Jnit No.: 039-222659 | | Drilling Finished Date: September 07, 2017 |
| A manual a d | | | 1st Prod Date: October 31, 2017 |
| Amended Amend Rea | son: CORRECT - SURFACE LOCATION / GAS-OIL RA | ATIO / COMPLETION DATE | Completion Date: October 31, 2017 |
| Drill Type: | HORIZONTAL HOLE | | |
| Well Name: | KNUTE 1-33-4XH | | Purchaser/Measurer: ENABLE |
| Location: | CUSTER 33 15N 15W NW NW NW 280 FNL 300 FWL of 1/4 SEC Derrick Elevation: 0 Ground Elevation: 0 | | First Sales Date: 10/31/2017 |
| Operator: | CONTINENTAL RESOURCES INC 3186 PO BOX 269000 20 N BROADWAY AVE OKLAHOMA CITY, OK 73126-9000 | | |

| | Completion Type | Location Exception |] [| Increased Density | | | | |
|---|-----------------|--------------------|-----|--|--|--|--|--|
| Х | Single Zone | Order No | 11 | Order No | | | | |
| | Multiple Zone | 667756 | 11 | There are no Increased Density records to display. | | | | |
| | Commingled | | | | | | | |

| Casing and Cement | | | | | | | | | | |
|--|------|--|-------------|----|----------------|-------|-------|-----|-------|-------------|
| ٦ | Гуре | | Size Weight | | Grade | Feet | | PSI | SAX | Top of CMT |
| SURFACE | | | 13 3/8 | 55 | J-55 | 1472 | | | 840 | SURFACE |
| INTERMEDIATE | | | 9 5/8 | 40 | P-110 1080 | | 10800 | | 878 | 6926 |
| PRODUCTION | | | 5 1/2 | 23 | P-110 | 24382 | | | 4474 | 10050 |
| Liner | | | | | | | | | | |
| Type Size Weight Grad | | | | | Length PSI SAX | | | Тор | Depth | Bottom Dept |
| There are no Liner records to display. | | | | | | | | | | |

Total Depth: 24390

| Pac | ker | P | lug |
|--------------------|-----------------------|-------------------|---------------------|
| Depth | Brand & Type | Depth | Plug Type |
| There are no Packe | r records to display. | There are no Plug | records to display. |

Initial Test Data

| Test Date | Formation | | | | | Water BBL/Day | Pumpin or Flowing | Initial Shut- In Pressure | Choke Size | Flow Tubing Pressure | | |
|----------------|---|-----------|--------------|---|------------------|------------------|----------------------|---------------------------------|---------------|-------------------------|--|--|
| Oct 04, 2017 | MISSISSIPPIAN | 155 | 54 | 14422 | 93045 | 2171 | FLOWING | 6300 | 26/64 | 5695 | | |
| | | Co | mpletion and | Test Data I | by Producing F | ormation | | | | | | |
| | Formation Name: MISSI | ISSIPPIAN | | Code: 35 | 9MSSP | С | lass: GAS | | | | | |
| | Spacing Orders | | | | Perforated I | ntervals | | | | | | |
| Order | No U | Init Size | | From | n | 1 | Го | | | | | |
| 6585 | 37 | 640 | | 1434 | .0 | 24 | 197 | | | | | |
| 6554 | 10 | 640 | | | • | | | | | | | |
| 6678 | 63 ML | JLTIUNIT | | | | | | | | | | |
| | Acid Volumes | | | | Fracture Tre | atments | | | | | | |
| 22 | 240 BBLS OF 15% HCL A | CID | 44 | 445,092 BBLS OF FLUID & 19,747,837 LBS OF SAND | | | | | | | | |
| | | | | | | | | | | | | |
| Formation | | 1 | Гор | v | Vere open hole l | ogs run? Ye | s | | | | | |
| MISSISSIPPIAN | ١ | | | 12553 Date last log run: July 13, 2017 | | | | | | | | |
| | | | | Were unusual drilling circumstances encountered? No Explanation: | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| Other Remarks | ; | | | | | | | | | | | |
| | CUMENT IS ACCEPTED DERS HAVE BEEN ISSU | | THE DATA S | UBMITTED | NEITHER THE | FINAL LOCA | ATION EXCE | PTION NOR | THE FIN/ | ۹L | | |
| | | | | | | | | | | | | |
| | | | | Lateral H | loles | | | | | | | |
| Sec: 4 TWP: 14 | N RGE: 15W County: CUS | STER | | | | | | | | | | |

SE SW SW SW

33 FSL 363 FWL of 1/4 SEC

Depth of Deviation: 13841 Radius of Turn: 397 Direction: 183 Total Length: 10050

Measured Total Depth: 24390 True Vertical Depth: 14567 End Pt. Location From Release, Unit or Property Line: 33

FOR COMMISSION USE ONLY

Status: Accepted

1139181

| ີສັ . * _ | | | | Oil 8 | Gas Co Post Of na City, | poration Conservation fice Box 5 Oklahoma 165: 10-3- | n Divi 2000 a 7315 | sion | 0 | | | | Form 10024 1016EZ | |
|------------------|--|---------------------|------------|-------------------|-------------------------------|---|--------------------------|--|-------------------|------------------------------|-----------|--------------|-----------------------------|--|
| API No.: (| 22504 |) | | | Con | pletion Rep | oort | | | | Spud Da | ate: June (| 98, 2017 | |
| OTC Proc | d. Unit No.: 039-2226 | 59 | | | | | | | Dr | illing Fin | ished Da | ate: Septer | mber 07, 2017 | |
| | | * | | | | | | | | - 1st | Prod Da | ate: Octob | er 31, 2017 | |
| Amendeo | ł | | | | | | | | | Comp | letion Da | ate: Octob | er 31, 2017 | |
| Amend R | eason: CORRECT - | SURFACE LOCA | ATION / GA | S-OIL | RATIO / C | OMPLETION | N DATE | | | | | | | |
| Drill Type | e: HORIZONTAL | HOLE | | | | | | | | | | | | |
| Well Nam | ie: KNUTE 1-33-4XH | l | | | | | | | Purc | Purchaser/Measurer: ENABLE | | | | |
| Location: | CUSTER 33 1 NW NW NW 280 FNL 300 F Derrick Elevation | NW WL of 1/4 SEC | otion: 0 | Muttiunit! | | | | | First | First Sales Date: 10/31/2017 | | | | |
| Operator: | CONTINENTAL F PO BOX 269000 20 N BROADWA OKLAHOMA CIT | Y AVE | | | C Q | 33-152 14-14N |)-19 1-19 | | 49, | ,33% .67% | 2 0 2 | 2265 2265 | 9 I 9A I | |
| Cor | npletion Type | | Loca | ocation Exception | | | | | | Increased Density | | | | |
| X Sing | le Zone | | | Order | No | | | | Order No | | | | | |
| Mult | iple Zone | | | 6677 | 56 | | | There are no Increased Density records to display. | | | | | | |
| | nmingled | | | | | | | L | | | | | | |
| Afri | unit FD: | | | | | Ca | sing ar | nd Cem | ent | | | | | |
| America | unit FD; 7342 | | Гуре | | Size | Weight | G | rade | Fe | et | PSI | SAX | Top of CMT | |
| 67 | 7340 | SU | RFACE | | 13 3/8 | 55 | J | -55 | 14 | 72 | | 840 | SURFACE | |
| | INTERN | | | | 9 5/8 | 40 | P. | 110 | 108 | 300 | | 878 | 6926 | |
| | PRODUCTIO | | | | 5 1/2 | 23 | P. | 110 | 243 | 382 | | 4474 | 10050 | |
| | | | | L | L | Li | ner | 1 | | | | | | |
| | | Туре | Size | Wei | ight | Grade | Leng | | PSI SAX Top Depth | | | | Bottom Depth | |
| | | | | | 5 | There are r | - | | | | | | · · · · | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | Total | Depth: 24390 | |

| Pac | ker | PI | ug |
|--------------------|-----------------------|-------------------|---------------------|
| Depth | Brand & Type | Depth | Plug Type |
| There are no Packe | r records to display. | There are no Plug | records to display. |

Initial Test Data

RELAYED TOTO MAN TOTO 1 of 2

April 27, 2018 10/4/17 359MSP 6300 EZEZ