## Oklahoma Corporation Commission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000

Rule 165: 10-3-25

API No.: 35071248910000 **Completion Report** Spud Date: June 28, 2018

OTC Prod. Unit No.: Drilling Finished Date: July 03, 2018

1st Prod Date:

First Sales Date:

Completion Date: July 03, 2018

**Drill Type:** STRAIGHT HOLE

Well Name: SMITH 1-12 Purchaser/Measurer:

KAY 12 26N 1E Location: C NE NW NE

2310 FSL 990 FWL of 1/4 SEC

Latitude: 36.75238173 Longitude: -97.14437684

Derrick Elevation: 1021 Ground Elevation: 1008

TRUEVINE OPERATING LLC 22516 Operator:

PO BOX 1422 2612 ARLINGTON ST ADA, OK 74821-1422

Completion Type
Single Zone
Multiple Zone
Commingled

Location Exception
Order No
There are no Location Exception records to display.

Increased Density
Order No
There are no Increased Density records to display.

		Cas	sing and Ceme	nt			
Туре	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	8 5/8	23	J-55	253	2500	185	SURFACE

				Liner				
Туре	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
			There are	no Liner record	ds to displa	ay.		

Total Depth: 3840

Pac	ker
Depth	Brand & Type
There are no Packe	er records to display.

Ple	ug
Depth	Plug Type
There are no Plug	records to display.

				Initial Tes	t Data					
Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut- In Pressure	Choke Size	Flow Tubing Pressure
			There are n	o Initial Data	records to disp	olay.				
		Con	npletion and	Test Data b	y Producing F	ormation				

September 25, 2018 1 of 2

For	mation Name: NONE	Code:	Class: PLUG AND ABANDON
Formation	Тор	Date last lo	n hole logs run? Yes og run: July 02, 2018 sual drilling circumstances encountered? No on:
Other Remarks	Pemarke		

## FOR COMMISSION USE ONLY 1140416 Status: Accepted

September 25, 2018 2 of 2

Form 1002A

Rev. 2009

	Min Gas Allowab OR	le (165:10-17	-7)	Gas Purchaser/Measurer		
INITIAL TEST DATA	 Oil Allowable	(165:10-13-3)		First Sales Date		
INITIAL TEST DATE						
OIL-BBL/DAY						
OIL-GRAVITY ( API)						
GAS-MCF/DAY						
GAS-OIL RATIO CU FT/BBL		AC	CIID	MITTEN		
WATER-BBL/DAY		- IA3	20PI	MITTED		
PUMPING OR FLOWING					<b>T</b> .	
INITIAL SHUT-IN PRESSURE		<u> </u>	111111111111		] ]	
CHOKE SIZE						
FLOW TUBING PRESSURE	4					
	 	·		·	<del></del>	

the formations drilled through, and pertinent remarks are presented on the reverse. I declare that I have knowledge of the contents of this report and am authorized by my organization

MIKE E FLOWERS

NAME (PRINT OR TYPE)

74821

ZIP

OK

STATE

ADA

CITY

SIGNATURE

P.O. BOX 1422

**ADDRESS** 

pr under my supervision and direction, with the data and facts stated herein to be true, correct, and complete to the best of my knowledge and belief.

7/12/2018

MATT@TVOPERATING.COM

EMAIL ADDRESS

(580) 427-7919

PHONE NUMBER

## PLEASE TYPE OR USE BLACK INK ONLY

MES OF FORMATIONS	ТОР				FOR COM	MISSION USE ONLY	•
		1	ITD on file	YES	No		
					<del></del>		
			APPROVED	DISA	.PPROVED 2) Re	eject Codes	
			1		<del></del>		
					<del></del>		
							<del></del>
			Were open hole lo	gs run?	<u>×</u> ′ yes		
		ľ	Date Last log was	run	7-2-2	2018	_
			Was CO <sub>2</sub> encount	ered?	yesX	no at what depths?	
			Was H₂S encounte	ered?	·	no at what depths?	
					stances encountered?		yes ×
			If yes, briefly expla		stances encountered:		_yes
ner remarks:							
	7,20						
	7,240						
					MPPTY V. J. B. L. J.		
640 Acres	BOTTOM HOLE LOCATION	I FOR DIRE	CTIONAL HOLE				
640 Acres	BOTTOM HOLE LOCATION	I FOR DIRE	CTIONAL HOLE	Y			
640 Acres	SEC TWP						
640 Acres	SEC TWP Spot Location 1/4	RGE	COUNT	1/4 F	eet From 1/4 Sec Lines	FSL	FWL
640 Acres	SEC TWP Spot Location	RGE	COUNT	1/4 F	eet From 1/4 Sec Lines	i	FWL
640 Acres	SEC TWP Spot Location 1/4	RGE	COUNT	1/4 F		i	FWL
640 Acres	SEC TWP Spot Location 1/4	RGE 1/4	COUNT  1/4 ue Vertical Depth	1/4 F	HL From Lease, Unit, or F	i	FWL
640 Acres	SEC TWP  Spot Location 1/4  Measured Total Depth  BOTTOM HOLE LOCATION	RGE 1/4	COUNT  1/4 ue Vertical Depth	1/4 F	HL From Lease, Unit, or F	i	FWL
640 Acres	SEC TWP Spot Location 1/4 Measured Total Depth	RGE 1/4	COUNT  1/4 ue Vertical Depth	1/4 F	HL From Lease, Unit, or F	i	FWL
640 Acres	SEC TWP  Spot Location 1/4  Measured Total Depth  BOTTOM HOLE LOCATION  LATERAL #1  SEC TWP  Spot Location	1/4 Tr	1/4 ue Vertical Depth IZONTAL HOLE: (LA	1/4 F	HL From Lease, Unit, or F	Property Line:	
640 Acres	SEC TWP  Spot Location 1/4  Measured Total Depth  BOTTOM HOLE LOCATION  LATERAL #1  SEC TWP  Spot Location 1/4	RGE  1/4  Tri  FOR HOR  RGE	1/4 ue Vertical Depth IZONTAL HOLE: (LA	1/4 F	OHL From Lease, Unit, or F	Property Line:	FWL
ore than three drainholes are proposed, attach a	SEC TWP  Spot Location 1/4  Measured Total Depth  BOTTOM HOLE LOCATION  LATERAL #1  SEC TWP  Spot Location 1/4  Depth of Deviation	1/4 Tri	1/4 ue Vertical Depth IZONTAL HOLE: (LA	1/4 F TERALS)	OHL From Lease, Unit, or F	FSL Total Length	
nore than three drainholes are proposed, attach a parate sheet indicating the necessary information.	SEC TWP  Spot Location 1/4  Measured Total Depth  BOTTOM HOLE LOCATION  LATERAL #1  SEC TWP  Spot Location 1/4  Depth of	1/4 Tri	1/4 ue Vertical Depth IZONTAL HOLE: (LA	1/4 F TERALS)	OHL From Lease, Unit, or F	FSL Total Length	
ore than three drainholes are proposed, attach a arate sheet indicating the necessary information.	SEC TWP  Spot Location 1/4  Measured Total Depth  BOTTOM HOLE LOCATION  LATERAL #1  SEC TWP  Spot Location 1/4  Depth of Deviation	1/4 Tri	1/4 ue Vertical Depth IZONTAL HOLE: (LA	1/4 F TERALS)	OHL From Lease, Unit, or F	FSL Total Length	
nore than three drainholes are proposed, attach a parate sheet indicating the necessary information.  Section must be stated in degrees azimuth, as note, the horizontal drainhole and its end not must be located within the boundaries of the	SEC TWP  Spot Location 1/4  Measured Total Depth  BOTTOM HOLE LOCATION  LATERAL #1  SEC TWP  Spot Location 1/4  Depth of Deviation Measured Total Depth	RGE 1/4 Tri I FOR HOR RGE 1/4 Ra Tri	I/4  LE Vertical Depth  IZONTAL HOLE: (LA  COUNT  1/4  Idius of Turn  Le Vertical Depth	1/4 F	OHL From Lease, Unit, or F	FSL Total Length	
ore than three drainholes are proposed, attach a arrate sheet indicating the necessary information. Section must be stated in degrees azimuth, as enote, the horizontal drainhole and its end int must be located within the boundaries of the se or spacing unit.	SEC TWP  Spot Location 1/4  Measured Total Depth  BOTTOM HOLE LOCATION  LATERAL #1  SEC TWP  Spot Location 1/4  Depth of Deviation Measured Total Depth  LATERAL #2  SEC TWP	1/4 Tri	1/4 ue Vertical Depth IZONTAL HOLE: (LA	1/4 F	OHL From Lease, Unit, or F	FSL Total Length	
ore than three drainholes are proposed, attach a arate sheet indicating the necessary information.  Section must be stated in degrees azimuth.  ase note, the horizontal drainhole and its end att must be located within the boundaries of the se or spacing unit.  The ectional surveys are required for all	SEC TWP  Spot Location 1/4  Measured Total Depth  BOTTOM HOLE LOCATION  LATERAL #1  SEC TWP  Spot Location 1/4  Depth of Deviation Measured Total Depth  LATERAL #2  SEC TWP  Spot Location	RGE  1/4  Tri  FOR HOR  RGE  1/4  Ra  Tri  RGE	1/4 ue Vertical Depth  IZONTAL HOLE: (LA'  COUNT  1/4 idius of Turn  ue Vertical Depth	1/4 E	HL From Lease, Unit, or F eet From 1/4 Sec Lines Direction	FSL Total Length	
ore than three drainholes are proposed, attach a arate sheet indicating the necessary information.  Indicating the necessary information are the horizontal drainhole and its end att must be located within the boundaries of the ero spacing unit.  Bectional surveys are required for all	SEC TWP  Spot Location 1/4  Measured Total Depth  BOTTOM HOLE LOCATION  LATERAL #1  SEC TWP  Spot Location 1/4  Depth of Deviation Measured Total Depth  LATERAL #2  SEC TWP  Spot Location 1/4  Depth of	RGE  1/4  Tri  FOR HOR  RGE  1/4  Ra  Tri  RGE	I/4  LE Vertical Depth  IZONTAL HOLE: (LA  COUNT  1/4  Idius of Turn  Le Vertical Depth	1/4 F  TERALS)  Y  1/4 F	OHL From Lease, Unit, or F	FSL Total Length Property Line:  FSL Total Total Total Total Total	FWL
ore than three drainholes are proposed, attach a arate sheet indicating the necessary information.  Section must be stated in degrees azimuth.  Sase note, the horizontal drainhole and its end att must be located within the boundaries of the se or spacing unit.  Sectional surveys are required for all ainholes and directional wells.	SEC TWP  Spot Location 1/4  Measured Total Depth  BOTTOM HOLE LOCATION  LATERAL #1  SEC TWP  Spot Location 1/4  Depth of Deviation Measured Total Depth  LATERAL #2  SEC TWP  Spot Location 1/4	RGE  1/4  Tro  FOR HOR  RGE  1/4  Ra  Tro  RGE	I/4 ue Vertical Depth IZONTAL HOLE: (LA COUNT  1/4 Idius of Turn  Ue Vertical Depth  COUNT	1/4 F E TERALS)  Y  1/4 F  1/4 F	eet From 1/4 Sec Lines Direction UHL From Lease, Unit, or F	FSL Total Length Property Line:  FSL Total Length Length	FWL
ore than three drainholes are proposed, attach a arate sheet indicating the necessary information.  Section must be stated in degrees azimuth.  Sase note, the horizontal drainhole and its end att must be located within the boundaries of the se or spacing unit.  Sectional surveys are required for all ainholes and directional wells.	SEC TWP  Spot Location 1/4  Measured Total Depth  BOTTOM HOLE LOCATION  LATERAL #1  SEC TWP  Spot Location 1/4  Depth of Deviation Measured Total Depth  LATERAL #2  SEC TWP  Spot Location 1/4  Depth of Deviation 1/4  Depth of Deviation 1/4  Depth of Deviation 1/4  Depth of Deviation	RGE  1/4  Tro  FOR HOR  RGE  1/4  Ra  Tro  RGE	I/4  IZONTAL HOLE: (LA'  IZONTAL HOLE: (LA'  COUNT  1/4  Idius of Turn  COUNT  1/4  Idius of Turn	1/4 F E TERALS)  Y  1/4 F  1/4 F	HL From Lease, Unit, or Feet From 1/4 Sec Lines HL From Lease, Unit, or Feet From 1/4 Sec Lines Heet From 1/4 Sec Lines	FSL Total Length Property Line:  FSL Total Length Length	FWL
ore than three drainholes are proposed, attach a arate sheet indicating the necessary information.  Section must be stated in degrees azimuth.  Sase note, the horizontal drainhole and its end att must be located within the boundaries of the se or spacing unit.  Sectional surveys are required for all ainholes and directional wells.	SEC TWP  Spot Location 1/4  Measured Total Depth  BOTTOM HOLE LOCATION  LATERAL #1  SEC TWP  Spot Location 1/4  Depth of Deviation Measured Total Depth  LATERAL #2  SEC   TWP  Spot Location 1/4  Depth of Deviation 1/4  Depth of Deviation 1/4  Depth of Deviation Measured Total Depth	RGE  1/4  Tro  FOR HOR  RGE  1/4  Ra  Tro  RGE	I/4  IZONTAL HOLE: (LA'  IZONTAL HOLE: (LA'  COUNT  1/4  Idius of Turn  COUNT  1/4  Idius of Turn	1/4 F E TERALS)  Y  1/4 F  1/4 F	HL From Lease, Unit, or Feet From 1/4 Sec Lines HL From Lease, Unit, or Feet From 1/4 Sec Lines Heet From 1/4 Sec Lines	FSL Total Length Property Line:  FSL Total Length Length	FWL
nore than three drainholes are proposed, attach a sarate sheet indicating the necessary information.  Section must be stated in degrees azimuth.  ase note, the horizontal drainhole and its end in must be located within the boundaries of the se or spacing unit.  Tectional surveys are required for all ainholes and directional wells.	SEC TWP  Spot Location 1/4  Measured Total Depth  BOTTOM HOLE LOCATION  LATERAL #1  SEC TWP  Spot Location 1/4  Depth of Deviation Measured Total Depth  LATERAL #2  SEC TWP  Spot Location 1/4  Depth of Deviation 1/4  Depth of Deviation 1/4  Depth of Deviation 1/4  Depth of Deviation	RGE  1/4  Tro  FOR HOR  RGE  1/4  Ra  Tro  RGE	I/4  IZONTAL HOLE: (LA)  IZONTAL HOLE: (LA)  Idius of Turn  ICOUNT  COUNT  1/4  Idius of Turn  ICOUNT  1/4  Idius of Turn  ICOUNT  IVA  IVA  IVA  IVA  IVA  IVA  IVA  IV	1/4 E  TERALS)  Y  1/4 F  E	HL From Lease, Unit, or Feet From 1/4 Sec Lines HL From Lease, Unit, or Feet From 1/4 Sec Lines Heet From 1/4 Sec Lines	FSL Total Length Property Line:  FSL Total Length Length	FWL
ore than three drainholes are proposed, attach a arate sheet indicating the necessary information.  Section must be stated in degrees azimuth.  Sase note, the horizontal drainhole and its end att must be located within the boundaries of the se or spacing unit.  Sectional surveys are required for all ainholes and directional wells.	SEC TWP  Spot Location 1/4  Measured Total Depth  BOTTOM HOLE LOCATION  LATERAL #1  SEC TWP  Spot Location 1/4  Depth of Deviation Measured Total Depth  LATERAL #2  SEC TWP  Spot Location 1/4  Depth of Deviation Measured Total Depth  LATERAL #2  SEC TWP  Spot Location 1/4  Depth of Deviation Measured Total Depth	RGE  1/4  Tro  FOR HOR  RGE  1/4  Ra  Tro  RGE  1/4  Ra  Tro	I/4  IZONTAL HOLE: (LA'  IZONTAL HOLE: (LA'  COUNT  1/4  Idius of Turn  COUNT  1/4  Idius of Turn	1/4 F  TERALS)  Y  1/4 F  T  1/4 F  T  T  T  T  T  T  T  T  T  T  T  T  T	eet From 1/4 Sec Lines Direction HL From Lease, Unit, or F	FSL Total Length Property Line:  FSL Total Length Property Line:	FWL
ore than three drainholes are proposed, attach a arate sheet indicating the necessary information.  Dection must be stated in degrees azimuth.  ase note, the horizontal drainhole and its end not must be located within the boundaries of the se or spacing unit.  Tectional surveys are required for all ainholes and directional wells.	SEC TWP  Spot Location 1/4  Measured Total Depth  BOTTOM HOLE LOCATION  LATERAL #1  SEC TWP  Spot Location 1/4  Depth of Deviation Measured Total Depth  LATERAL #2  SEC TWP  Spot Location 1/4  Depth of Deviation Measured Total Depth	RGE	I/4  IZONTAL HOLE: (LA)  IZONTAL HOLE: (LA)  Idius of Turn  ICOUNT  COUNT  1/4  Idius of Turn  ICOUNT  1/4  Idius of Turn  ICOUNT  IVA  IVA  IVA  IVA  IVA  IVA  IVA  IV	1/4 F  TERALS)  Y  1/4 F  T  1/4 F  T  T  T  T  T  T  T  T  T  T  T  T  T	HL From Lease, Unit, or Feet From 1/4 Sec Lines HL From Lease, Unit, or Feet From 1/4 Sec Lines Heet From 1/4 Sec Lines	FSL Total Length Property Line:  FSL Total Length Length	FWL