

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35003233050000

Completion Report

Spud Date: March 30, 2018

OTC Prod. Unit No.: 003223681

Drilling Finished Date: April 18, 2018

1st Prod Date: April 27, 2018

Completion Date: April 26, 2018

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: MCMURTREY 8-26-11 2H

Purchaser/Measurer: SEMGAS

Location: ALFALFA 8 26N 11W
NW NW NW NE
200 FNL 2400 FEL of 1/4 SEC
Latitude: 36.753092367 Longitude: -98.404123986
Derrick Elevation: 1232 Ground Elevation: 1214

First Sales Date: 04/27/2018

Operator: BCE-MACH LLC 24174

14201 WIRELESS WAY STE 300
OKLAHOMA CITY, OK 73134-2512

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	679921		676598	
	Commingled				

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13.375	48	H-40	435		380	SURFACE
PRODUCTION	7.0	26	P-110	5656		210	1920

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4.5	11.6	P-110	4639	0	0	5519	10158

Total Depth: 10201

Packer		Plug	
Depth	Brand & Type	Depth	Plug Type
5338	AS1X	There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
May 04, 2018	MISSISSIPPIAN	210	38	1202	5724	2320	GAS LIFT			170

Completion and Test Data by Producing Formation									
Formation Name: MISSISSIPPIAN				Code: 359MSSP			Class: OIL		
Spacing Orders				Perforated Intervals					
Order No		Unit Size		From			To		
602795		640		There are no Perf. Intervals records to display.					
Acid Volumes				Fracture Treatments					
360 BBLS ACID				604,485 LBS SAND AND 34,065 BBLS FRAC WATER					

Formation	Top
MISSISSIPPIAN	5423

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks
OCC - THIS WELL IS AN OPEN HOLE COMPLETION FROM THE BOTTOM OF THE 7" CASING AT 5656' TO TERMINUS AT 10201' THE 4 1/2" LINER IS NOT CEMENTED.

Lateral Holes
Sec: 8 TWP: 26N RGE: 11W County: ALFALFA SW SE SW SE 153 FSL 1963 FEL of 1/4 SEC Depth of Deviation: 4974 Radius of Turn: 642 Direction: 177 Total Length: 4545 Measured Total Depth: 10201 True Vertical Depth: 5505 End Pt. Location From Release, Unit or Property Line: 153

FOR COMMISSION USE ONLY
<div>Status: Accepted</div> <div>1139251</div>

13800 Wireless Way, Okla. City, OK. 73134 (405) 843-4847 * OUT OF STATE (800) 654-3219
Certificate of Authorization No. 1293 LS

County, Oklahoma

AS-DRILLED INFORMATION
FURNISHED BY MACH RESOURCES