

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35073257650000

Completion Report

Spud Date: October 29, 2017

OTC Prod. Unit No.: 073-222837-0-0000

Drilling Finished Date: November 10, 2017

1st Prod Date: January 11, 2018

Completion Date: December 15, 2017

Drill Type: HORIZONTAL HOLE

Well Name: ROWDY 1706 1-23MH

Purchaser/Measurer:

Location: KINGFISHER 26 17N 6W
NW NW NE NE
183 FNL 1173 FEL of 1/4 SEC
Latitude: 35.92659 Longitude: -97.804
Derrick Elevation: 0 Ground Elevation: 1015

First Sales Date:

Operator: OKLAHOMA ENERGY ACQUISITIONS LP 23509

15021 KATY FREEWAY STE 400
HOUSTON, TX 77094-1900

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	671500		There are no Increased Density records to display.	
	Commingled				

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	16"		X42	125			
SURFACE	9 5/8"	36#	J55	410		300	SURFACE
PRODUCTION	7"	29#	P110	7651		285	5098

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4 1/2"	13.5#	P110	5223	0	0	7339	12562

Total Depth: 12564

Packer		Plug	
Depth	Brand & Type	Depth	Plug Type
7327	ASIII	There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Feb 09, 2018	MISSISSIPPIAN (LESS CHESTER)	461	39	244	529	927	GAS LIFT		OPEN	147

Completion and Test Data by Producing Formation									
Formation Name: MISSISSIPPIAN (LESS CHESTER)				Code: 359MSNLC			Class: OIL		
Spacing Orders				Perforated Intervals					
Order No		Unit Size		From			To		
667586		640		There are no Perf. Intervals records to display.					
Acid Volumes				Fracture Treatments					
4333 BBLS 15% HCL				344,626 BBLS SLICKWATER 7,039,440 LBS SAND PROPPANT					

Formation	Top
COTTAGE GROVE	5631
HOGSHOOTER	5888
CHECKERBOARD	5993
CLEVELAND	6034
BIG LIME	6305
OSWEGO (4TH)	6444
VERDIGRIS	6557
PINK LIME	6664
INOLA	6741
MERAMEC	6884

Were open hole logs run? No
Date last log run:

Were unusual drilling circumstances encountered? No
Explanation:

Other Remarks
THIS IS AN OPEN HOLE COMPLETION FROM THE BOTTOM OF THE 7" CASING @ 7651' TO TERMINUS @ 12564'. THE 4 1/2" LINER IS NOT CEMENTED. OCC - THIS DOCUMENT IS ACCEPTED BASED ON THE DATA SUBMITTED THE FINAL LOCATION EXCEPTION HAS NOT BEEN ISSUED.

Lateral Holes
Sec: 23 TWP: 17N RGE: 6W County: KINGFISHER NE NE NE NW 171 FNL 2645 FWL of 1/4 SEC Depth of Deviation: 6882 Radius of Turn: 775 Direction: 357 Total Length: 4528 Measured Total Depth: 12564 True Vertical Depth: 7339 End Pt. Location From Release, Unit or Property Line: 171

FOR COMMISSION USE ONLY
<div>1138604</div> <div>April 06, 2018</div>

