API NUMBER: 073 25911

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 01/26/2018
Expiration Date: 07/26/2018

PERMIT TO DRILL

| WELL LOCATION: | Sec: | 17 | Twp: | 15N | Rge: | 9W | County: | KING | FISHER | | |
|----------------|------|----|------|-----|------|----|--------------------|------|--------|------|------|
| SPOT LOCATION: | SW | SE | SI | ٧ | SW | | FEET FROM QUARTER: | FROM | SOUTH | FROM | WEST |
| | | | | | | | SECTION LINES: | | 250 | | 950 |

Lease Name: JUDY Well No: 1509 8H-17 Well will be 250 feet from nearest unit or lease boundary.

Operator NEWFIELD EXPLORATION MID-CON INC Telephone: 2816742521; 9188781 OTC/OCC Number: 20944 0

NEWFIELD EXPLORATION MID-CON INC 4 WATERWAY SQ PL STE 100

SPRING, TX 77380-2764

ROBERT BERNHARDT P.O. BOX 758

IMBODEN AK 72434

Formation(s) (Permit Valid for Listed Formations Only):

| | Name | Depth | Name | Depth |
|-----------------|---------------|----------------------------|------|---------------------------|
| 1 | MISSISSIPPIAN | 9849 | 6 | |
| 2 | WOODFORD | 10504 | 7 | |
| 3 | | | 8 | |
| 4 | | | 9 | |
| 5 | | | 10 | |
| Spacing Orders: | 642679 | Location Exception Orders: | | Increased Density Orders: |

Pending CD Numbers: 201707969 Special Orders:

201707961 201707962

Total Depth: 15400 Ground Elevation: 1274 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 440

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION

Type of Pit System: ON SITE

Type of Mud System: AIR

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: 4

Liner not required for Category: 4

Pit Location is NON HSA

Pit Location Formation: FLOWERPOT

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

Approved Method for disposal of Drilling Fluids:

- A. Evaporation/dewater and backfilling of reserve pit.
- B. Solidification of pit contents.
- F. Haul to Commercial soil farming facility: Sec. 27 Twn. 17N Rng. 9W Cnty. 73 Order No:
- G. Haul to recycling/re-use facility: Sec. 22 Twn. 16N Rng. 9W Cnty. 73 Order No: 647741
- H. SEE MEMO

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED
Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: FLOWERPOT

PIT 3 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: FLOWERPOT

HORIZONTAL HOLE 1

Sec 17 Twp 15N Rge 9W County KINGFISHER

Spot Location of End Point: NW NE NW NW
Feet From: NORTH 1/4 Section Line: 50
Feet From: WEST 1/4 Section Line: 910

Feet From: WEST 1/4 Section Line: Depth of Deviation: 9553

Radius of Turn: 573 Direction: 359

Total Length: 4977

Measured Total Depth: 15400
True Vertical Depth: 10504
End Point Location from Lease,
Unit, or Property Line: 50

Additional Surface Owner Address City, State, Zip

HAROLD & JUDY BERNHARDT, TRU 1813 E. 860 RD. HAROLD BERNHARDT REV TRUST KINGFISHER, OK 73750

Notes:

Category Description

DEEP SURFACE CASING 1/17/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

Category Description

HYDRAULIC FRACTURING 1/17/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INTERMEDIATE CASING 1/17/2018 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER-

PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE

MORROW SERIES

MEMO 1/17/2018 - G71 - PIT 2 & 3 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST, WBM

& OBM CUTTINGS CAPTURED IN STEEL HALF PITS; PIT 2 - TRANSFERRED TO BACKYARD ENERGY SERVICES 659856 (27-17N-9W, KINGFISHER CO); PIT 3 - TRANSFERRED TO BACKYARD ENERGY SERVICES 647741 (22-16N-9W), KINGFISHER CO); OBM TO VENDOR

PENDING CD - 201707961 1/18/2018 - G57 - (I.O.) 17-15N-9W

X642679 MSSP, WDFD

9 WELLS NO OP. NAMED REC 1-19-2018 (DUNN)

PENDING CD - 201707962 1/18/2018 - G57 - (I.O.) 17-15N-9W

X165:10-3-28(C)(2)(B) MSSP, WDFD, OTHER (JUDY 1509 8H-17) MAY BE CLOSER THAN 600' TO

AN EXISTING WELLBORE

NO OP. NAMED REC 1-19-2018 (DUNN)

PENDING CD - 201707969 1/18/2018 - G57 - (I.O.) 17-15N-9W

X642679 MSSP, WDFD

COMPL. INT. NCT 165' FSL, NCT 165' FNL, NCT 1800' FWL **

NO OP. NAMED

REC 1-19-2018 (DUNN)

**S/B COMPL. INT. NCT 165' FSL, NCT 165' FNL, NCT 660' FWL; WILL BE CHANGED AT

HEARING FOR FINAL ORDER PER ATTORNEY FOR OPERATOR

SPACING - 642679 1/18/2018 - G57 - (640)(HOR) 17-15N-9W

EST MSSP, WDFD

COMPL. INT. (MSSP) NLT 660' FB

COMPL. INT. (WDFD) NLT 165' FNL & FSL, NLT 330' FEL & FWL

(COEXIST SP. ORDER # 167255 MNNG, ORDER # 176175/383882 MCSTR & ORDER # 176175

MSSSD)

PERMIT PLAT

M & M Land Surveying, Inc. Phone (580) 226-0446 520 E Street N.W. Ardmore, OK 73401

API: 073 25911

Company Name: NEWFIELD EXPLORATION MID-CONTINENT INC.

Lease Name: JUDY 1509 8H-17

Section 17 Township 15 N Range 9 W , I.B.M, County of Kingfisher, State of Oklahoma

Elevation Good Location?

250'FSL - 950'FWL 1274' GROUND

Distance & Direction From Nearest Town: 12.2 miles Northwest of Okarche.





SURFACE LOCATION DATUM: NAD27 LAT: 35° 46' 09.31"N LONG: 98° 11' 09.28"W LAT: 35.769253°N LONG: 98.185911°W STATE PLANE COORDINATES: (US SURVEY FEET)

ZONE: NORTH ZONE Y (N): X (E): 1944845.86

DATUM: NAD83 LAT: 35° 46' 09.47"N LONG: 98° 11' 10.50"W LAT: 35.769297°N LONG: 98.186250°W STATE PLANE COORDINATES: (US SURVEY


ZONE: NORTH ZONE Y (N): 280090.51 X (E): 1913246.64

DATA DERIVED FROM G.P.S.

This location has been staked according to the best official survey records available to us. The metrical data shown hereon is for permitting the well location and the section location may or may not be field verified. Please review this plat and notify us immediately of any discrepancy.



D. Harry McClintick PLS. No.1367 CFEDS



| SURVEY BY: M & M | Land Surveying, Inc. ~ C.A. No. 3093 (LS) |
|--------------------|--|
| DRAWING BY: Bennet | t-Morris And Associates Land Surveying, P.C. |
| © COPYRIGHT 2017 | C.A. No. 5975 (LS) ~ Aaron L. Morris, RPLS |
| PROJECT NUMBER: | SITE VISIT: (Explanation and Date) |
| 17478 | STAKING DATE: 11/08/2017 |
| SHEET: 6 OF 10 | DRAWING DATE: 11/27/2017 |

CERTIFICATE:

I D. Harry McClintick a Registered Land Surveyor in the State Of Oklahoma, do hereby certify that the above described Well Location was surveyed and staked on the ground as shown and that said plat meets or exceeds the Oklahoma Minimum Technical Standards for the practice of land surveying as adopted by the Oklahoma State Board of Licensure for Professional Engineers and Land Surveyors.



Newfield Exploration Company

24 Waterway Avenue | Suite 900 The Woodlands, Texas 77380

October 19, 2017

Oklahoma Corporation Commission Tim Baker, Director of the Oil and Gas Conservation Division 2101 N. Lincoln Blvd Oklahoma City, Oklahoma 73105

RE: Cause PD. No. 201700132, Backyard Energy Services, LLC Oil Based Drill Cuttings Treatment Pilot Project, State of Oklahoma

Dear Mr. Baker:

Please be advised that Newfield Exploration Mid-Con, Inc. (Newfield) understands and agrees it will be the sole operator under a Commission pilot project which will allow Backyard Energy Services, LLC to process Newfield's oil based drill cuttings using the process and requirements outlined in the amended application filed in Cause PD No. 201700132. The results of the processing will be a material that will be used in the construction of Newfield's drill sites.

Newfield further understands the initial pilot project will be for a period of ninety (90) days, or until such time as an order issues if the above referenced cause.

If there are further questions, please do not hesitate to contact Evelyn Smith at (281)674-2521.

Sincerely,

Matt Cooley Drilling Manager OKLAHOMA
CORPORATION COMMISSION

P.O. BOX 52000 OKLAHOMA CITY, OKLAHOMA 73152-2000 253 Jim Thorpe Building Telephone: (405) 521-2240 FAX: (405) 521-3099 www.occeweb.com



Tim Baker, Director

OIL & GAS CONSERVATION DIVISION

November 3, 2017

Backyard Energy Services Conor O'Reily 1601 NW Expressway Suite 1450 Oklahoma City, OK 73118

Re: Backyard Energy Services, Oil Based Drill Cuttings Treatment Process Approval of Pilot Project State of Oklahoma.

Dear Mr. O'Reilly,

The Pollution Abatement Department has reviewed the documentation and analyses furnished to us by Backyard energy services, LLC (Backyard) in support of a commercial non-deleterious facility (Facility), filed in Cause P.D. No. 201700132, requesting statewide authority.

It's our understanding that Backyard has an agreement with Newfield Exploration Co. to furnish oil based drill cuttings (Drill Cuttings) for processing into a material that will be used for construction of the companies' drill sites. As a result of our review and technical meetings with Backyard representatives, you will have the ability to recycle/process the operator's drill cuttings for use for construction of the drill sites, until January 31st, 2018, or until a final Commission order issues. Prior to using the processed material for construction, Backyard will provide the Pollution Abatement Department with the analyses of the processed material to be used, demonstrating it complies with the Target Limits set forth in the Amended Application in Cause PD No. 201700132. Backyard will also furnish the legal location and amount of processed material to be used for the construction of each drill site prior to commencement of construction. Once the construction has been completed, Backyard will prepare a post summary report. Records of the amount of incoming drill cuttings and the amount of outgoing processed material will be kept, as well as dates and the origin of the drill cuttings and the final destination. Such records will be made available to Commission staff upon request. This Facility will not be considered a commercial recycling facility for the purpose of this pilot project. If the project is to continue after January 31st, 2018, a reevaluation may be required by the Pollution Abatement Department in order to determine if additional authorization may be granted by the Commission. If operations at the facility are terminated prior to January 31st, 2018, the Pollution Abatement department shall be notified immediately.

If there are any questions, please feel free to contact me at 405-521-2240.

Tim Baker

Sincerely,

Director, OGCD

C: Mike Moore, Terri Grooms, Brad Ice, Gayland Darity, Grant Ellis, Cheri Wheeler