I NUMBER: 073 25909 zontal Hole Oil & Gas	OIL & GAS OKLAHO	CORPORATION COMMISS CONSERVATION DIVISIOI P.O. BOX 52000 MA CITY, OK 73152-2000 (Rule 165:10-3-1)	
	ŀ	PERMIT TO DRILL	
	_		
/ELL LOCATION: Sec: 17 Twp: 15N Rge:	9W County: KINGF	ISHER	
POT LOCATION: SE SW SE SW	FEET FROM QUARTER: FROM	SOUTH FROM WEST	
	SECTION LINES:	250 1950	
Lease Name: JUDY	Well No:	1509 6H-17	Well will be 250 feet from nearest unit or lease boundary.
Operator NEWFIELD EXPLORATION MID- Name:	CON INC	Telephone: 2816742521; 918878	81 OTC/OCC Number: 20944 0
NEWFIELD EXPLORATION MID-CON		HAROLD	& JUDY BERNHARDT, TRUSTEES
4 WATERWAY SQ PL STE 100		HAROLD	BERNHARDT REV TRUST
SPRING, TX	77380-2764	1913 E. 8	360 RD.
SFRING, IA	11300-2104	KINGFISI	HER OK 73750
3 4 5 Second Orders: 642679		8 9 10	
Spacing Orders: 042079	Location Exception O	Orders:	Increased Density Orders:
2ending CD Numbers: 201707967 21707961 201707962			Special Orders:
Total Depth: 15446 Ground Elevation:	1274 Surface C	casing: 1500	Depth to base of Treatable Water-Bearing FM: 440
Under Federal Jurisdiction: No	Fresh Water S	Supply Well Drilled: No	Surface Water used to Drill: Yes
Under Federal Jurisdiction: No PIT 1 INFORMATION	Fresh Water S		Surface Water used to Drill: Yes disposal of Drilling Fluids:
	Fresh Water \$	Approved Method for A. Evaporation/dewa	disposal of Drilling Fluids: ater and backfilling of reserve pit.
PIT 1 INFORMATION	Fresh Water \$	Approved Method for	disposal of Drilling Fluids: ater and backfilling of reserve pit.
PIT 1 INFORMATION Type of Pit System: ON SITE Type of Mud System: AIR Is depth to top of ground water greater than 10ft below Within 1 mile of municipal water well? N		Approved Method for A. Evaporation/dewa B. Solidification of pi	disposal of Drilling Fluids: ater and backfilling of reserve pit.
PIT 1 INFORMATION Type of Pit System: ON SITE Type of Mud System: AIR Is depth to top of ground water greater than 10ft below Within 1 mile of municipal water well? N Wellhead Protection Area? N	base of pit? Y	Approved Method for A. Evaporation/dewa B. Solidification of pi F. Haul to Commerc 659856	disposal of Drilling Fluids: ater and backfilling of reserve pit. it contents.
PIT 1 INFORMATION Type of Pit System: ON SITE Type of Mud System: AIR Is depth to top of ground water greater than 10ft below Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area.	base of pit? Y	Approved Method for A. Evaporation/dewa B. Solidification of pi F. Haul to Commerc 659856	disposal of Drilling Fluids: ater and backfilling of reserve pit. it contents. ial soil farming facility: Sec. 27 Twn. 17N Rng. 9W Cnty. 73 Order No:
PIT 1 INFORMATION Type of Pit System: ON SITE Type of Mud System: AIR Is depth to top of ground water greater than 10ft below Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. Category of Pit: 4	base of pit? Y	Approved Method for A. Evaporation/dewa B. Solidification of pi F. Haul to Commerc 659856 G. Haul to recycling/	disposal of Drilling Fluids: ater and backfilling of reserve pit. it contents. ial soil farming facility: Sec. 27 Twn. 17N Rng. 9W Cnty. 73 Order No:
PIT 1 INFORMATION Type of Pit System: ON SITE Type of Mud System: AIR Is depth to top of ground water greater than 10ft below Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area.	base of pit? Y	Approved Method for A. Evaporation/dewa B. Solidification of pi F. Haul to Commerc 659856 G. Haul to recycling/	disposal of Drilling Fluids: ater and backfilling of reserve pit. it contents. ial soil farming facility: Sec. 27 Twn. 17N Rng. 9W Cnty. 73 Order No:

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. Category of Pit: C Liner not required for Category: C

Pit Location is NON HSA Pit Location Formation: FLOWERPOT

PIT 3 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. Category of Pit: C Liner not required for Category: C Pit Location is NON HSA Pit Location Formation: FLOWERPOT

## HORIZONTAL HOLE 1

Sec 17 Twp 15N Rge 9W County KINGFISHER NW Spot Location of End Point: NW NW NE Feet From: NORTH 1/4 Section Line: 50 Feet From: WEST 1/4 Section Line: 1440 Depth of Deviation: 9567 Radius of Turn: 573 Direction: 350 Total Length: 4978 Measured Total Depth: 15446 True Vertical Depth: 10442 End Point Location from Lease, Unit, or Property Line: 50

Notes: Category DEEP SURFACE CASING

### Description

12/20/2017 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

Category	Description
HYDRAULIC FRACTURING	12/20/2017 - G71 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
INTERMEDIATE CASING	12/20/2017 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER- PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE MORROW SERIES
МЕМО	12/20/2017 - G71 - PIT 2 & 3 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST, WBM & OBM CUTTINGS CAPTURED IN STEEL HALF PITS; PIT 2 - TRANSFERRED TO BACKYARD ENERGY SERVICES 659856 (27-17N-9W, KINGFISHER CO); PIT 3 - TRANSFERRED TO BACKYARD ENERGY SERVICES 647741 (22-16N-9W), KINGFISHER CO); OBM TO VENDOR
PENDING CD - 201707962	12/29/2017 - G57 - (I.O.) 17-15N-9W X165:10-3-28(C)(2)(B) MSSP, WDFD, OTHER (JUDY 1509 6H-17) MAY BE CLOSER THAN 600' TO AN EXISTING WELLBORE NO OP. NAMED REC 1-19-2018 (DUNN)
PENDING CD - 201707967	12/29/2017 - G57 - (I.O.) 17-15N-9W X642679 MSSP, WDFD COMPL. INT. NCT 165' FSL, NCT 165' FNL, NCT 2280' FWL ** NO OP. NAMED REC 1-19-2018 (DUNN)
	**S/B COMPL. INT. NCT 165' FSL, NCT 165' FNL, NCT 1320' FWL; WILL BE CHANGED AT HEARING FOR FINAL ORDER PER ATTORNEY FOR OPERATOR
PENDING CD - 21707961	12/29/2017 - G57 - (I.O.) 17-15N-9W X642679 MSSP, WDFD 9 WELLS NO OP. NAMED REC 1-19-2018 (DUNN)
SPACING - 642679	12/29/2017 - G57 - (640)(HOR) 17-15N-9W EST MSSP, WDFD COMPL. INT. (MSSP) NLT 660' FB COMPL. INT. (WDFD) NLT 165' FNL & FSL, NLT 330' FEL & FWL (COEXIST SP. ORDER # 167255 MNNG, ORDER # 176175/383882 MCSTR & ORDER # 176175 MSSSD)


## **PERMIT PLAT**

M & M Land Surveying, Inc. Phone (580) 226-0446 520 E Street N.W. Ardmore, OK 73401

API: 073 25909

Company Name: NEWFIELD EXPLORATION MID-CONTINENT INC. Lease Name: JUDY 1509 6H-17 Section 17 Township 15 N Range 9 W , I.B.M, County of Kingfisher, State of Oklahoma Elevation Good Location? Original Location: 250'FSL - 1950'FWL 1274' GROUND YES

Distance & Direction From Nearest Town: 12.0 miles Northwest of Okarche.



# SURVEY BY: M & M Land Surveying, Inc. ~ C.A. No. 3093 (LS) DRAWING BY: Bennett-Morris And Associates Land Surveying, P.C. © COPYRIGHT 2017 C.A. No. 5975 (LS) ~ Aaron L. Morris, RPLS PROJECT NUMBER: SITE VISIT: (Explanation and Date) 17476 STAKING DATE: 11/08/2017 SHEET: 6 OF 10 DRAWING DATE: 11/27/2017

#### I D. Harry McClintick a Registered Land Surveyor in the State Of Oklahoma, do hereby certify that the above described Well Location was surveyed and staked on the ground as shown and that said plat meets or exceeds the Oklahoma Minimum Technical Standards for the practice of land surveying as adopted by the Oklahoma State Board of Licensure for Professional Engineers and Land Surveyors.

CERTIFICATE:





SURFACE LOCATION DATUM: NAD27 LAT: 35\*46'09.36"N LONG: 98\*10'57.15"W LAT: 35.769266"N LONG: 98.182541"W STATE PLANE COORDINATES: (US SURVEY FEET) ZONE: NORTH ZONE Y (N): 280069.42 X (E): 1945845.62 DATUM: NAD83 LAT: 35\*46'09.52"N LONG: 98\*10'58.37"W LAT: 35.769310"N LONG: 98.182880"W

LONG: 98\*10\*58.37\*W LAT: 35.769310\*N LONG: 98.182880\*W STATE PLANE COORDINATES: (US SURVEY FEET) ZONE: NORTH ZONE Y (N): 280093.13 X (E): 1914246.42

DATA DERIVED FROM G.P.S. WITH O.P.U.S. DATA.

This location has been staked according to the best official survey records available to us. The metrical data shown hereon is for permitting the well location and the section location may or may not be field verified. Please review this plat and notify us immediately of any discrepancy.



D. Harry McClintick PLS. No.1367 CFEDS



Newfield Exploration Company 24 Waterway Avenue | Suite 900 The Woodlands, Texas 77380

October 19, 2017

Oklahoma Corporation Commission Tim Baker, Director of the Oil and Gas Conservation Division 2101 N. Lincoln Blvd Oklahoma City, Oklahoma 73105

RE: Cause PD. No. 201700132, Backyard Energy Services, LLC Oil Based Drill Cuttings Treatment Pilot Project, State of Oklahoma

Dear Mr. Baker:

Please be advised that Newfield Exploration Mid-Con, Inc. (Newfield) understands and agrees it will be the sole operator under a Commission pilot project which will allow Backyard Energy Services, LLC to process Newfield's oil based drill cuttings using the process and requirements outlined in the amended application filed in Cause PD No. 201700132. The results of the processing will be a material that will be used in the construction of Newfield's drill sites.

Newfield further understands the initial pilot project will be for a period of ninety (90) days, or until such time as an order issues if the above referenced cause.

If there are further questions, please do not hesitate to contact Evelyn Smith at (281)674-2521.

Sincerely,

datt of

Matt Cooley Drilling Manager

TODD HIETT Commissioner DANA MURPHY Commissioner

OKLAHOMA CORPORATION COMMISSION P.O. BOX 52000 OKLAHOMA CITY, OKLAHOMA 73152-2000

253 Jim Thorpe Building Telephone: (405) 521-2240 FAX: (405) 521-3099 www.occeweb.com





Tim Baker, Director

November 3, 2017

Backyard Energy Services Conor O'Reily 1601 NW Expressway Suite 1450 Oklahoma City, OK 73118

Re: Backyard Energy Services, Oil Based Drill Cuttings Treatment Process Approval of Pilot Project State of Oklahoma.

Dear Mr. O'Reilly,

The Pollution Abatement Department has reviewed the documentation and analyses furnished to us by Backyard energy services, LLC (Backyard) in support of a commercial non-deleterious facility (Facility), filed in Cause P.D. No. 201700132, requesting statewide authority.

It's our understanding that Backyard has an agreement with Newfield Exploration Co. to furnish oil based drill cuttings (Drill Cuttings) for processing into a material that will be used for construction of the companies' drill sites. As a result of our review and technical meetings with Backyard representatives, you will have the ability to recycle/process the operator's drill cuttings for use for construction of the drill sites, until January 31<sup>st</sup>, 2018, or until a final Commission order issues. Prior to using the processed material for construction, Backyard will provide the Pollution Abatement Department with the analyses of the processed material to be used, demonstrating it complies with the Target Limits set forth in the Amended Application in Cause PD No. 201700132. Backyard will also furnish the legal location and amount of processed material to be used for the construction of each drill site prior to commencement of construction. Once the construction has been completed, Backyard will prepare a post summary report. Records of the amount of incoming drill cuttings and the amount of outgoing processed material will be kept, as well as dates and the origin of the drill cuttings and the final destination. Such records will be made available to Commission staff upon request. This Facility will not be considered a commercial recycling facility for the purpose of this pilot project. If the project is to continue after January 31st, 2018, a reevaluation may be required by the Pollution Abatement Department in order to determine if additional authorization may be granted by the Commission. If operations at the facility are terminated prior to January 31st, 2018, the Pollution Abatement department shall be notified immediately.

If there are any questions, please feel free to contact me at 405-521-2240.

Sincerely, 25 Tim Baker

Director, OGCD C: Mike Moore, Terri Grooms, Brad Ice, Gayland Darity, Grant Ellis, Cheri Wheeler

> SERVICE • ASSISTANCE • COMPLIANCE EXCELLENCE IS OUR STANDARD