API NUMBER: 051 24242 A

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 01/04/2018
Expiration Date: 07/04/2018

Horizontal Hole Oil & Gas

SPOT LOCATION: SW

Amend reason: CHANGE SURFACE LOCATION, BOTTOM-HOLE LOCATION & GROUND ELEVATION; CORRECT SOIL FARM PERMIT NUMBER

NW

## AMEND PERMIT TO DRILL

WELL LOCATION:	Sec:	23	Twp:	8N	Rge: 5W	County:	GRADY

NW

|| NE

FEET FROM QUARTER: FROM NORTH FROM WEST

SECTION LINES: 381 1535

Lease Name: TED Well No: 2326 1H Well will be 381 feet from nearest unit or lease boundary.

 Operator
 EOG RESOURCES INC
 Telephone:
 4052463212
 OTC/OCC Number:
 16231
 0

EOG RESOURCES INC 3817 NW EXPRESSWAY STE 500

OKLAHOMA CITY. OK 73112-1483

BETTY JEAN & JEFFREY RALPH SHANNON 2712 NW 25TH STREET

BLANCHARD OK 73010

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth WOODFORD 1 10365 6 2 HUNTON 10495 7 8 3 4 9 5 10

Spacing Orders: 527145 Location Exception Orders: Increased Density Orders:

201707671 201707668

Pending CD Numbers:

201707669

201707670

Total Depth: 21195 Ground Elevation: 1290 **Surface Casing: 1500** Depth to base of Treatable Water-Bearing FM: 380

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: DUNCAN

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 17-33517

Special Orders:

H. SEE MEMO

## PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: DUNCAN

## **HORIZONTAL HOLE 1**

Rge 5W Sec 26 Twp 8N County **GRADY** SW Spot Location of End Point: S2 SW SW Feet From: SOUTH 1/4 Section Line: 165 WEST Feet From: 1/4 Section Line: 330

Depth of Deviation: 10200 Radius of Turn: 477 Direction: 190

Total Length: 10246

Measured Total Depth: 21195

True Vertical Depth: 10695

End Point Location from Lease,
Unit, or Property Line: 165

Notes:

Category Description

DEEP SURFACE CASING 1/3/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 1/3/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

MEMO 1/3/2018 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST; PIT 1 -

WBM & CUTTINGS TO BE SOIL-FARMED; PIT 2 - OBM TO VENDOR, OBM CUTTINGS TO LONE MOUNTAIN FACILITY, EPA ID # OKD065438376, 28 & 33-23N-15W, MAJOR CO. OR DEQ

APPROVED FACILITY (SOUTHERN PLAINS LANDFILL, GRADY CO., # 3526013)

PENDING CD - 201707668 1/4/2018 - G75 - (E.O.)(640)(HOR) 23-8N-5W

EXT 652880 WDFD

POE TO BHL NCT 165' FNL & FSL, NCT 330' FEL & FWL

EOG RESOURCES, INC. REC 12-28-2017 (DUNN)

Category Description

PENDING CD - 201707669 1/4/2018 - G75 - (E.O.)(640)(HOR) 26-8N-5W

EXT 634535 WDFD, HNTN

POE TO BHL (HNTN) NCT 660' FB

POE TO BHL (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL

(COEXIST SP. ORDER # 239129 MSRH) EOG RESOURCES, INC.

REC 12-28-2017 (DUNN)

PENDING CD - 201707670 1/4/2018 - G75 - (E.O.) 23 & 26-8N-5W

EST MULTIUNIT HORIZONTAL WELL

X527145 HNTN 23-8N-5W X201707668 WDFD 23-8N-5W X201707669 WDFD. HNTN 26-8N-5W

(HNTN ADJACENT COMMON SOURCE OF SUPPLY TO WDFD)

50% 23-8N-5W 50% 26-8N-5W

EOG RESOURCES, INC. REC 12-28-2017 (DUNN)

PENDING CD - 201707671 1/4/2018 - G75 - (E.O.) 23 & 26-8N-5W

X527145 HNTN 23-8N-5W X201707668 WDFD 23-8N-5W X201707669 WDFD. HNTN 26-8N-5W

COMPL. INT. (23-8N-5W) NCT 165' FNL, NCT 0' FSL, NCT 330' FWL COMPL. INT. (26-8N-5W) NCT 0' FNL, NCT 165' FSL, NCT 330' FWL

EOG RESOURCES, INC. REC 12-28-2017 (DUNN)

1/4/2018 - G75 - (640) 23-8N-5W **SPACING - 527145** 

**EST OTHERS** 

EXT 163211 HNTN, OTHERS

TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA
Wireless Way, Okia. City, Ok. 73134 (405) 843-48477 \* OUT OF STATE (800) 654-3219
Cartificate of Authorization No. 1293 LS 13800 Wireless Way, Okia. API 051-24242 A GRADY County, Oklahoma 381 FNL-1535 FWL \_ Range \_\_<u>5W\_\_(.M.</u> 8N Section Township BLANCHARD CITY LIMITS The construction 5381° X= 2088023 Y= 664982 X= 2090667 Y= 665002 1535 1109 LANDING POINT 165 FNL-330 FWL NAD-27 (US Feet) 35 '09 '35 .3 "N 97 '42 '15 .9 "W 35 .159802750 'N 97 .704422137 'W X= 2088354 Y= 664819 20 R40 -2-N-6 11 NOTE: n shown herein is n purposes ONLY. 11 12 GRID NAD-27 OK SOUTH US Feet ğ 1000 X= 2088031 Y= 562337 X= 2093328 Y= 662366 Best Accessibility to Loc Distance & Direction from Hwy Jct or Town North, then ±1.0 mi. Good Operator: opography Drill Name: £809 EOG Site? ۶ Vegetation TED RESOURCES, Location West, Yes From Loc. NC then <u>e</u> St. From ±2.0 mi. 9 Hwy North evel X= 2090685 Y= 659709 X= 2093329 Y= 659724 9/76/US Hwy. 62/277 and the Grady-McClain Reference S Stakes Set North, pad off then Stakes t Non ±1.0 mi. ٩ EXISTING WELL ₩ell Alternate ±833 Х 0.: West to // // Location #1 H Ц X= 208805B Y= 657055 X= 2093337 Y= 657079 the (26) NW Cor. ELEVATION: <u>|</u>잌 county Sec. 2484 line, 23-T8N-R5W levei BOTTOM HOLE & TAKE POINT 1 155'FSL-330'FWL NAD-27 (US Feet 35'07'53.9'N 97'42'15.8'W 35.131650036'N 97'704383719'W X= 2088395 Y= 654573 go ±0.25 '∄. X= 2088066 Y= 654408 X= 2090706 Y= 654420 X= 2093346 Y= 654433 2310 LANDING POINT, TAKE POINT 1, BOTTON HOLE, AND DRILL PATH INFORMATION PROVIDED BY OPERATOR LISTED, NOT SURVEYED. 330° 165' Jan. 31 Date of Drawing: \_\_ SSIONAL DATUM: NAD-27 LAT: 35"09'33.2"N Invoice # 286693 Date Staked: Jan. 10, 2018 AC/TR LONG: 97'42'01.4"W **CERTIFICATE:** LAT: 35.159223448\*N THOMAS I Thomas L. Howell \_an Oklahoma Licensed Land LONG: 97.700391418'W Surveyor and an authorized agent of Topographic Land Surveyors of Oklahoma, do hereby certify to the HOWELL STATE PLANE 1433 COORDINATES: (US Feet) information shown herein -31-18 ZONE: OK SOUTH TLAHOMA DE X: 2089559 Thomas I. Nacl 664612 Oklahoma Lic. No. ..