API NUMBER: 019 26286

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 01/31/2018
Expiration Date: 07/31/2018

PERMIT TO DRILL

		_		_		_		
WELL LOCATION:	Sec:	13	Twp:	3S	Rge:	2E	County:	CARTER

SPOT LOCATION: NE SE SE SE SE FEET FROM QUARTER: FROM SOUTH FROM EAST SECTION LINES: 630 289

Lease Name: LAWSON Well No: 2-13H14X Well will be 289 feet from nearest unit or lease boundary.

 Operator Name:
 XTO ENERGY INC
 Telephone:
 8178853346; 8178852
 OTC/OCC Number:
 21003 0

XTO ENERGY INC 810 HOUSTON ST

FORT WORTH, TX 76102-6203

AQUILLA LAWSON 4413 STATE HWY 53

ARDMORE OK 73401

Special Orders:

D. One time land application -- (REQUIRES PERMIT)

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth WOODFORD 12399 1 6 2 7 3 8 4 9 10 197431 Location Exception Orders: Increased Density Orders:

Spacing Orders: 197431 Location Exception Orders: Increased Density Orders

201800022 201800028

Pending CD Numbers:

201800017

201800034

Total Depth: 23350 Ground Elevation: 716 Surface Casing: 1990 Depth to base of Treatable Water-Bearing FM: 1860

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: Yes Surface Water used to Drill: Yes

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: ON SITE

Type of Mud System: AIR

H. SEE MEMO

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: 4

Liner not required for Category: 4

Pit Location is NON HSA
Pit Location Formation: DEESE

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

PERMIT NO: 17-33564

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA
Pit Location Formation: DEESE

PIT 3 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: DEESE

HORIZONTAL HOLE 1

Sec 14 Twp 3S Rge 2E County CARTER

Spot Location of End Point: SW SW NW SW
Feet From: SOUTH 1/4 Section Line: 1510

Feet From: WEST 1/4 Section Line: 1

Depth of Deviation: 11931 Radius of Turn: 573

Direction: 15

Total Length: 10519

Measured Total Depth: 23350

True Vertical Depth: 12399

End Point Location from Lease,
Unit, or Property Line: 1

Notes:

Category Description

MEMO

HYDRAULIC FRACTURING 1/26/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

1/26/2018 - G71 - PITS 2 & 3 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 3 -

OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

PENDING CD - 201800017 1/30/2018 - G57 - (I.O.) 13 & 14-3S-2E

EST MULTIUNIT HORÍZONTAL WELL

X197431 WDFD 50% 13-3S-2E 50% 14-3S-2E XTO ENERGY, INC. REC 1-23-2018 (DENTON)

PENDING CD - 201800022 1/30/2018 - G57 - (I.O.) 13-3S-2E

X197431 WDFD 5 WELLS NO OP. NAMED

REC 1-23-2018 (DENTON)

PENDING CD - 201800028 1/30/2018 - G57 - (I.O.) 14-3S-2E

X197431 WDFD 5 WELLS NO OP. NAMED

REC 1-23-2018 (DENTON)

PENDING CD - 201800034 1/30/2018 - G57 - (I.O.) 13 & 14-3S-2E

X197431 WDFD

SHL (13-3S-2E) 630' FSL, 289' FEL

COMPL. INT. (13-3S-2E) NCT 165' FEL, NCT 0' FWL, NCT 1191' FSL COMPL. INT. (14-3S-2E) NCT 0' FEL, NCT 165' FWL, NCT 1191' FSL

NO OP. NAMÈD

REC 1-23-2018 (DENTON)

SPACING - 197431 1/30/2018 - G57 - (640) 13 & 14-3S-2E

EXT OTHERS

EXT 135984 WDFD, OTHERS

WATERSHED STRUCTURE 1/26/2018 - G71 - WELL WITHIN 1/2 MILE OF AN OKLAHOMA CONSERVATION COMMISSION

WATERSHED STRUCTURE. CONTACT THE LOCAL CONSERVATION DISTRICT OFFICE AT (580)

223-5865 PRIOR TO DRILLING