API NUMBER: 043 23594 A

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:	02/08/2018
Expiration Date:	08/08/2018

Horizontal Hole Oil & Gas

Amend reason: CHANGING WELL NUMBER ONLY.

AMEND PERMIT TO DRILL

WELL LOCATION:	Sec:	19	Twp:	19N	Rge:	15W	/ County:	DEW	EY		
SPOT LOCATION:	S2	SW	SV	٧	SW		FEET FROM QUARTER:	FROM	SOUTH	FROM	WEST
							SECTION LINES:		300		330

Lease Name: JONES Well No: 1915 1H-19 Well will be 300 feet from nearest unit or lease boundary.

Operator NEWFIELD EXPLORATION MID-CON INC Telephone: 2816742521; 9188781 OTC/OCC Number: 20944 0

NEWFIELD EXPLORATION MID-CON INC 24 WATERWAY AVE STE 900

THE WOODLANDS, TX 77380-2764

J.W. & LORETTA GAIL COLE, TRUSTEES LORETTA GAIL COLE REV. TRUST

59757 N. 2230 ROAD

SEILING OK 73663

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth
1	MISSISSIPPIAN	10005	3	
2	WOODFORD	10850	7	
3		8	3	
4		9	9	
5		1	10	
Spacing Orders:	669159	Location Exception Orders:		Increased Density Orders:

Pending CD Numbers: 201704322 Special Orders:

Total Depth: 15291 Ground Elevation: 1872 Surface Casing: 530 Depth to base of Treatable Water-Bearing FM: 280

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: ON SITE

A. Evaporation/dewater and backfilling of reserve pit.

Type of Mud System: AIR

B. Solidification of pit contents.

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

G. Haul to recycling/re-use facility: Sec. 22 Twn. 16N Rng. 9W Cnty. 73 Order No: 647741

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: 4

Liner not required for Category: 4

Pit Location is BED AQUIFER

Pit Location Formation: CLOUD CHIEF

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is BED AQUIFER

Pit Location Formation: CLOUD CHIEF

PIT 3 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER

Pit Location Formation: CLOUD CHIEF

HORIZONTAL HOLE 1

Sec 19 Twp 19N Rge 15W County DEWEY

Spot Location of End Point: N2 N2 NW NW

Feet From: NORTH 1/4 Section Line: 50
Feet From: WEST 1/4 Section Line: 660

Depth of Deviation: 9348 Radius of Turn: 573

Direction: 5

Total Length: 5043

Measured Total Depth: 15291
True Vertical Depth: 10850
End Point Location from Lease,
Unit, or Property Line: 50

Notes:

Category Description

HYDRAULIC FRACTURING 2/5/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INTERMEDIATE CASING 2/5/2018 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER-

PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE

MORROW SERIES

MEMO 2/5/2018 - G71 - PIT 2 & 3 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST, WBM &

OBM CUTTINGS CAPTURED IN STEEL HALF PITS & TRANSFERRED TO BACKYARD ENERGY

SERVICES 647741 (22-16N-9W), KINGFISHER CO); PIT 3 - OBM TO VENDOR

PENDING CD - 201704322 2/8/2018 - G57 - (I.O.) 19-19N-15W

X669159 MSSP, WDFD

SHL SW4 19

COMPL. INT. NCT 150' FNL, NCT 165' FSL, NCT 330' FWL

NO OP. NAMED REC 1-30-2018 (DUNN)

SPACING - 669159 2/5/2018 - G57 - (640)(HOR) 19-19N-15W

VAC 120278 CSTR EXT 664121 MSSP, WDFD POE TO BHL (MSSP) NCT 660' FB

POE TO BHL (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL