API NUMBER: 011 24251 Iulti Unit Oil & Gas	OIL & GAS CONSE P.O. B(OKLAHOMA CIT (Rule 16	RATION COMMISSION ERVATION DIVISION DX 52000 Y, OK 73152-2000 S5:10-3-1) TO DRILL	Approval Date: 12/08/2020 Expiration Date: 06/08/2022
	Range: 10W County: E OM QUARTER: FROM SOUTH ECTION LINES: 345		
Lease Name: DICKSON 21_16-15N-10W Operator Name: DEVON ENERGY PRODUCTION CO LP	Well No: 5HX Telephone: 40523536	Well w 11; 4052353611; 	vill be 345 feet from nearest unit or lease boundary. OTC/OCC Number: 20751 0
DEVON ENERGY PRODUCTION CO LP 333 W SHERIDAN AVE OKLAHOMA CITY, OK 73102-	-5015	DELMA SUE LANDRET TRUST RT. 2 BOX 124 WATONGA	H, TRUSTEE OF THE LANDRETH REVOC OK 73772
Formation(s) (Permit Valid for Listed Formations	Only):		
Name Code 1 MISSISSIPPIAN 359MSSP 2 MISSISSIPPI LIME 351MSSLM 3 KINDERHOOK 351KDRK 4 WOODFORD 319WDFD	Depth 9600 10300 11000 11400		
Spacing Orders: 654955 646869 715740	Location Exception Orders	: 715465	Increased Density Orders: 715460 715459
Pending CD Numbers: No Pending	Working interest owner		Special Orders: No Special Orders Depth to base of Treatable Water-Bearing FM: 40
Total Depth: 21102 Ground Elevation: 1522	Surface Casing:		Deep surface casing has been approved
Under Federal Jurisdiction: No		Approved Method for disposal	
Fresh Water Supply Well Drilled: No		D. One time land application (R	
Surface Water used to Drill: Yes		H. (Other)	SEE MEMO
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means S Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below base Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is Is depth in a Hydrologically Sensitive Area.		Category of Pit: C Liner not required for Category Pit Location is: A Pit Location Formation: T	y: C NP/TE DEPOSIT
PIT 2 INFORMATION		Category of Pit: 0	
Type of Pit System: CLOSED Closed System Means S	Steel Pits	Liner not required for Category	/: C
Type of Mud System: OIL BASED		Pit Location is: A	
Chlorides Max: 300000 Average: 200000		Pit Location Formation: T	ERRACE
Is depth to top of ground water greater than 10ft below base	of pit? Y		
Within 1 mile of municipal water well? N			
Wellhead Protection Area? N			
Pit is located in a Hydrologically Sensitive Area.			


This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

MULTI UNIT HOLE 1			
Section: 16 Township: 15N Ra	nge: 10W Meridian: IM	Total Length:	9977
County: BLAINE		Measured Total Depth:	21102
Spot Location of End Point: N2 NE	NE NE	True Vertical Depth:	11500
Feet From: NORTH	1/4 Section Line: 50 End Point Location from		
Feet From: EAST	1/4 Section Line: 330	Lease, Unit, or Property Line: 50	

NOTES:	
Category	Description
DEEP SURFACE CASING	[12/4/2020 - GB7] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[12/4/2020 - GB7] - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
INCREASED DENSITY - 715459	[12/7/2020 - G56] - 21-15N-10W X646869 MSSLM 4 WELLS DEVON ENERGY PRODUCTION CO., L.P. 11/20/2020
INCREASED DENSITY - 715460	[12/7/2020 - G56] - 16-15N-10W X654955 MSSP 4 WELLS DEVON ENERGY PRODUCTION CO., L.P. 11/20/2020
INTERMEDIATE CASING	[12/7/2020 - G56] - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVERPRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE MORROW SERIES
LOCATION EXCEPTION - 715465	[12/7/2020 - G56] - (I.O.) 16 & 21-15N-10W X654955 MSSP, WDFD 16-15N-10W X646869 MSSLM, KDRK, WDFD 21-15N-10W X165:10-3-28(C)(2)(B) MSSP, MSSLM (DICKSON 21_16-15N-10W 5HX) MAY BE CLOSER THAN 600' TO DOPPELGANGER 4_9-15N-10W 10HX, AND DICKSON 21_16- 15N-10W 4HX WELLS COMPL INT (21-15N-10W) NCT 165' FSL, NCT 0' FNL, NCT 330' FEL COMPL INT (16-15N-10W) NCT 0' FSL, NCT 165' FNL, NCT 330' FEL DEVON ENERGY PRODUCTION CO., L.P. 11/20/2020
МЕМО	[12/4/2020 - GB7] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 646869	[12/7/2020 - G56] - (640)(HOR) 21-15N-10W EXT OTHER EXT 643728 WDFD EST MSSLM, KDRK, OTHER COMPL INT (MSSLM, KDRK) NLT 660' FB COMPL INT (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL
SPACING - 654955	[12/7/2020 - G56] - (640)(HOR) 16-15N-10W EXT 642784 MSSP, WDFD, OTHER COMPL INT (MSSP) NCT 660' FB COMPL INT (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

SPACING - 715740	[12/7/2020 - G56] - (I.O.) 16 & 21-15N-10W
	EST MULTIUNIT HORIŹONTAL WELL
	X654955 MSSP, WDFD 16-15N-10W
	X646869 MSSLM, KDRK, WDFD 21-15N-10W
	(KDRK, WDFD ARE ADJACENT CSS TO MSSP, MSSLM)
	50% 16-15N-10W
	50% 21-15N-10W
	DEVON ENERGY PRODUCTION CO., L.P.
	12/7/2020



GRAPHIC SCALE IN FEET TUME 1000 2000 0 2000 REVISION "DICKSON 21_16-15N-10W 5HX" PART OF THE SW/4 OF SECTION 21, T-15-N, R-10-W devon PROPOSED DRILL SITE BLAINE COUNTY, OKLAHOMA SCALE: 1" = 2000' PLOT DATE: 10-19-2020 DRAWN BY: DC SHEET NO.: 1 OF 6 G:\166017155_DICKSON\ENERGY\DWG_CLIPS\WELL_PLAT\DICKSON 21_16-15N-10W 5HX.DWG 10/19/2020 3:59:21 PM JJ2721

LAT: 35 75516780

LONG:-98.26940918 ELEV:1522.24