API NUMBER: 063 24917 A fulti Unit Oil & Gas mend reason: REVISED SHL & GROUND ELEVATION	OIL & GAS CONSE P.O. BO OKLAHOMA CIT (Rule 16	RATION COMMISSION RVATION DIVISION 0X 52000 Y, OK 73152-2000 5:10-3-1) MIT TO DRILL	Approval Date: 07/17/2020 Expiration Date: 01/17/2022
SPOT LOCATION: NE SW NW SE FEET FROM QU	Range: 12E County: HI UARTER: FROM SOUTH N LINES: 1904 Well No: 2-12-24WH Telephone: 918949422	UGHES FROM EAST 1998 I W	ell will be 1904 feet from nearest unit or lease boundary. OTC/OCC Number: 23515 0
Formation(s) (Permit Valid for Listed Formations On Name Code 1 MAYES 353MYES 2 WOODFORD 319WDFD	ly): Depth 4700 4800	DUSTIN	OK 74839
3 HUNTON 269HNTN 4 SYLVAN 203SLVN Spacing Orders: 671757 677910 707387 707387 Pending CD Numbers: No Pending Total Depth: 15500 Ground Elevation: 914	4865 4865 Location Exception Orders:		Increased Density Orders: 707350 707351 707352 Special Orders: No Special Orders Depth to base of Treatable Water-Bearing FM: 250
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes		Approved Method for dispo A. Evaporation/dewater and t B. Solidification of pit content D. One time land application	backfilling of reserve pit.
PIT 1 INFORMATION Type of Pit System: ON SITE Type of Mud System: AIR Is depth to top of ground water greater than 10ft below base of p Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area.	sit? Y	Pit Location Formation	gory: 4 : BED AQUIFER
PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below base of p Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area.		Category of Pi Liner not required for Cate Pit Location is Pit Location Formation	gory: C : BED AQUIFER

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

MULTI UNIT HOLE 1		
Section: 24 Township: 8	Range: 12E	Total Length: 10200
County: PITTSB	URG	Measured Total Depth: 15500
Spot Location of End Point: SE	SW SE SE	True Vertical Depth: 4900
Feet From: SOUTH	1/4 Section Line: 165	End Point Location from
Feet From: EAST	1/4 Section Line: 800	Lease,Unit, or Property Line: 165

NOTES:	
Category	Description
HYDRAULIC FRACTURING	7/13/2020 - GC2 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
INCREASED DENSITY – 707350 (201905614)	7/16/2020 - GB6 - 12-8N-12E X671757 WDFD 3 WELLS CALYX ENERGY III, LLC 01/09/2020
INCREASED DENSITY – 707351 (201905615)	7/16/2020 - GB6 - 13-8N-12E X671757 WDFD 3 WELLS CALYX ENERGY III, LLC 01/09/2020
INCREASED DENSITY – 707352 (201905616)	7/16/2020 - GB6 - 24-8N-12E X671206 WDFD 3 WELLS CALYX ENERGY III, LLC 01/09/2020
LOCATION EXCEPTION – 707388 (201905613)	7/16/2020 - GB6 - (I.O.) 12, 13, 24 -8N-12E X671206 MYES, WDFD, HNTN 24-8N-12E X671757 MYES, WDFD, HNTN 12, 13 -8N-12E X677910 SLVN 12, 13, 24 -8N-12E COMPL. INT. (12-8N-12E) NFT 1600' FSL, NCT 0' FSL, NCT 330' FEL COMPL. INT. (13-8N-12E) NCT 0' FNL, NCT 0' FSL, NCT 330' FEL COMPL. INT. (24-8N-12E) NCT 0' FNL, NCT 165' FSL, NCT 330' FEL CALYX ENERGY III, LLC 01/10/2020
SPACING - 671206	7/16/2020 - GB6 - (640)(HOR) 24-8N-12E EST CNEY, MYES, WDFD, HNTN COMPL. INT. (WDFD) NCT 165' FSL, NCT 165' FNL, NCT 330' FEL, NCT 330' FWL COMPL. INT. (CNEY) NCT 330' FB COMPL. INT. (MYES, HNTN) NCT 660' FB
SPACING – 671757	7/16/2020 - GB6 - (640)(HOR) 12, 13, -8N-12E EST CNEY, MYES, WDFD, HNTN COMPL. INT. (WDFD) NCT 165' FSL, NCT 165' FNL, NCT 330' FEL, NCT 330' FWL COMPL. INT. (CNEY) NCT 330' FB COMPL. INT. (MYES, HNTN) NCT 660' FB
SPACING – 677910	7/16/2020 - GB6 - (640)(HOR) 12, 13, 24 -8N-12E EXT 671213 SLVN COMPL. INT. NCT 330' FB

(MYES, HNTN, SLVN ADJACENT COMMON SOURCES OF SUPPLY TO WDFD. IN THIS AREA THE HNTN IS ERRATIC AND THE SLVN SHOULD BE CONSIDERED AN ADJACENT COMMON SOURCE OF SUPPLY TO WDFD) 10% 12-8N-12E 45% 12-8N-12E 45% 24-8N-12E CALYX ENERGY III, LLC 01/10/2020

