API NUMBER: 047 25185

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 01/17/2019 07/17/2020 **Expiration Date**

PERMIT TO DRILL

County: GARFIELD WELL LOCATION: Sec: Twp: 23N Rge: 5W

FEET FROM QUARTER: FROM SPOT LOCATION: FROM SOUTH WEST sw ll se lsw SECTION LINES:

Lease Name: BLACKBURN 36-23N-05W Well No: 1MH Well will be 190 feet from nearest unit or lease boundary.

1670

WHITE STAR PETROLEUM LLC Operator Telephone: 4052525821: 8444024 OTC/OCC Number: 23358 0 Name:

190

WHITE STAR PETROLEUM LLC

PO BOX 13360

OKLAHOMA CITY. OK 73113-1360 JIMMY DALE JONES 3411 W URBANA

BROKEN ARROW OK 74012

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth MISSISSIPPI LIME 5912 1 6 2 7 3 8 4 9 10 77383 Spacing Orders: Location Exception Orders: Increased Density Orders:

Pending CD Numbers: 201810240 Special Orders:

201810239

Total Depth: 11000 Ground Elevation: 1179 Surface Casing: 410 Depth to base of Treatable Water-Bearing FM: 160

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill:

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: FAIRMONT

PERMIT NO: 18-36032 D. One time land application -- (REQUIRES PERMIT)

H. CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST

HORIZONTAL HOLE 1

Sec 36 Twp 23N Rge 5W County GARFIELD

Spot Location of End Point: SW SE SW SW
Feet From: SOUTH 1/4 Section Line: 165
Feet From: WEST 1/4 Section Line: 880

Depth of Deviation: 5252
Radius of Turn: 482
Direction: 185
Total Length: 4990

Measured Total Depth: 11000

True Vertical Depth: 6102

End Point Location from Lease,
Unit, or Property Line: 165

Notes:

Category Description

HYDRAULIC FRACTURING 1/10/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

PENDING CD - 201810239 1/17/2019 - G58 - 36-23N-5W

X77383 MSSLM 1 WELL

NO OP. NAMED

REC 12/31/2018 (P. PORTER)

PENDING CD - 201810240 1/17/2019 - G58 - (I.O.) 36-23N-5W

X77383 MSSLM

COMPL. INT. NCT 165' FNL, NCT 165' FSL, NCT 660' FWL

NO OP. NAMED

REC 12/31/2018 (P. PORTER)

SPACING - 77383 1/17/2019 - G58 - (640) 36-23N-5W

EXT 69992 MSSLM

