API NUMBER:	051	25034	

Directional Hole

Oil & Gas

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 06/09/2023 Expiration Date: 12/09/2024

PERMIT TO DRILL

WELL LOCATION: Section: 27 Township: 3N Rang	e: 5W County: GF			
SPOT LOCATION: NE NE SW SE FEET FROM QUARTE	•			
		1500		
Lease Name: CKSMOU	Well No: 27-25-3	Well will be	1143 feet from nearest unit or lease boundary.	
Operator Name: MACK ENERGY CO	Telephone: 405832983	0; 5802525580	OTC/OCC Number: 11739 0	
MACK ENERGY CO		EULA MAE LINDSAY		
		2346 CO. RD 1590		
OKLAHOMA CITY, OK 73102-8831		LINDSAY	OK 73052	
Formation(s) (Permit Valid for Listed Formations Only):				
Name Code	Depth			
1 MORROW SUBTHRUST 402MRWST	11024			
Spacing Orders: 731833 Loc	cation Exception Orders:	No Exceptions	Increased Density Orders: No Density	
Pending CD Numbers: No Pending	Working interest owners	notified: YES	Special Orders: No Special	
Total Depth: 11771 Ground Elevation: 1163 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 150				
			Deep surface casing has been approved	
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes		Approved Method for disposal of Drilling Fluids:		
		D. One time land application (REQUI		
		H. (Other)	CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST	
PIT 1 INFORMATION		Category of Pit: C		
Type of Pit System: CLOSED Closed System Means Steel Pits		Liner not required for Category: C		
Type of Mud System: WATER BASED		Pit Location is: BED A	QUIFER	
Chlorides Max: 5000 Average: 3000	Chlorides Max: 5000 Average: 3000 Pit Location Formation: duncan			
Is depth to top of ground water greater than 10ft below base of pit?	Y			
Within 1 mile of municipal water well? N				
Wellhead Protection Area? N				
Pit <u>is</u> located in a Hydrologically Sensitive Area.				
DIRECTIONAL HOLE 1				
Section: 27 Township: 3N Range: 5W	Meridian: IM			
County: GRADY		Measured Total Dep	nth: 11771	
	N/			
		True Vertical Dep		
Feet From: SOUTH 1/4 Section L		End Point Location from		
Feet From: WEST 1/4 Section L	ine: 2467	Lease, Unit, or Property L	_ine. 202	

NOTES:

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

Category	Description
HYDRAULIC FRACTURING	[6/9/2023 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
SPACING - 731833	[6/9/2023 - GB7] - (UNIT) NW4, SW4, W2 SE4 EST CARTER KNOX SUBTHRUSTED MORROW OPERATING UNIT FOR MRWST