API NUMBER: 011 24259 Aulti Unit Oil & Gas				OIL & GAS CONSE P.O. BC OKLAHOMA CIT			XATION COMMISSION RVATION DIVISION X 52000 (, OK 73152-2000 5:10-3-1)				0/11/2021 0/11/2022	
								DRILL				
WELL LOCATION:	Section:	27	Fownship:	15N	Range: 10	W County:	BLAIN	1E				
SPOT LOCATION:	SW NW	NW	NE	FEET FI	ROM QUARTER: F	ROM NORTH	FRO	M EAST				
				s	SECTION LINES:	388		2399				
Lease Name:	COLUMBINE 2	2 15-15N-	10W		We	II No: 3HX			Well v	vill be 388 feet	from nearest u	nit or lease boundary.
Operator Name:	DEVON ENERG			O LP	Telep	hone: 4052353	611; 4	052353611;			OTC/OCC Nu	mber: 20751 0
DEVON ENE	RGY PRODU	ICTION	CO LP				1 [	PERRY CASTO	NGUAY	AND KAREN C	ASTONGUA	Y
333 W SHER								26887 E 830 RE	h			
			014	70400	5045				,	_		
OKLAHOMA	CITY,		OK	73102	-5015			OMEGA		C	0K 73764	
Formation(s) Name MISSISSIPF WOODFOR		d for Lis	ted For Code 359M 319W	ISSP	s Only): Dep 955 110	5	]					
Spacing Orders:	639827				Location	Exception Order	rs: 7	715454		Increase	ed Density Orders	: 715456
	642784 715450											715457
Pending CD Numb		g			Work	ing interest owne	ers' no	tified: ***			Special Orders	: No Special Orders
Total Depth: 2		Ground Ele	evation:	1502		ace Casing:				Depth to base of Trea	atable Water-Bea	ring FM: 40
							Γ			Deep	surface casi	ng has been approved
Under	· Federal Jurisdicti	on: No					Ī	Approved Method for	r disposal	of Drilling Fluids:		
Fresh Water Supply Well Drilled: No						D. One time land appli	-	-	PF	RMIT NO: 21-37527		
Surface Water used to Drill: Yes					_	H. (Other)	(	SEE MEMO				
PIT 1 INFOR	MATION							Category	yofPit: (	2		
	Pit System: CLC	OSED Clo	sed Syste	m Means	Steel Pits			Liner not required fo				
Type of M	ud System: WAT	TER BASE	D					Pit Loca	ition is: A	AP/TE DEPOSIT		
Chlorides Max: 80	000 Average: 500	0						Pit Location Forr	mation: 1	TERRACE		
Is depth to	top of ground wat	ter greater	than 10ft	below base	e of pit? Y							
Within 1	mile of municipal v	water well?	N									
	Wellhead Protect	ction Area?	P N									
Pit <u>is</u> lo	ocated in a Hydrol	ogically Se	ensitive A	ea.								
PIT 2 INFOR								• •	y of Pit: (			
Type of Pit System: CLOSED Closed System Means Steel Pits					Liner not required for Category: C							
	lud System: OIL									P/TE DEPOSIT		
	00000 Average: 2							Pit Location Forr	mation: 7	FERRACE		
Is depth to	top of ground wat	ter greater	than 10ft	below base	e of pit? Y							
Within 1	mile of municipal v	water well?	P N									
	Wellhead Protect	ction Area?	P N									
Pit <u>is</u> lo	ocated in a Hydrol	ogically Se	ensitive A	ea.								

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

MULTI UNIT HOLE 1			
Section: 15 Township: 15N Rat	nge: 10W Meridian: IM	Total Length:	10437
County: BLAINE		Measured Total Depth:	21479
Spot Location of End Point: NW NE	NE NW	True Vertical Depth:	11500
Feet From: NORTH 1/4 Section Line: 50		End Point Location from	
Feet From: WEST	1/4 Section Line: 2192	Lease, Unit, or Property Line:	50

NOTES:	
Category	Description
DEEP SURFACE CASING	[3/9/2021 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[3/9/2021 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 715456	[3/11/2021 - GC2] - 15-15N-10W X639827 MSSP 4 WELLS DEVON ENERGY PRODUCTION COMPANY, L.P. 11-20-2020
INCREASED DENSITY - 715457	[3/11/2021 - GC2] - 22-15N-10W X642784 MSSP 4 WELLS DEVON PRODUCTION COMPANY, L.P. 11-20-2020
INTERMEDIATE CASING	[3/11/2021 - GC2] - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER- PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE MORROW SERIES
LOCATION EXCEPTION - 715454 (202001750)	[3/11/2021 - GC2] - (I.O.) 15 & 22-15N-10W X639827 MSSP, WDFD 15-15N-10W X642784 MSSP, WDFD 22-15N-10W X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO COLUMBINE 22_15-15N-10W 2HX AND COLUMBINE 22_15-15N-10W 4HX COMPL. INT. ( 22-15N-10W) NCT 165' FSL, NCT 0' FNL, NCT 1,650' FWL COMPL. INT. (15-15N-10W) NCT 0' FSL, NCT 165' FNL, NCT 1,650' FWL DEVON ENERGY PRODUCTION COMPANY, L.P. 11-20-2020
МЕМО	[3/9/2021 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 639827	[3/11/2021 - GC2] - (640)(HOR) 15-15N-10W EST MSSP, WDFD, OTHER COMPL. INT. (MSSP) NCT 660' FB COMPL. INT. (WDFD) NCT 165' FNL/FSL, NCT 330' FEL/FWL
SPACING - 642784	[3/11/2021 - GC2] - (640)(HOR) 22-15N-10W EXT 639827 MSSP, WDFD, OTHER COMPL. INT. (MSSP) NCT 660' FB COMPL. INT. (WDFD) NCT 165' FNL/FSL, NCT 330' FEL/FWL

SPACING - 715450 (202001746)	[3/11/2021 - GC2] - (I.O.) 15 & 22-15N-10W ESTABLISH MULTIUNIT HORIZONTAL WELL
	X639827 MSSP, WDFD 15-15N-10W X642784 MSSP, WDFD 22-15N-10W (WDFD IS ADJACENT COMMON SOURCE OF SUPPLY TO MSSP)
	50% 15-15N-10W 50% 22-15N-10W
	DEVON ENERGY PRODUCTION COMPANY, L.P. 11-20-2020

300 Pointe Parkway Blvd. Yukon, OK 73099 405.787.6270 t 405.787.6276 f www.craftontull.com



LEASE NAME: COLUMBINE 22\_15-15N-10W WELL NO. 3HX GOOD DRILL SITE: YES BLAINE COUNTY, STATE: OK GROUND ELEVATION: 1502.40' GR. AT STAKE SURFACE HOLE FOOTAGE: 2399' FEL - 388' FNL SECTION: 27 TOWNSHIP: T15N RANGE: R10W

ACCESSIBILITY TO LOCATION: FROM NORTH LINE

BOTTOM HOLE: 15-T15N-R10W, I.M.

TOPOGRAPHY & VEGETATION:


OPERATOR: DEVON ENERGY PRODUCTION COMPANY, L.P.

**DISTANCE & DIRECTION FROM HWY JCT OR TOWN:** FROM THE INTERSECTION OF HWY 281 & HWY 33 IN

WATONGA, GO E. ON HWY 33 4 MI. TO N2610 RD. GO S. 7 MI. TO E0880 RD. GO E. 5.5 MI. WELL PAD ON S. SIDE OF RD.

PLEASE NOTE THAT THIS LOCATION WAS STAKED ON THE GROUND UNDER THE SUPERVISION OF A LICENSED PROFESSIONAL LAND SURVEYOR, BUT ACCURACY OF THIS EXHIBIT IS NOT GUARANTEED. PLEASE CONTACT CRAFTON TULL PROMPTLY IF ANY INCONSISTENCY IS DETERMINED, GPS DATA IS OBSERVED FROM RIK-GPS.

OBSERVED FROM RTK-GPS. NOTE:X AND Y DATA SHOWN HEREON FOR SECTION CORNERS MAY NOT HAVE BEEN SURVEYED ON THE GROUND, AND FURTHER, <u>DOES NOT</u> REPRESENT A TRUE BOUNDARY SURVEY. QUARTER SECTION DISTANCES MAY BE ASSUMED FROM A GOVERNMENT SURVEY PLAT OR ASSUMED AT A PROPORTIONATE DISTANCE FROM OPPOSING SECTION CORNERS, OR OCCUPATION THEREOF, AND MAY NOT HAVE BEEN MEASURED ON THE GROUND, AND FURTHER, <u>DOES NOT</u> REPRESENT A TRUE BOUNDARY SURVEY.



G:\166017156\_COLUMBINE\ENERGY\DWG\_CLIPS\WELL\_PLAT\COLUMBINE 22\_15N-10W 3HX.DWG 10/26/2020 8:18:26 AM JJ2721