PI NUMBER: 087 22223	OIL & GAS CONSE P.O. BC OKLAHOMA CIT	RATION COMMISSION RVATION DIVISION DX 52000 Y, OK 73152-2000	Approval Date: 03/12/2019 Expiration Date: 09/12/2020
rizontal Hole Oil & Gas Iti Unit	(Rule 16	5:10-3-1)	
li Onic			
	PERMIT	<u>TO DRILL</u>	
WELL LOCATION: Sec: 10 Twp: 8N Rge: 4W	County: MCCLAIN		
SPOT LOCATION: NW NE NE	FEET FROM QUARTER: FROM NORTH	FROM EAST	
	SECTION LINES: 293	997	
Lease Name: LEFLORE 1015	Well No: 2H	Well wi	II be 260 feet from nearest unit or lease boundary.
Operator EOG RESOURCES INC Name:	Telepho	ne: 4052463224	OTC/OCC Number: 16231 0
		MARY LEFLORE	CLEMENTS
EOG RESOURCES INC 3817 NW EXPRESSWAY STE 500		6601 NORTH HAI	RVEY
	73112-1483	COPELAND GRA	HAM FARMS LLC
OKLAHOMA CITY, OK	/3112-1463	OKLAHOMA CITY	OK 73116
Formation(s) (Permit Valid for Listed Form	nations Only): Depth	Name	Depth
1 MISSISSIPPIAN	9145	6	Dopan
2 WOODFORD	9175	7	
3 HUNTON	9321	8	
4 5		9 10	
007075			
Spacing Orders: 20/975 616337 627628	Location Exception Orders:		Increased Density Orders:
Pending CD Numbers: 201810678			Special Orders:
201810679			
201810680			
201810681			
Total Depth: 20123 Ground Elevation: 129	2 Surface Casing:	1500	Depth to base of Treatable Water-Bearing FM: 430
Under Federal Jurisdiction: No	Fresh Water Supply Wel	I Drilled: No	Surface Water used to Drill: Yes
PIT 1 INFORMATION		Approved Method for disposal of	Drilling Fluids:
Type of Pit System: CLOSED Closed System Means St	eel Pits		
Type of Mud System: WATER BASED		D. One time land application (,
Chlorides Max: 5000 Average: 3000			y: Sec. 1 Twn. 15N Rng. 11W Cnty. 11 Order No: 662791
Is depth to top of ground water greater than 10ft below bas Within 1 mile of municipal water well? N	e or pit? Y	H. SEE MEMO	
Wellhead Protection Area? N			
Pit is located in a Hydrologically Sensitive Area.			
Category of Pit: C			
Liner not required for Category: C			
Pit Location is BED AQUIFER			
Pit Location Formation: DUNCAN			

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

 PIT 2 INFORMATION

 Type of Pit System:
 CLOSED Closed System Means Steel Pits

 Type of Mud System:
 OIL BASED

 Chlorides Max: 300000
 Average: 200000

 Is depth to top of ground water greater than 10ft below base of pit?
 Y

 Within 1 mile of municipal water well?
 N

 Wellhead Protection Area?
 N

 Pit
 is located in a Hydrologically Sensitive Area.

 Category of Pit:
 C

 Liner not required for Category: C
 C

Pit Location is BED AQUIFER Pit Location Formation: DUNCAN

HORIZONTAL HOLE 1

Sec 15 Twp 8N Rge 4W County	MCCLAIN			
Spot Location of End Point: S2 SW SE SE				
Feet From: SOUTH 1/4 Section Line: 1	65			
Feet From: EAST 1/4 Section Line: 9	990			
Depth of Deviation: 8721				
Radius of Turn: 750				
Direction: 178				
Total Length: 10224				
Measured Total Depth: 20123				
True Vertical Depth: 9460				
End Point Location from Lease,				
Unit, or Property Line: 165				
	Additional Surface Owner	Address		
1	LOUIS EDWARD LEFLORE TRUST	2825 NW GRAND BLVD, NO. 21		

	LOUS LEWARD LEF LORE TROST 2023 NW GRAINE BLVD, NO. 21 ORLAHOMA CITT, OR 75110
Notes:	
Category	Description
DEEP SURFACE CASING	1/25/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	1/25/2019 - G71 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
MEMO	1/25/2019 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST; PIT 1 - WBM/CUTTINGS TO BE SOIL FARMED; PIT 2 - OBM CUTTINGS TO HEARTLAND ENVIRONMENTAL RESOURCES (ORDER #662791) OR DEQ APPROVED FACILITY (SOUTHERN PLAINS LANDFILL, 3-5N-6W, GRADY CO., # 3526013); PIT 2 - OBM TO VENDOR
PENDING CD - 201810678	2/27/2019 - GA8 - (E.O.) 10-8N-4W X627628 MSSP, WDFD 3 WELLS NO OP. NAMED REC. 3/11/2019 (DENTON)

087 22223 LEFLORE 1015 2H

City, State, Zip

OKLAHOMA CITY, OK 73116

Category	Description
PENDING CD - 201810679	2/27/2019 - GA8 - (E.O.) 15-8N-4W X 616337 MSSP, WDFD 3 WELLS NO OP. NAMED REC 3/12/2019 (DENTON)
PENDING CD - 201810680	2/27/2019 - GA8 - (E.O.) 10 & 15-8N-4W EST MULTIUNIT HORIZONTAL WELL X207975 HNTN 10-8N-4W X627628 MSSP, WDFD 10-8N-4W X616337 MSSP, WDFD, HNTN 15-8N-4W (MSSP, HNTN ADJACENT COMMON SOURCES OF SUPPLY TO WDFD) 50% 10-8N-4W 50% 15-8N-4W NO OP. NAMED REC. 3/11/2019 (DENTON)
PENDING CD - 201810681	2/27/2019 - GA8 - (E.O.) 10 & 15-8N-4W X207975 HNTN 10-8N-4W X627628 MSSP, WDFD 10-8N-4W X616337 MSSP, WDFD, HNTN 15-8N-4W X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO LEFLORE 1015 1H & LEFLORE 1015 3H COMPL. INT. (10-8N-4W) NCT 165' FNL, NCT 0' FSL, NCT 330' FEL COMPL. INT. (15-8N-4W) NCT 0' FNL, NCT 165' FSL, NCT 330' FEL NO OP. NAMED REC. 3/11/2019 (DENTON)
SPACING - 207975	2/27/2019 - GA8 - (640) 10 & 15-8N-4W EXT 188079 HNTN (VAC 15-8N-4W BY 272478), OTHERS EXT OTHER
SPACING - 616337	2/27/2019 - GA8 - (640) 15-8N-4W VAC 272478 HNTN, OTHERS EXT 601388 MSSP, WDFD, OTHER EXT 207975 HNTN, OTHERS EST OTHERS
SPACING - 627628	2/27/2019 - GA8 - (640) 10-8N-4W VAC OTHER EXT 616337 MSSP, WDFD, OTHERS

