PI NUMBER: 04	9 25252 Oil & Gas	А	OIL & GAS OKLAHO		73152-2000	Approval Date: Expiration Date:	01/09/2019 07/09/2020
nend reason: SHL			AME	ND PERMIT T			
WELL LOCATION: Se	c: 18 Twp	: 3N Rge: 4W	County: GARVI	N			
SPOT LOCATION: S				SOUTH FROM	WEST		
			CTION LINES:	297	2141		
Lease Name: NEV	/BY 0304		Well No:	1-18SH		Well will be 297 feet from neares	st unit or lease boundary.
Operator N Name:	IARATHON OIL	COMPANY		Telephone: 40	57205508	OTC/OCC Number:	1363 0
MARATHON 7301 NW EX							N J SMITH TRUST
OKLAHOMA CITY, OK			132-1590		12003 135T LINDSAY	-	3052
							0002
1 SPR 2 3 4 5	NGER		13250	6 7 8 9 1			
Spacing Orders: 13'	585		Location Exception C	orders:		Increased Density Orders:	
Pending CD Numbers:	201808332					Special Orders:	
j							
Total Depth: 18016	Grc	ound Elevation: 1183	Surface C	asing: 1500		Depth to base of Treatable Water	-Bearing FM: 410
Under Federal Juris	diction: No		Fresh Water S	Supply Well Drilled:	No	Surface Water u	sed to Drill: Yes
PIT 1 INFORMATION				Ap	proved Method for dis	posal of Drilling Fluids:	
Type of Pit System:	CLOSED Close	ed System Means Stee	l Pits				
Type of Mud System: WATER BASED					D. One time land application (REQUIRES PERMIT) PERMIT NO: 18-3		
Chlorides Max: 5000	-	then 1044 h - 1		н	SEE MEMO		
Is depth to top of grou Within 1 mile of munic	-	than 10ft below base on N	лрі, т				
Wellhead Protection A							
Pit is located in	n a Hydrologically	/ Sensitive Area.					
Category of Pit: C	:						
Liner not required for	r Category: C						
Pit Location is BED	AQUIFER						
Pit Location Formation	n: DUNCAN						

 PIT 2 INFORMATION

 Type of Pit System:
 CLOSED Closed System Means Steel Pits

 Type of Mud System:
 OIL BASED

 Chlorides Max: 300000
 Average: 200000

 Is depth to top of ground water greater than 10ft below base of pit?
 Y

 Within 1 mile of municipal water well?
 N

 Wellhead Protection Area?
 N

 Pit
 is located in a Hydrologically Sensitive Area.

 Category of Pit:
 C

 Liner not required for Category: C
 C

Pit Location is BED AQUIFER Pit Location Formation: DUNCAN

HORIZONTAL HOLE 1


Sec	18	Twp	ЗN	Rge	4W		County	GARVIN
Spot Location of End Point: NW NE NE NW							NW	
Feet I	From:	NOF	RTH 1	I/4 Se	ction	Line	e: 50	
Feet I	From:	WE	ST [·]	1/4 Se	ction	Line	e: 21	35
Depth of Deviation: 12216								
Radius of Turn: 462								
Direction: 1								
Total Length: 5075								
Measured Total Depth: 18016								
True Vertical Depth: 13499								
End Point Location from Lease,								
Unit, or Property Line: 50								

Notes:	
Category	Description
DEEP SURFACE CASING	12/30/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	12/30/2018 - G71 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
МЕМО	12/30/2018 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 201808332	1/8/2019 - G58 - (I.O.) 18-3N-4W X131585 SPRG COMPL. INT. NCT 150' FSL, NCT 150' FNL, NCT 330' FWL NO OP. NAMED REC 10/30/2018 (M. PORTER)

SPACING - 131585

Description

1/8/2019 - G58 - (640) 18-3N-4W EST SPRG, OTHERS





049-25252A