API NUMBER: 087 22382

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:	08/01/2022
Expiration Date:	02/01/2024

Multi Unit Oil & Gas

PERMIT TO DRILL

										7					
WELL LOCATION:	Section	n: 20	Township	: 6N Range:	4W	County: I	MCCL	AIN		_					
SPOT LOCATION:	NW	NW NE	NW	FEET FROM QUARTER:	FROM	NORTH	FROM	M WEST							
				SECTION LINES:		216		1438							
Lease Name:	MOOSE F	ED			Well No:	0604 20-	-29 3W	хн	Well	will be	216	feet fror	n nearest uni	t or lease	e boundary.
Operator Name:	CPRP SE	RVICES LLC	;	Т	elephone:	40592236	8616					ОТ	C/OCC Num	nber:	24506 0
CPRP SERVI	CES LLO							RANDY E. L	INDSAY						
123 NW 8TH	ST							18900 STAT	E HIGHWA	Y 76					
OKLAHOMA	CITY,		OK	73102-5804				LINDSAY				ОК	73052		
							<u> </u>								
Formation(s)	(Permit	Valid for	Listed Fo	rmations Only):											
Name			Code)	Depth		1								
1 WOODFORI)		319V	/DFD	11247										
	597684 665473 679816 716869			Loca	tion Excep	otion Order	rs: N	lo Excepti	ons		Inc	creased De	ensity Orders:	72518 72718	
Pending CD Number Total Depth: 2	202	202436 202437 Ground	Elevation:			erest owne				Depth	to base o	·	oecial Orders:		Special 260
											D	eep sur	face casing	g has b	een approved
Under	Federal Jur	isdiction: N	0				Α	pproved Metho	d for disposal	of Drill	ling Flui	ds:			
Fresh Water Supply Well Drilled: No			D. One time land application (REQUIRES PERMIT) PERMIT NO: 22-38380							: 22-38380					
Surface	e Water use	d to Drill: Y	es				F	H. (Other)			SEE ME	MO			
PIT 1 INFOR	MATION							Cate	egory of Pit:	С					
			Closed Syste	em Means Steel Pits				Liner not require	-						
Type of Mud System: WATER BASED						Pit Location is: BED AQUIFER									
Chlorides Max: 5000 Average: 3000						Pit Location Formation: DUNCAN									
Is depth to	top of grour	nd water grea	ter than 10ft	below base of pit? Y											
Within 1 r	mile of muni	cipal water w	ell? N												
	Wellhead	Protection Ar	ea? N												
Pit <u>is</u> lo	ocated in a l	Hydrologically	Sensitive A	rea.											
PIT 2 INFOR	MATION							Cate	egory of Pit:	С					
Type of Pit System: CLOSED Closed System Means Steel Pits					I	Liner not required for Category: C									
Type of Mud System: OIL BASED						Pit Location is: BED AQUIFER									
Chlorides Max: 30	00000 Aver	age: 200000						Pit Location	Formation:	DUNCA	۸N				
Is depth to	top of grour	nd water grea	ter than 10ft	below base of pit? Y											
Within 1 r	mile of muni	cipal water w	ell? N												
	Wellhead	Protection Ar	ea? N												
Pit <u>is</u> lo	cated in a l	Hydrologically	Sensitive A	rea.											

MULTI UNIT HOLE 1

Section: 29 Township: 6N Range: 4W Meridian: IM Total Length: 10252

County: MCCLAIN Measured Total Depth: 22390

Spot Location of End Point: SW SW SE SW True Vertical Depth: 11247

Feet From: SOUTH

1/4 Section Line: 100

End Point Location from
Lease, Unit, or Property Line: 100

NOTES:

Category	Description
DEEP SURFACE CASING	[7/22/2022 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[7/22/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 725183	[8/1/2022 - G56] - (I.O.) 20-6N-4W X597684 WDFD 2 WELLS CPRP SERVICES, LLC 4/29/2022
INCREASED DENSITY - 727188	[8/1/2022 - G56] - 29-6N-4W X665473/679816/716869 WDFD 4 WELLS CPRP SERVICES, LLC 7/27/2022
МЕМО	[7/22/2022 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 202202436	[8/1/2022 - G56] - (I.O.) 20 & 29-6N-4W EST MULTIUNIT HORIZONTAL WELL X597684 WDFD, OTHER 20-6N-4W X665473 WDFD, OTHER 29-6N-4W*** 50% 29-6N-4W 50% 20-6N-4W NO OP NAMED REC 7/26/2022 (PRESLAR)
	***S/B X665473/679816/716869 WDFD, WILL BE CORRECTED AT FINAL HEARING PER ATTORNEY FOR OPERATOR;
PENDING CD - 202202437	[8/1/2022 - G56] - (I.O.) 20 & 29-6N-4W X597684 WDFD, OTHER 20-6N-4W X665473 WDFD, OTHER 29-6N-4W*** COMPL INT (29-6N-4W) NCT 165' FSL, NCT 0' FNL, NCT 990' FWL COMPL INT (20-6N-4W) NCT 0' FSL, NCT 165' FNL, NCT 990' FWL NO OP NAMED REC 726/2022 (PRESLAR)
	***S/B X665473/679816/716869 WDFD, WILL BE CORRECTED AT FINAL HEARING PER ATTORNEY FOR OPERATOR;
SPACING - 597684	[8/1/2022 - G56] - (640) 20-6N-4W VAC OTHERS EXT 588069 WDFD, OTHERS
SPACING - 665473	[8/1/2022 - G56] - (640)(HOR) 29-6N-4W VAC OTHER VAC 388436 WDFD, OTHER EXT 644065 WDFD, OTHERS COMPL INT NCT 165' FNL & FSL, NCT 330' FEL & FWL
SPACING - 679816	[8/1/2022 - G56] - (640)(HOR) 29-6N-4W MOD 665473 WDFD TO COEXIST WITH ORDER # 388436 WDFD
SPACING - 716869	[8/1/2022 - G56] - (640)(HOR) 29-6N-4W CONFIRM 665473/679816 AS TO NOTICE OF RESPONDENTS