

API NUMBER: 073 26662 A

OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)

Approval Date: 01/24/2020

Expiration Date: 07/24/2021

Multi Unit Oil & Gas

Amend reason: CHANGE OPERATOR NAME AND BHL.
UPDATE OCC ORDERS.

AMEND PERMIT TO DRILL

WELL LOCATION: Section: 23 Township: 15N Range: 8W County: KINGFISHER

SPOT LOCATION: ☐ NE ☐ SE ☐ SW ☐ SW FEET FROM QUARTER: FROM SOUTH FROM WEST

SECTION LINES: 445 1155

Lease Name: JUANITA FIU 1508 Well No: 2H-14X Well will be 445 feet from nearest unit or lease boundary.

Operator Name: OVINTIV MID-CONTINENT INC. Telephone: 2812105100; 9188781290; OTC/OCC Number: 20944 0

OVINTIV MID-CONTINENT INC.
4 WATERWAY AVE STE 100
THE WOODLANDS, TX 77380-2764

JUANITA M. KRITTENBRINK AND MICHAEL E. KRITTENBRINK
28188 N. 2780 RD.
OKARCHE OK 73762

Formation(s) (Permit Valid for Listed Formations Only):

Name	Code	Depth
1 MISSISSIPPIAN	359MSSP	8811

Spacing Orders: 631544
695980

Location Exception Orders: 697865
695984

Increased Density Orders: 702204
702205

Pending CD Numbers: No Pending

Special Orders: No Special Orders

Total Depth: 19391

Ground Elevation: 1117

Surface Casing: 1500

Depth to base of Treatable Water-Bearing FM: 380

Under Federal Jurisdiction: No
Fresh Water Supply Well Drilled: No
Surface Water used to Drill: No

Approved Method for disposal of Drilling Fluids:

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 20-37210
E. Haul to Commercial pit facility: Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498

PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: NON HSA

Pit Location Formation: CHICKASHA

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: NON HSA

Pit Location Formation: CHICKASHA

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District

Office of the Conservation Division as to when Surface Casing will be run.

MULTI UNIT HOLE 1				
Section: 14	Township: 15N	Range: 8W	Total Length: 10251	
County: KINGFISHER			Measured Total Depth: 19391	
Spot Location of End Point: NW	NW	NE	NW	True Vertical Depth: 9035
Feet From: NORTH	1/4 Section Line: 85		End Point Location from	
Feet From: WEST	1/4 Section Line: 1400		Lease, Unit, or Property Line: 85	

NOTES:	
Category	Description
DEEP SURFACE CASING	1/23/2020 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
EXCEPTION TO RULE - 695984 (201810500)	1/24/2020 - GB6 - (I.O.) 14 & 23 -15N-8W X165:10-3-28(C)(2)(B) MSSP (JUANITA FIU 1508 2H-14X) MAY BE CLOSER THAN 600' TO EXISTING WELLS JUANITA 1H-14X (API 07325078), WITTROCK 1-23 (API 07324625) AND/OR PROPOSED WELLS JUANITA FIU 1508 3H-14X, JUANITA FIU 1508 4H-14X, JUANITA FED 1508 5H-14X, JUANITA FED 1508 6H-14X**, JUANITA FED 1508 7H-14X NO OP. NAMED 05/13/2019 **CANCELLED PER OPERATOR REQUEST 02/20/2020
HYDRAULIC FRACTURING	1/23/2020 - G71 - OCC 165:10-3-10 REQUIRES: 1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE; 2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML ; AND, 3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
INCREASED DENSITY - 702204 (201810486)	1/24/2020 - GB6 - 14-15N-8W X631544 MSSP 6 WELLS NO OP. NAMED 09/13/2019
INCREASED DENSITY - 702205 (201810487)	1/24/2020 - GB6 - 23-15N-8W X631544 MSSP 6 WELLS NO OP. NAMED 09/13/2019
INTERMEDIATE CASING	1/23/2020 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER-PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE MORROW SERIES
LOCATION EXCEPTION - 697865 (201810489)	1/24/2020 - GB6 - (I.O.) 14 & 23 -15N-8W X631544 MSSP, OTHER COMPL. INT. (23-15N-8W) NCT 165' FSL, NCT 0' FNL, NCT 660' FWL COMPL. INT. (14-15N-8W) NCT 0' FSL, NCT 165' FNL, NCT 660' FWL NO OP. NAMED 06/17/2019
MEMO	1/23/2020 - G71 - PIT 1 & 2 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST, WBM/CUTTINGS & OBM CUTTINGS CAPTURED IN STEEL HALF PITS, WBM/CUTTINGS WILL BE SOIL FARMED, OBM CUTTINGS TRANSFERRED TO R360 587498 (31-12N-8W), CANADIAN CO, PIT 2 - OBM TO VENDOR
SPACING - 631544	1/24/2020 - GB6 - (640)(HOR) 14 & 23 -15N-8W VAC 37910 MSCST IN 14-15N-8W VAC 76186 MSSSD IN 14-15N-8W EXT 594598 MSSP, OTHER COMPL. INT. (MSSP) NCT 660' FB COMPL. INT. (WDFD) NCT 165' FSL, NCT 165' FNL, NCT 330' FEL, NCT 330' FWL (COEXIST SP. ORDER # 37910 MSCST IN 23-15N-8W, SP. ORDER # 76186 MSSSD IN 23-15N-8W)

This permit does not address the right of entry or settlement of surface damages.
The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1.
Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District
Office of the Conservation Division as to when Surface Casing will be run.

SPACING - 695980 (201810488)

1/24/2020 - GB6 - (I.O.) 14 & 23 -15N-8W

EST MULTIUNIT HORIZONTAL WELL

X631544 MSSP, OTHER

50% 14-15N-8W

50% 23-15N-8W

NEWFIELD EXPLORATION MID-CONTINENT INC. (OPERATOR NAME CHANGED IN ITS ENTIRETY
FROM NEWFIELD EXPLORATION MID-CONTINENT INC. TO OVINTIV MID-CONTINENT INC)

05/13/2019

This permit does not address the right of entry or settlement of surface damages.


The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District
Office of the Conservation Division as to when Surface Casing will be run.

073 26662 JUANITA FIU 1508 2H-14X

KINGFISHER COUNTY, OKLAHOMA

445' FSL - 1155' FWL SECTION 23 TOWNSHIP 15N RANGE 8W I.M.



NOTES:

- THE INFORMATION SHOWN HEREIN IS FOR CONSTRUCTION PURPOSES ONLY.
- ALL BEARINGS SHOWN ARE GRID, NAD-83, OKLAHOMA NORTH.
- LANDING POINT, LAST TAKE POINT, BOTTOM HOLE AND DRILL PATH INFORMATION PROVIDED BY CLIENT LISTED, NOT SURVEYED.

SURFACE LOCATION

DATUM: NAD-27
LAT: 35°45'20.1" N
LONG: 98°01'34.2" W
LAT: 35.755589° N
LONG: 98.026179° W
STATE PLANE
COORDINATES: (US Feet)
ZONE: OK NORTH
X: X 1992232
Y: Y 275041

DATUM: NAD-83
LAT: 35°45'20.3" N
LONG: 98°01'35.4" W
LAT: 35.755634° N
LONG: 98.026512° W


STATE PLANE
COORDINATES: (US Feet)
ZONE: OK NORTH
X: X 1960634
Y: Y 275065

(This information was gathered with a GPS receiver with ±1 foot Horiz./Vert. accuracy.)

CERTIFICATE:

I, Thomas L. Howell an Oklahoma Licensed Land Surveyor and an authorized agent of Topographic Land Surveyors, do hereby certify to the information shown herein.

Thomas L. Howell
Oklahoma Reg. No. 1433



OPERATOR: OVINTIV MID-CON INC

LEASE NAME: WELL NO: JUANITA FIU 1508 WELL NO: 2H-14X

TOPOGRAPHY & VEGETATION LOCATION FWLL IN PASTURE.

GOOD DRILL SITE? Yes REFERENCE STAKES OR ALTERNATE LOCATION
STAKES SET: None

BEST ACCESSIBILITY TO LOCATION: From South off county road.

DISTANCE & DIRECTION: From Okarche, OK, go West ±3 miles then North ±2 miles to the SW Corner of Section 23-T15N-R8W.

ELEVATION:

1117' Gr. at Stake (NGVD29)

1117' Gr. at Stake (NAVD88)

PROJECT # 132002

DATE OF DRAWING: FEBRUARY 12, 2020

DATE STAKED: JANUARY 7, 2020

DRAWN BY: KEU

REVISION: 2

FILE NAME: LO JUANITA FIU 2H-14X REV2

