API NUMBER: 017 25559 R OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 11/06/2019 05/06/2021 **Expiration Date:**

No Density Orders

Horizontal Hole Oil & Gas

Amend reason: CHANGE SHL AND UPDATE ORDERS

AMEND PERMIT TO DRILL

WELL LOCATION:	Section:	23	Township: 13N	Range: 6W	County: CANADIAN							
SPOT LOCATION:	SE NW	NW	NW FEET	FROM QUARTER: FROM	NORTH	FROM	WEST					
				SECTION LINES:	630		482					
Lease Name:	ROBERT 1306			Well No	2-23MH			Well v	vill be	482	feet from nearest unit or leas	se boundary.
Operator Name:	RED BLUFF RESOURCES OPERATING LLC Telephone:				4052088	867					OTC/OCC Number:	23828 0

RED BLUFF RESOURCES OPERATING LLC

3030 NW EXPRESSWAY STE 900

OKLAHOMA CITY. 73112-5447 OK

SPECIAL NEEDS TRUST FOR THE BENEFIT OF KRYSTAL NICHOLE

HURST COX 8170 NW 44TH

BETHANY OK 73008

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Code	Depth
1	MISSISSIPPIAN	359MSSP	8047
2	WOODFORD	319WDFD	8299

No Special Orders Special Orders: No Pending Pending CD Numbers:

706953

Depth to base of Treatable Water-Bearing FM: 610 Total Depth: 13886 Surface Casing: 660 Ground Elevation: 1359

Location Exception Orders:

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes Approved Method for disposal of Drilling Fluids:

Category of Pit: C

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 19-37048

Increased Density Orders:

H. CLOSED SYSTEM=STEEL PITS (REQUIRED - UNCLE JOHN CREEK)

PIT 1 INFORMATION

Spacing Orders: 706309

Type of Pit System: CLOSED Closed System Means Steel Pits Liner not required for Category: C Type of Mud System: WATER BASED Pit Location is: BED AQUIFER Pit Location Formation: DUNCAN

Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N

Wellhead Protection Area? N Pit located in a Hydrologically Sensitive Area.

Chlorides Max: 5000 Average: 3000

HORIZONTAL HOLE 1

Total Length: 5000 Section: 23 Township: 13N Range: 6W

County: CANADIAN Measured Total Depth: 13886 Spot Location of End Point: S2 S2 SW True Vertical Depth: 8348

Feet From: SOUTH 1/4 Section Line: 165 End Point Location from Lease, Unit, or Property Line: 165 Feet From: WEST 1/4 Section Line: 1320

Additional Surface Owner(s)	Address	City, State, Zip
ROBERT P. HOLLMAN	12250 N. CIMARRON RD	YUKON, OK 73009
JOHNNY D. HOLLMAN	12250 N. CIMARRON RD	YUKON, OK 73009

NOTES:

Category	Description
HYDRAULIC FRACTURING	11/20/2019 - G71 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
LOCATION EXCEPTION - 706953 (201905218)	12/11/2019 - GB1 - (I.O.) 23-13N-6W X706309 MSSP, WDFD X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO MATTHEWS 2-23 COMPL. INT. NCT 165' FNL, NCT 165' FSL, NCT 330' FWL RED BLUFF RESOURCES OPERATING LLC 12/30/2019
SPACING - 706309	12/11/2019 - GB1 - (640)(HOR) 23-13N-6W EXT 622818 MSSP, WDFD COMPL. INT. (MSSP) NLT 660' FB COMPL. INT. (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL (COEXIST SP #96519 MISS)

