API NUMBER: 073 26535 A

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 04/16/2019
Expiration Date: 10/16/2020

23991 0

Horizontal Hole Oil & Gas

Amend reason: CHANGE SHL AND OPERATOR NAME

AMEND PERMIT TO DRILL

Telephone: 9184886400

Lease Name: F	PHOENIX 180	18			W	ell No:	16-1MH			
					SECTION LINES:		245		1242	
SPOT LOCATION:	NW	W NE	N		FEET FROM QUARTER:	FROM	NORTH	FROM	EAST	
WELL LOCATION:	Sec: 16	Twp:	18N Rg	e: 8W	County	y: KINO	SFISHER			

Well No: 16-1MH Well will be 245 feet from nearest unit or lease boundary.

Operator CHISHOLM OIL & GAS OPERATING LLC

BARRY BOLLENBACH

PO BOX 901

KINGFISHER OK 73750

OTC/OCC Number:

CHISHOLM OIL & GAS OPERATING LLC 6100 S YALE AVE STE 1700

TULSA. OK 74136-1921

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth
1	MISSISSIPPIAN	7777	6	
2	WOODFORD	8277	7	
3			8	
4			9	
5			10	
ng Orders:	641116	Location Exception Orders:	692345	Increased Density Orders:

Pending CD Numbers: Special Orders:

Total Depth: 13011 Ground Elevation: 1072 Surface Casing: 460 Depth to base of Treatable Water-Bearing FM: 220

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED
Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Spacin

Liner not required for Category: C
Pit Location is AP/TE DEPOSIT
Pit Location Formation: TERRACE

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 19-36491

H. CLOSED SYSTEM=STEEL PITS (REQUIRED - CIMARRON RIVER)

Approved Method for disposal of Drilling Fluids:

HORIZONTAL HOLE 1

Sec 16 Twp 18N Rge 8W County KINGFISHER

Spot Location of End Point: S2 S2 SW SE
Feet From: SOUTH 1/4 Section Line: 150
Feet From: EAST 1/4 Section Line: 1980

Depth of Deviation: 7341
Radius of Turn: 446
Direction: 185
Total Length: 4970

Measured Total Depth: 13011

True Vertical Depth: 8277

End Point Location from Lease,
Unit. or Property Line: 150

Notes:

Category Description

HYDRAULIC FRACTURING 4/13/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

LOCATION EXCEPTION - 692345 4/16/2019 - G56 - (I.O.) 16-18N-8W

X641116 MSSLM, WDFD

COMPL INT NCT 150' FNL, NCT 150' FSL, NCT 330' FEL

GASTAR EXPLOR. INC. (BOUGHT IN ITS ENTIRETY BY CHISHOLM OIL & GAS OPERATING LLC)

3/4/2019

SPACING - 641116 4/16/2019 - G56 - (640)(HOR) 16-18N-8W

EXT 624024 MSSLM, WDFD, OTHER COMPL INT (MSSLM) NCT 660' FB

COMPL INT (WDFD) NCT 165' FNL OR FSL, NCT 330' FEL OR FWL

(COEXIST WITH SP # 81983 MSSP, OTHER)

Well Location Plat

Operator: CHISHOLM OIL & GAS OPERATING, LLC Lease Name and No.: PHOENIX 1808 16-1MH Footage: 245' FNL - 1242' FEL Gr. Elevation: 1072'


NW/4-NE/4-NW/4-NE/4 Section: 16 Township: 18N Range: 8W

County: Kingfisher State of Oklahoma

Terrain at Loc.: Location fell on existing pad site.



Sec. 16-18N-8W I.M.




Surface Hole Loc.: Lat: 36°02'34.76"N Lon: 98°03'16.81"W Lat: 36.04295141 Lon: -98.05432966 X:1919904 Y:13087000

Landing Point: Lat: 36°02'35.64"N Lon: 98°03'25.80"W Lat: 36.04319588 Lon: -98.05682880 X:1919165

Y:13087081

Bottom Hole Loc .: Lat: 36°01'46.45"N Lon: 98°03'25.44"W Lat: 36.02953147 Lon: -98.05672837 X:1919243 Y:13082109



-Please note that this location was staked on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please contact Arkoma Surveying and Mapping promptly if any inconsistency is determined. GPS data is observed from RTK - GPS.
-NOTE: X and Y data shown hereon for Section Corners may NOT have been surveyed on-the-ground, and further, does NOT represent a true Boundary Survey.
-Quarter Section distances may be assumed from a Government Survey Plat or assumed at a proportionate distance from opposing section corners, or occupation thereof, and may not have been measured on-the-ground, and further, does not represent a true boundary survey.

Arkoma Surveying and Mapping, PLLC P.O. Box 238 Wilburton, OK 74578

Ph. 918-465-5711 Fax 918-465-5030 Certificate of Authorization No. 5348

Expires June 30, 2020 VEYING MAPPING

Invoice #8761-A Date Staked: 08/14/19 By: B.A. Date Drawn: 08/15/19 By: J.C.


Certification:

This is to certify that this Well Location Plat represents the results of a survey made on the ground performed under the supervision of the undersigned.

08/19/19



White SSIONAL OF SOME LANCE G. **MATHIS** OKLAHOMA ALAHUM!



P.O. Box 238 Wilburton, OK 74578 Ph. 918-465-5711 Fax 918-465-5030

Certificate of Authorization No. 5348 Expires June 30, 2020 VEYING MAPPING

Invoice #8761-A


Date Staked: 08/14/19 By: B.A. Date Drawn: 08/15/19 By: J.C.


the results of a survey made on the ground performed under the supervision of the undersigned.



08/19/19

OK LPLS 1664





Topographic Vicinity Map

Operator: CHISHOLM OIL & GAS OPERATING, LLC Lease Name and No.: PHOENIX 1808 16-1MH Surface Hole Location: 245' FNL - 1242' FEL


Landing Point: 150' FNL - 1980' FEL

Bottom Hole Location: 150' FSL - 1980' FEL Sec. 16 Twp. 18N Rng. 8W I.M. County: Kingfisher State of Oklahoma

Ground Elevation at Surface Hole Location: 1072'



Scale 1" = 2000' Contour Interval: 10'



Provided by:

Arkoma Surveying and Mapping, PLLC

P.O. Box 238 Wilburton, OK 74578 Ph. 918-465-5711 Fax 918-465-5030

Certificate of Authorization No. 5348 Expires June 30, 2020

Date Staked: 08/14/19

The purpose of this map is to verify the location and elevation as staked on the ground and to show the surrounding Topographic features. The footage shown hereon is only as SCALED onto a U.S.G.S. Topographic Map.

Please note that this location was staked carefully on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed.

Please contact Arkoma Surveying and Mapping promptly if any inconsistency is determined.

