API NUMBER: 087 22368

OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)

Approval Date: 06/14/2022
Expiration Date: 12/14/2023

Multi Unit Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Section: 29 Township: 7N Range: 3W County: MCCLAIN

SPOT LOCATION: SE NE NE SW FEET FROM QUARTER: FROM **SOUTH** FROM **WEST**
SECTION LINES: **2256** **2575**

Lease Name: **SACRED SUN** **Well No:** **0703 29-32-5 1WXH** **Well will be** **2256** **feet from nearest unit or lease boundary.**

Operator Name: **NATIVE EXPLORATION OPERATING LLC** Telephone: 4059223616 OTC/OCC Number: 24070 0

NATIVE EXPLORATION OPERATING LLC
123 NW 8TH ST
OKLAHOMA CITY, OK 73102-5804

JAMES CLAGG
P.O. BOX 756
WASHINGTON OK 73093

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Code	Depth
1	WOODFORD	319WDFD	9676

Spacing Orders: 709218
702100
708886
725927

Location Exception Orders: 725928

Increased Density Orders: No Density

Pending CD Numbers: No Pending

Working interest owners' notified: ***

Special Orders: No Special

Total Depth: 19886 Ground Elevation: 1222 **Surface Casing: 1500** Depth to base of Treatable Water-Bearing FM: 150

Deep surface casing has been approved

Under Federal Jurisdiction: No
Fresh Water Supply Well Drilled: No
Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids:

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 22-38351
H. (Other) SEE MEMO

PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits
Type of Mud System: WATER BASED
Chlorides Max: 5000 Average: 3000
Is depth to top of ground water greater than 10ft below base of pit? Y
Within 1 mile of municipal water well? N
Wellhead Protection Area? N
Pit **is** located in a Hydrologically Sensitive Area.

Category of Pit: C
Liner not required for Category: C
Pit Location is: BED AQUIFER
Pit Location Formation: DUNCAN

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits
Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000
Is depth to top of ground water greater than 10ft below base of pit? Y
Within 1 mile of municipal water well? N
Wellhead Protection Area? N
Pit **is** located in a Hydrologically Sensitive Area.

Category of Pit: C
Liner not required for Category: C
Pit Location is: BED AQUIFER
Pit Location Formation: DUNCAN

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

MULTI UNIT HOLE 1

Section: 5	Township: 6N	Range: 3W	Meridian: IM
County: MCCLAIN			
Spot Location of End Point: S2	NW	NW	SW
Feet From: **SOUTH**	1/4 Section Line: 2074		
Feet From: **WEST**	1/4 Section Line: 330		

Total Length:	10810
Measured Total Depth:	19886
True Vertical Depth:	9676
End Point Location from Lease,Unit, or Property Line:	330

NOTES:

Category	Description
DEEP SURFACE CASING	[5/26/2022 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[5/26/2022 - GC2] - OCC 165:10-3-10 REQUIRES: 1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN; 2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND, 3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
LOCATION EXCEPTION - 725928 (CD2022-001847)	[6/13/2022 - GB6] - (E.O.) 29 & 32 -7N-3W & 5-6N-3W X709218 WDFD 29-7N-3W X702100 WDFD 32-7N-3W X708886 WDFD 5-6N-3W COMPL. INT. (29-7N-3W) NCT 165' FNL, NCT 0' FSL, NCT 330' FWL COMPL. INT. (32-7N-3W) NCT 0' FNL, NCT 0' FSL, NCT 330' FWL COMPL. INT. (5-6N-3W) NCT 0' FNL, NCT 330' FSL, NCT 330' FWL NATIVE EXPLORATION OPERATING, LLC. 06/02/2022
MEMO	[5/26/2022 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 702100	[6/13/2022 - GB6] - (640)(HOR) 32-7N-3W VAC OTHERS EXT 681654 WDFD, OTHERS COMPL. INT. (WDFD) NCT 165' FSL, NCT 330' FEL, NCT 165' FNL, NCT 330' FWL
SPACING - 708886	[6/13/2022 - GB6] - (640)(HOR) 5-6N-3W EXT 702100 WDFD, OTHER COMPL. INT. (WDFD) NCT 165' FSL, NCT 330' FEL, NCT 165' FNL, NCT 330' FWL
SPACING - 709218	[6/13/2022 - GB6] - (640)(HOR) 29-7N-3W EXT 702100 WDFD, OTHER COMPL. INT. (WDFD) NCT 165' FSL, NCT 330' FEL, NCT 165' FNL, NCT 330' FWL
SPACING - 725927 (CD2022-001846)	[6/13/2022 - GB6] - (E.O.) 29 & 32 -7N-3W & 5-6N-3W EST MULTIUNIT WELL X709218 WDFD 29-7N-3W X702100 WDFD 32-7N-3W X708886 WDFD 5-6N-3W 30% 29-7N-3W 40% 32-7N-3W 30% 5-6N-3W NATIVE EXPLORATION OPERATING, LLC. 06/02/2022

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

WELL LOCATION

SACRED SUN 0703 29-32-5-1WXH
NATIVE EXPLORATION OPERATING
SECTION 29, TOWNSHIP 7N, RANGE 3W, I.M.
MCCLAIN COUNTY, OKLAHOMA


GRID
OK SOUTH
US FEET

SCALE: 1" = 2000'

0' 1000' 2000'

LEGEND

- SECTION LINE
- QUARTER SECTION LINE
- 16TH LINE
- TOWNSHIP LINE
- PROPOSED WELL BORE



SURFACE LOCATION
2256' FSL & 2575' FWL
NAD-27
X= 2138112
Y= 625193
LAT.: 35°03'01.5" N
LONG.: 97°32'18.9" W
LAT.: 35.050419° N
LONG.: 97.538570° W
ELEV.: 1221' (NGVD29)
NAD-83
X= 2106516
Y= 625236
LAT.: 35°03'01.8" N
LONG.: 97°32'20.0" W
LAT.: 35.050488° N
LONG.: 97.538881° W
ELEV.: 1222' (NAVD88)

FIRST TAKE POINT
2290' FSL & 1530' FWL
NAD-27
X= 2137067
Y= 625218
LAT.: 35°03'01.8" N
LONG.: 97°32'31.4" W
LAT.: 35.050500° N
LONG.: 97.542063° W
NAD-83
X= 2105470
Y= 625261
LAT.: 35°03'02.0" N
LONG.: 97°32'32.5" W
LAT.: 35.050569° N
LONG.: 97.542374° W

LAST TAKE POINT
2139' FSL & 330' FWL-SEC. 5
NAD-27
X= 2135920
Y= 614469
LAT.: 35°01'15.5" N
LONG.: 97°32'45.8" W
LAT.: 35.020980° N
LONG.: 97.546056° W
NAD-83
X= 2104324
Y= 614511
LAT.: 35°01'15.8" N
LONG.: 97°32'46.9" W
LAT.: 35.021049° N
LONG.: 97.546367° W

BOTTOM HOLE
2074' FSL & 330' FWL-SEC. 5
NAD-27
X= 2135920
Y= 614404
LAT.: 35°01'14.9" N
LONG.: 97°32'45.8" W
LAT.: 35.020801° N
LONG.: 97.546056° W
NAD-83
X= 2104324
Y= 614446
LAT.: 35°01'15.1" N
LONG.: 97°32'46.9" W
LAT.: 35.020871° N
LONG.: 97.546366° W

LICENSED PROFESSIONAL LAND SURVEYOR
DAN W. ROGERS
1200
05-18-2022
OKLAHOMA

Dan W. Rogers, P.L.S. No. 1200
Authorized Agent of Topographic Land Surveyors

SURVEYOR'S CERTIFICATE:
I, DAN W. ROGERS, AN OKLAHOMA LICENSED LAND SURVEYOR AND AN AUTHORIZED AGENT OF TOPOGRAPHIC LAND SURVEYORS, DO HEREBY CERTIFY TO THE INFORMATION SHOWN HEREIN.

LEASE NAME & WELL NO. SACRED SUN 0703 29-32-5-1WXH
SECTION 29 TWP 7N RGE 3W MERIDIAN I.M.
COUNTY MCCLAIN STATE OKLAHOMA
DESCRIPTION 2256' FSL & 2575' FWL

SACRED SUN 0703 29-32-5-1WXH	REVISION: INT	DATE
	KEU	01/25/2022
DATE: 11/30/2021	EAH	03/18/2022
FILE: LO_SACRED_SUN_0703_29-32-5-1WXH_REV4	CC	04/20/2022
DRAWN BY: KEU	JPH	05/18/2022
SHEET : 1 OF 2		

TOPOGRAPHIC
LOYALTY INNOVATION LEGACY
13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134
TELEPHONE: (405) 843-4847 OR (800) 654-3219
FAX: (405) 843-0975
CERTIFICATE OF AUTHORIZATION NO. 06269
WWW.TOPOGRAPHIC.COM

NOTES:
1. ORIGINAL DOCUMENT SIZE: 11" X 17"
2. ALL BEARINGS SHOWN HEREON ARE GRID OKLAHOMA COORDINATE SYSTEM OF 1983 SOUTHZONE ACCORDING TO THE RESULT OF STATIC GPS OBSERVATION PROCESSED THROUGH OPUS ON THE CONTROL POINT OCCUPIED WHILE MEASURING SAID LINES. OPUS RESULTS ARE CORRELATED TO OKLAHOMA COORDINATE SYSTEM THROUGH SOUTH ZONE AND THE NORTH AMERICAN VERTICAL DATUM OF 1988.
3. OKLAHOMA COORDINATE SYSTEM OF 1927 AND NATIONAL GEOGRAPHIC VERTICAL DATUM OF 1929 INFORMATION CONVERTED FROM OKLAHOMA COORDINATE SYSTEM OF 1983 AND NORTH AMERICAN VERTICAL DATUM OF 1988.
4. CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT/LOCATION, IN RELATION TO THE EVIDENCE FOUND DURING A FIELD SURVEY, MADE ON THE GROUND, UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY NATIVE EXPLORATION OPERATING ONLY UTILITIES/EASEMENTS THAT WERE VISIBLE ON THE DATE OF THIS SURVEY, WITHIN/ADJOINING THIS EASEMENT/LOCATION, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE. THIS CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE, AND MADE FOR THIS TRANSACTION ONLY.
5. THE INFORMATION SHOWN HEREIN IS FOR CONSTRUCTION PURPOSES ONLY

WELL LOCATION

SACRED SUN 0703 29-32-5-1WXH
NATIVE EXPLORATION OPERATING
SECTION 29 , TOWNSHIP 7N , RANGE 3W, I.M.
MCCLAIN COUNTY, OKLAHOMA


GRID
OK SOUTH
US FEET

SCALE: 1" = 2000'

0' 1000' 2000'

LEGEND

- SECTION LINE
- QUARTER SECTION LINE
- 16TH LINE
- TOWNSHIP LINE
- PROPOSED WELL BORE



DAN W. ROGERS 1200 05-18-2022 LICENSED PROFESSIONAL LAND SURVEYOR OKLAHOMA

Dan W. Rogers, P.L.S. No. 1200
Authorized Agent of Topographic Land Surveyors

SURVEYOR'S CERTIFICATE:

I, DAN W. ROGERS, AN OKLAHOMA LICENSED LAND SURVEYOR AND AN AUTHORIZED AGENT OF TOPOGRAPHIC LAND SURVEYORS, DO HEREBY CERTIFY TO THE INFORMATION SHOWN HEREIN.

LEASE NAME & WELL NO. SACRED SUN 0703 29-32-5-1WXH

SECTION 29 TWP 7N RGE 3W MERIDIAN I.M.
COUNTY MCCLAIN STATE OKLAHOMA
DESCRIPTION 2256' FSL & 2575' FWL


SACRED SUN 0703 29-32-5-1WXH	REVISION:	
	INT	DATE
	KEU	01/25/2022
DATE: 11/30/2021	EAH	03/18/2022
FILE: LO_SACRED_SUN_0703_29-32-5-1WXH_REV4	CC	04/20/2022
DRAWN BY: KEU	JPH	05/18/2022
SHEET : 2 OF 2		

TOPOGRAPHIC
LOYALTY INNOVATION LEGACY
13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134
TELEPHONE: (405) 843-4847 OR (800) 654-3219
FAX: (405) 843-0975
CERTIFICATE OF AUTHORIZATION NO. 06269
WWW.TOPOGRAPHIC.COM

NOTES:

1. ORIGINAL DOCUMENT SIZE: 11" X 17"
2. ALL BEARINGS SHOWN HEREON ARE GRID OKLAHOMA COORDINATE SYSTEM OF 1983 SOUTH ZONE ACCORDING TO THE RESULT OF STATIC GPS OBSERVATION PROCESSED THROUGH OPUS ON THE CONTROL POINT OCCUPIED WHILE MEASURING SAID LINES. OPUS RESULTS ARE CORRELATED TO OKLAHOMA COORDINATE SYSTEM THROUGH SOUTH ZONE AND THE NORTH AMERICAN VERTICAL DATUM OF 1988.
3. OKLAHOMA COORDINATE SYSTEM OF 1927 AND NATIONAL GEOGRAPHIC VERTICAL DATUM OF 1929 INFORMATION CONVERTED FROM OKLAHOMA COORDINATE SYSTEM OF 1983 AND NORTH AMERICAN VERTICAL DATUM OF 1988.
4. CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT/LOCATION, IN RELATION TO THE EVIDENCE FOUND DURING A FIELD SURVEY, MADE ON THE GROUND, UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY NATIVE EXPLORATION OPERATING ONLY UTILITIES/EASEMENTS THAT WERE VISIBLE ON THE DATE OF THIS SURVEY, WITHIN/ADJOINING THIS EASEMENT/LOCATION, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE. THIS CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE, AND MADE FOR THIS TRANSACTION ONLY.
5. THE INFORMATION SHOWN HEREIN IS FOR CONSTRUCTION PURPOSES ONLY

LOCATION & ELEVATION VERIFICATION MAP



LEASE NAME & WELL NO. SACRED SUN 0703 29-32-5-1WXH

SECTION 29 TWP 7N RGE 3W MERIDIAN I.M.
COUNTY MCCLAIN STATE OKLAHOMA
DESCRIPTION 2256' FSL & 2575' FWL
ELEV.: 1221' (NGVD29)
ELEV.: 1222' (NAVD88)

SCALE: 1" = 2000'


0' 1000' 2000'

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY NATIVE EXPLORATION OPERATING. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE OKLAHOMA STATE PLANE COORDINATE SYSTEM, SOUTH ZONE OF THE NORTH AMERICAN DATUM, U.S. SURVEY FEET.

TOPOGRAPHIC
LOYALTY INNOVATION LEGACY
13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134
TELEPHONE: (405) 843-4847 OR (800) 654-3219
FAX: (405) 843-0975
CERTIFICATE OF AUTHORIZATION NO. 06269
WWW.TOPOGRAPHIC.COM

VICINITY MAP



LEASE NAME & WELL NO. SACRED SUN 0703 29-32-5-1WXH

SECTION 29 TWP 7N RGE 3W MERIDIAN I.M.
COUNTY MCCLAIN STATE OKLAHOMA
DESCRIPTION 2256' FSL & 2575' FWL
DISTANCE & DIRECTION
FROM THE INTERSECTION OF E MOREHEAD AVE. AND S. MAIN ST. IN WASHINGTON OKLAHOMA. GO WEST ON W. MOREHEAD/W240TH ST FOR 2.5 MILES TO THE NE CORNER OF SEC. 29.

SCALE: 1" = 4000'

0' 2000' 4000'

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY NATIVE EXPLORATION OPERATING. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE OKLAHOMA STATE PLANE COORDINATE SYSTEM, SOUTH OF THE NORTH AMERICAN DATUM, U.S. SURVEY FEET.

TOPOGRAPHIC
LOYALTY INNOVATION LEGACY
13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134
TELEPHONE: (405) 843-4847 OR (800) 654-3219
FAX: (405) 843-0975
CERTIFICATE OF AUTHORIZATION NO. 06269
WWW.TOPOGRAPHIC.COM