

API NUMBER: 087 22338

OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)

Approval Date: 03/01/2022
Expiration Date: 09/01/2023

Multi Unit Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Section: 25 Township: 6N Range: 4W County: MCCLAIN

SPOT LOCATION: ☐ NW ☐ NE ☐ NE ☐ NW FEET FROM QUARTER: FROM NORTH FROM WEST
SECTION LINES: 292 2247

Lease Name: WHETSTONE Well No: 0604 25-36 3WXH Well will be 292 feet from nearest unit or lease boundary.
Operator Name: CPRP SERVICES LLC Telephone: 4059223616 OTC/OCC Number: 24506 0

CPRP SERVICES LLC
123 NW 8TH ST
OKLAHOMA CITY, OK 73102-5804

HARDAGE LAND TRUST
15213 180TH STREET
LINDSAY OK 73052

Formation(s) (Permit Valid for Listed Formations Only):

Name	Code	Depth
1 WOODFORD	319WDFD	10050

Spacing Orders: 669469
721912

Location Exception Orders: 721787

Increased Density Orders: 720775
720776

Pending CD Numbers: No Pending

Working interest owners' notified: ***

Special Orders: No Special

Total Depth: 21000 Ground Elevation: 1094

Surface Casing: 1500

Depth to base of Treatable Water-Bearing FM: 60

Deep surface casing has been approved

Under Federal Jurisdiction: No
Fresh Water Supply Well Drilled: No
Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids:

D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 21-37937

H. (Other)

SEE MEMO

PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER

Pit Location Formation: DUNCAN

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER

Pit Location Formation: DUNCAN

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

MULTI UNIT HOLE 1					
Section: 36	Township: 6N	Range: 4W	Meridian: IM	Total Length: 10252	
	County: MCCLAIN			Measured Total Depth: 21000	
Spot Location of End Point: SW	SW	SE	SW	True Vertical Depth: 10050	
Feet From: SOUTH		1/4 Section Line: 100		End Point Location from	
Feet From: WEST		1/4 Section Line: 1600		Lease, Unit, or Property Line: 100	

NOTES:

Category	Description
DEEP SURFACE CASING	[2/17/2022 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[2/17/2022 - GC2] - OCC 165:10-3-10 REQUIRES: 1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN; 2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND, 3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 720775	[2/28/2022 - GB6] - 25-6N-4W X669469 WDFD 2 WELLS CPRP SERVICES, LLC 09/24/2021
INCREASED DENSITY - 720776	[2/28/2022 - GB6] - 36-6N-4W X669469 WDFD 3 WELLS CPRP SERVICES, LLC 09/24/2021
LOCATION EXCEPTION - 721787 (202102102)	[2/28/2022 - GB6] - (I.O.) 25 & 36 6N-4W X669469 WDFD COMPL. INT. (25-6N-4W) NCT 165' FNL, NCT 0' FSL, NCT 990' FWL COMPL. INT. (36-6N-4W) NCT 0' FNL, NCT 165' FSL, NCT 990' FWL CPRP SERVICES, LLC 11/19/2021
MEMO	[2/17/2022 - GC2] - CLOSED SYSTEM=STEEL PITS (REQUIRED - CRINER CREEK), OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 669469	[2/28/2022 - GB6] - (640)(HOR) 25, 36 -6N-4W VAC OTHERS EXT 652256 WDFD, OTHER COMPL. INT. (WDFD) NCT 165' FNL, NCT 165' FSL, NCT 330' FEL, NCT 330' FWL
SPACING - 721912 (202102101)	[2/28/2022 - GB6] - (I.O.) 25 & 36 -6N-4W EST MULTIUNIT HORIZONTAL WELL X669469 WDFD 50% 25-6N-4W 50% 36-6N-4W CPRP SERVICES, LLC 11/30/2021
WATERSHED STRUCTURE	[2/17/2022 - GC2] - WELL WITHIN 1/2 MILE OF AN OKLAHOMA CONSERVATION COMMISSION WATERSHED STRUCTURE. CONTACT THE LOCAL CONSERVATION DISTRICT OFFICE AT (405) 527-3452 PRIOR TO DRILLING

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

087 22338 WHETSTONE 0604 25-36 3WXH

WHETSTONE 0604 25-36-3WXH
CPRP SERVICES, LLC.
SECTION 25, TOWNSHIP 6N, RANGE 4W, I.M.
MCCLAIN COUNTY, OKLAHOMA

 SECTION LINE
 COUNTY LINE
 TOWNSHIP/RANGE LINE
 QUARTER SECTION LINE
 16TH LINE
 PROPOSED WELL BORE



SCALE: 1" = 2000'




0' 1000' 2000'

292° FNL & 2247° FWL
NAD-27
X= 2127436
Y= 596129
LAT.: 34°58'14.5" N
LONG.: 97°34'28.7" W
LAT.: 34.970691° N
LONG.: 97.574648° W
ELEV.: 1094' (NGVD29)
NAD-83
X= 2095840
Y= 596171
LAT.: 34°58'14.7" N
LONG.: 97°34'29.9" W
LAT.: 34.970762° N
LONG.: 97.574759° W
ELEV.: 1094' (NAVD88)

165' FNL & 1600' FWL
NAD-27
X= 2126789
Y= 596254
LAT.: 34°58'15.8"N
LONG.: 97°34'36.5"W
LAT.: 34.971043° N
LONG: 97.576807° W
NAD-83
X= 2095193
Y= 596297
LAT.: 34°58'16.0" N
LONG.: 97°34'37.6" W
LAT.: 34.971114° N
LONG.: 97.577118° W

165' FSL & 1600' FWL
NAD-27
X= 2126814
Y= 586002
LAT.: 34°56'34.3"N
LONG.: 97°34'36.7"W
LAT.: 34.942873° N
LONG: 97.576867° W
NAD-83
X= 2095218
Y= 586044
LAT.: 34°56'34.6" N
LONG.: 97°34'37.8" W
LAT.: 34.942944° N
LONG.: 97.577177° W

100' FSL & 1600' FWL
NAD-27
X= 2126814
Y= 585937
LAT.: 34°56'33.7"N
LONG.: 97°34'36.7"W
LAT.: 34.942694° N
LONG: 97.576868° W
NAD-83
X= 2095218
Y= 585979
LAT.: 34°56'34.0" N
LONG.: 97°34'37.8" W
LAT.: 34.942768° N
LONG.: 97.577178° W



Thomas L. Howell

Authorized Agent of Topographic Land Surveyors

DESCRIPTION	292' FNL & 2247' FWL
-------------	----------------------



TOPOGRAPHIC
LOYALTY INNOVATION LEGACY

13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134
TELEPHONE: (405) 843-4847 OR (800) 654-3219
CERTIFICATE OF AUTHORIZATION NO. 1292 LS
WWW.TOPOGRAPHIC.COM



WHETSTONE 0604 25-36-3WXH	REVISION:	
	INT	DATE
DATE: 08/26/21		
FILE: I_O_WHETSTONE_25-36-3WXH_REV1		
DRAWN BY: EAH		
SHEET : 1 OF 2		

1. ORIGINAL DOCUMENT SIZE: 8.5" X 14"
2. ALL BEARINGS SHOWN HEREON ARE GRID OKLAHOMA COORDINATE SYSTEM OF 1983 SOUTH ZONE ACCORDING TO THE RESULT OF STATIC GPS OBSERVATION PROCESSED THROUGH OPUS ON THE CONTROL POINT OCCUPIED WHILE MEASURING SAID LINES. OPUS RESULTS ARE CORRELATED TO OKLAHOMA COORDINATE SYSTEM THROUGH SOUTH ZONE AND THE NORTH AMERICAN VERTICAL DATUM OF 1988.
3. OKLAHOMA COORDINATE SYSTEM OF 1927 AND NATIONAL GEOGRAPHIC VERTICAL DATUM OF 1929 INFORMATION CONVERTED FROM OKLAHOMA COORDINATE SYSTEM OF 1983 AND NORTH AMERICAN VERTICAL DATUM OF 1988.
4. CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT/LOCATION. IN RELATION TO THE EVIDENCE FOUND DURING A FIELD SURVEY, MADE ON THE GROUND UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY GPS SERVICES, I, J.C. ONLY UTILIZED THE MEASUREMENTS THAT WERE VISIBLE ON THE FACE OF THIS SURVEY. WITHIN ADJOINING THIS EASEMENT/LOCATION, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE. THIS CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE, AND MADE FOR THIS TRANSACTION ONLY.
5. THE INFORMATION SHOWN HEREIN IS FOR CONSTRUCTION PURPOSES ONLY.

WELL LOCATION
WHETSTONE 0604 25-36-3WXH
CPRP SERVICES, LLC.
SECTION 25 , TOWNSHIP 6N , RANGE 4W, I.M.
MCCLAIN COUNTY, OKLAHOMA

LEGEND

- SECTION LINE
COUNTY LINE
TOWNSHIP/RANGE LINE
QUARTER SECTION LINE
16TH LINE
PROPOSED WELL BORE



SURVEYOR'S CERTIFICATE:

I, THOMAS L. HOWELL, AN OKLAHOMA LICENSED LAND SURVEYOR AND AN AUTHORIZED AGENT OF TOPOGRAPHIC LAND SURVEYORS, DO HEREBY CERTIFY TO THE INFORMATION SHOWN HEREIN.



13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134
TELEPHONE: (405) 843-4847 OR (800) 654-3219
CERTIFICATE OF AUTHORIZATION NO. 1292 LS
WWW.TOPOGRAPHIC.COM

THOMAS L. HOWELL, P.L.S. No. 1433
Authorized Agent of Topographic Land Surveyors

LEASE NAME & WELL NO. WHETSTONE 0604 25-36-3WXH

SECTION 25 TWP 6N RGE 4W MERIDIAN I.M.
COUNTY MCCLAIN STATE OKLAHOMA
DESCRIPTION 292' FNL & 2247' FWL

WHETSTONE
0604
25-36-3WXH

REVISION:


INT	DATE
DWR	01/27/22

DATE: 08/26/21
FILE:LO_WHETSTONE_25-36-3WXH_REV1
DRAWN BY: EAH
SHEET : 2 OF 2

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 14"
2. ALL BEARINGS SHOWN HEREON ARE GRID OKLAHOMA COORDINATE SYSTEM OF 1983 SOUTH ZONE ACCORDING TO THE RESULT OF STATIC GPS OBSERVATION PROCESSED THROUGH OPUS ON THE CONTROL POINT OCCUPIED WHILE MEASURING SAID LINES. OPUS RESULTS ARE CORRELATED TO OKLAHOMA COORDINATE SYSTEM THROUGH SOUTH ZONE AND THE NORTH AMERICAN VERTICAL DATUM OF 1988.
3. OKLAHOMA COORDINATE SYSTEM OF 1927 AND NATIONAL GEOGRAPHIC VERTICAL DATUM OF 1929 INFORMATION CONVERTED FROM OKLAHOMA COORDINATE SYSTEM OF 1983 AND NORTH AMERICAN VERTICAL DATUM OF 1988.
4. CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT/LOCATION, IN RELATION TO THE EVIDENCE FOUND DURING A FIELD SURVEY, MADE ON THE GROUND, UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY CPRP SERVICES, LLC. ONLY UTILITIES/EASEMENTS THAT WERE VISIBLE ON THE DATE OF THIS SURVEY, WITHIN/ADJOINING THIS EASEMENT/LOCATION, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE. THIS CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE, AND MADE FOR THIS TRANSACTION ONLY.
5. THE INFORMATION SHOWN HEREIN IS FOR CONSTRUCTION PURPOSES ONLY

LOCATION & ELEVATION VERIFICATION MAP



LEASE NAME & WELL NO. WHETSTONE 0604 25-36-3WXH

SECTION 25 TWP 6N RGE 4W MERIDIAN I.M.

COUNTY MCCLAIN STATE OKLAHOMA

DESCRIPTION 292' FNL & 2247' FWL

ELEV.: 1094' (NGVD29)

ELEV.: 1094' (NAVD88)



SCALE: 1" = 2000'
0' 1000' 2000'

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY CPRP SERVICES, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.


ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE OKLAHOMA STATE PLANE COORDINATE SYSTEM, SOUTH ZONE OF THE NORTH AMERICAN DATUM, U.S. SURVEY FEET.



TOPOGRAPHIC
LOYALTY INNOVATION LEGACY

13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134
TELEPHONE: (405) 843-4847 OR (800) 654-3219
CERTIFICATE OF AUTHORIZATION NO. 1292 LS
WWW.TOPOGRAPHIC.COM

VICINITY MAP



LEASE NAME & WELL NO. WHETSTONE 0604 25-36-3WXH

SECTION 25 TWP 6N RGE 4W MERIDIAN I.M.

COUNTY MCCLAIN STATE OKLAHOMA


DESCRIPTION 292' FNL & 2247' FWL

DISTANCE & DIRECTION

FROM THE INTERSECTION OF HWY 122, AND HWY 59 IN CRINER
OKLAHOMA, TAKE HWY 122 WEST FOR JUST OVER HALF A MILE TO
LOCATION.

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY CPRP SERVICES, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE OKLAHOMA STATE PLANE COORDINATE SYSTEM, SOUTH ZONE OF THE NORTH AMERICAN DATUM, U.S. SURVEY FEET.



TOPOGRAPHIC
LOYALTY INNOVATION LEGACY
13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134
TELEPHONE: (405) 843-4847 OR (800) 654-3219
CERTIFICATE OF AUTHORIZATION NO. 1292 LS
WWW.TOPOGRAPHIC.COM