API NUMBER: 017 25944

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:	04/03/2023	
Expiration Date:	10/03/2024	

Multi Unit Oil & Gas

## **PERMIT TO DRILL**

WELL LOCATION: Section: 31	Township: 13N	Range: 6W Co	ounty: CANA	DIAN				
SPOT LOCATION: SW SE NW	SW FEET FROM C	UARTER: FROM SO	OUTH FROM	M WEST	<del></del>			
	SECTIO	ON LINES: 14	455	908				
Lease Name: BOO BEAR 31_30_19-	13N-6W	Well No: 3	MHXL	١	Vell will be	908	feet from nearest	unit or lease boundary.
Operator Name: PALOMA OPERATING	CO INC	Telephone: 71	136548534				OTC/OCC N	Number: 23932 0
			—					
PALOMA OPERATING CO INC				BENJAMIN & JOYC	E WALLA	CE		
1100 LOUISANA ST STE 5100				3911 SOUTHEAST	12TH AVE	NUE		
HOUSTON,	TX 77002-52	20		GOLDSBY			OK 7309	93
Formation(s) (Permit Valid for L	isted Formations Or	ily):						
Name	Code	Depth						
1 MISSISSIPPIAN	359MSSP	8500						
Spacing Orders: 706530		Location Exception	n Orders: 7	733409		Inci	eased Density Orde	ers: 731803
672701								731804
671185 733408								
700400					_		0	No Consist
Pending CD Numbers: 202205129		Working interes	est owners' no	tified: ***			Special Orde	ers: No Special
Total Depth: 25000 Ground	Flavotian, 1200	Curfoss Co.	-! 400	_			. T ( -   1 -   1   1   1   1   1   1	agring FM: 240
	Elevation: 1298	Surface Cas	sing: 100	00	Depth to	base of	Treatable Water-B	earing Fivi: 340
	Elevation: 1298	Surrace Cas	sing: 100	00	Depth to			sing has been approved
		Surrace Cas				De	eep surface ca	
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No	)	Surrace Ca		Approved Method for disp	osal of Drilli	De	eep surface ca	sing has been approved
Under Federal Jurisdiction: No	) )	Surface Cas	[ A	Approved Method for disp	osal of Drilli	De ng Fluid	eep surface cas	
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No	) )	Surface Cas	[ A	Approved Method for disp	osal of Drilli	De	eep surface cas	sing has been approved
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No	) )	Surface Cas	[ A	Approved Method for disp	osal of Drilli	De ng Fluid	eep surface cas	sing has been approved
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No  PIT 1 INFORMATION Type of Pit System: CLOSED C	Closed System Means Stee		A C F	Approved Method for dispose.  D. One time land application  I. (Other)	osal of Drillin	De ng Fluid	eep surface cas	sing has been approved
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No  PIT 1 INFORMATION Type of Pit System: CLOSED C Type of Mud System: WATER BAS	Closed System Means Stee		A C F	Approved Method for disp D. One time land application H. (Other)  Category of F Liner not required for Category on the control of the control	osal of Drillin	Deing Fluid	eep surface cas	sing has been approved
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No  PIT 1 INFORMATION Type of Pit System: CLOSED C Type of Mud System: WATER BAS Chlorides Max: 5000 Average: 3000	Closed System Means Stee	l Pits	A C F	Approved Method for disp D. One time land application H. (Other)  Category of F  Liner not required for Category	osal of Drillin	Deing Fluid	eep surface cas	sing has been approved
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No  PIT 1 INFORMATION Type of Pit System: CLOSED C Type of Mud System: WATER BAS Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greate	Closed System Means Stee SED er than 10ft below base of p	l Pits	A C F	Approved Method for disp D. One time land application H. (Other)  Category of F Liner not required for Category on the control of the control	osal of Drillin	Deing Fluid	eep surface cas	sing has been approved
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No  PIT 1 INFORMATION Type of Pit System: CLOSED C Type of Mud System: WATER BAS Chlorides Max: 5000 Average: 3000 Is depth to top of ground water great Within 1 mile of municipal water we	Closed System Means Stee SED er than 10ft below base of p	l Pits	A C F	Approved Method for disp D. One time land application H. (Other)  Category of F Liner not required for Category on the control of the control	osal of Drillin	Deing Fluid	eep surface cas	sing has been approved
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No  PIT 1 INFORMATION Type of Pit System: CLOSED C Type of Mud System: WATER BAS Chlorides Max: 5000 Average: 3000 Is depth to top of ground water great Within 1 mile of municipal water we Wellhead Protection Are	Closed System Means Stee SED er than 10ft below base of pell? N	l Pits	A C F	Approved Method for disp D. One time land application H. (Other)  Category of F Liner not required for Category on the control of the control	osal of Drillin	Deing Fluid	eep surface cas	sing has been approved
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No  PIT 1 INFORMATION Type of Pit System: CLOSED C Type of Mud System: WATER BAS Chlorides Max: 5000 Average: 3000 Is depth to top of ground water great Within 1 mile of municipal water we	Closed System Means Stee SED er than 10ft below base of pell? N	l Pits	A C F	Approved Method for disp D. One time land application H. (Other)  Category of F Liner not required for Category on the control of the control	osal of Drillin	Deing Fluid	eep surface cas	sing has been approved
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No  PIT 1 INFORMATION Type of Pit System: CLOSED C Type of Mud System: WATER BAS Chlorides Max: 5000 Average: 3000 Is depth to top of ground water great Within 1 mile of municipal water we Wellhead Protection Are Pit <u>is</u> located in a Hydrologically  PIT 2 INFORMATION	Closed System Means Stee SED er than 10ft below base of pell? Nea? N	I Pits	A C F	Approved Method for disp D. One time land application H. (Other)  Category of F Liner not required for Cat Pit Location i Pit Location Formatio	Pit: C s: ALLUVIA n: ALLUVIA	Deing Fluid	eep surface cas	sing has been approved
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No  PIT 1 INFORMATION Type of Pit System: CLOSED C Type of Mud System: WATER BAS Chlorides Max: 5000 Average: 3000 Is depth to top of ground water great Within 1 mile of municipal water we Wellhead Protection Are Pit <u>is</u> located in a Hydrologically  PIT 2 INFORMATION Type of Pit System: CLOSED C	Closed System Means Stee SED er than 10ft below base of pell? N ea? N Sensitive Area.	I Pits	A C F	Approved Method for disp D. One time land application d. (Other)  Category of F Liner not required for Cat Pit Location Formatio  Category of F Liner not required for Cat	Pit: C eegory: C s: ALLUVIA n: ALLUVIA	De ng Fluid ES PERI SEE MEI	eep surface cas	sing has been approved
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No  PIT 1 INFORMATION Type of Pit System: CLOSED C Type of Mud System: WATER BAS Chlorides Max: 5000 Average: 3000 Is depth to top of ground water great Within 1 mile of municipal water we Wellhead Protection Are Pit is located in a Hydrologically  PIT 2 INFORMATION Type of Pit System: CLOSED C Type of Mud System: OIL BASED	Closed System Means Stee SED er than 10ft below base of pell? N ea? N Sensitive Area.	I Pits	A C F	Approved Method for disp D. One time land application d. (Other)  Category of F Liner not required for Cat Pit Location i Pit Location Formatio  Category of F Liner not required for Cat Pit Location i	Pit: C Pegory: C Pit: C	Deing Fluid ES PERI SEE MEI	eep surface cas	sing has been approved
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No  PIT 1 INFORMATION Type of Pit System: CLOSED C Type of Mud System: WATER BAS Chlorides Max: 5000 Average: 3000 Is depth to top of ground water great Within 1 mile of municipal water we Wellhead Protection Are Pit js located in a Hydrologically  PIT 2 INFORMATION Type of Pit System: CLOSED C Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000	Closed System Means Stee SED er than 10ft below base of per than 10ft below base of pe	I Pits Dit? Y	A C F	Approved Method for disp D. One time land application d. (Other)  Category of F Liner not required for Cat Pit Location Formatio  Category of F Liner not required for Cat	Pit: C Pegory: C Pit: C	Deing Fluid ES PERI SEE MEI	eep surface cas	sing has been approved
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No  PIT 1 INFORMATION Type of Pit System: CLOSED C Type of Mud System: WATER BAS Chlorides Max: 5000 Average: 3000 Is depth to top of ground water great Within 1 mile of municipal water we Wellhead Protection Are Pit is located in a Hydrologically  PIT 2 INFORMATION Type of Pit System: CLOSED C Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water great	Closed System Means Stee SED  er than 10ft below base of pall? N ea? N Sensitive Area.  Closed System Means Stee er than 10ft below base of page 1	I Pits Dit? Y	A C F	Approved Method for disp D. One time land application d. (Other)  Category of F Liner not required for Cat Pit Location i Pit Location Formatio  Category of F Liner not required for Cat Pit Location i	Pit: C Pegory: C Pit: C	Deing Fluid ES PERI SEE MEI	eep surface cas	sing has been approved
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No  PIT 1 INFORMATION Type of Pit System: CLOSED C Type of Mud System: WATER BAS Chlorides Max: 5000 Average: 3000 Is depth to top of ground water great Within 1 mile of municipal water we Wellhead Protection Are Pit js located in a Hydrologically  PIT 2 INFORMATION Type of Pit System: CLOSED C Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000	Closed System Means Stee SED  er than 10ft below base of pell? N sensitive Area.  Closed System Means Stee er than 10ft below base of pell? N	I Pits Dit? Y	A C F	Approved Method for disp D. One time land application d. (Other)  Category of F Liner not required for Cat Pit Location i Pit Location Formatio  Category of F Liner not required for Cat Pit Location i	Pit: C Pegory: C Pit: C	Deing Fluid ES PERI SEE MEI	eep surface cas	sing has been approved

MULTI UNIT HOLE 1

Section: 19 Township: 13N Range: 6W Meridian: IM Total Length: 14707

County: CANADIAN Measured Total Depth: 25000

Spot Location of End Point: SE SW NW NW True Vertical Depth: 9500

Feet From: NORTH

1/4 Section Line: 1000

End Point Location from Lease, Unit, or Property Line: 400

## NOTES:

NOTES:	
Category	Description
DEEP SURFACE CASING	[3/31/2023 - GC2] - APPROVED; (1) NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING. (2) SUBSEQUENT WELLS ON SAME PAD WILL NOT BE ALLOWED DEEP SURFACE CASING IN THE EVENT OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING.
HYDRAULIC FRACTURING	[3/31/2023 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 731803 (CD2022- 005130)	[4/3/2023 - GB7] - 30-13N-6W X706530 MSSP 3 WELLS PALOMA PARTNERS IV LLC 01/30/2023
INCREASED DENSITY - 731804	[4/3/2023 - GB7] - 31-13N-6W X672701 MSSP 2 WELLS PALOMA PARTNERS IV LLC 01/30/2023
LOCATION EXCEPTION - 733409 (CD2023- 000848)	[4/3/2023 - GB7] - (I.O.) 19, 30, & 31-13N-6W X671185 MSSP 19-13N-6W X706530 MSSP 30-13N-6W X672701 MSSP 31-13N-6W COMPL INT NCT 0' FNL, NCT 165' FSL, NCT 330' FWL (31-13N-6W) COMPL INT NCT 0' FNL, NCT 0' FSL, NCT 330' FWL (30-13N-6W) COMPL INT NCT 165' FNL, NCT 0' FSL, NCT 330' FWL (19-13N-6W) PALOMA PARTNERS IV LLC 04/03/2023
МЕМО	[3/31/2023 - GC2] - CLOSED SYSTEM=STEEL PITS PER (REQUIRED - NORTH CANADIAN RIVER), OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING - CD2022-005129	[4/3/2023 - GB7] - 19-13N-6W X671185 MSSP 2 WELLS PALOMA PARTNERS IV LLC REC 03/28/2023
SPACING - 671185	[4/3/2023 - GB7] - (640)(HOR) 19-13N-6W EXT 648223 MSSP, OTHER COMPL INT NCT 660' FB (COEXIST WITH SP# 122201 MISS, OTHER)
SPACING - 672701	[4/3/2023 - GB7] - (640)(HOR) 31-13N-6W EST MSSP, OTHERS COMPL INT NCT 660' FB (COEXIST WITH SP# 11249 MISS, OTHER)

SPACING - 706530	[4/3/2023 - GB7] - (640)(HOR) 30-13N-6W EXT 671185/697192 MSSP, OTHER COMPL INT NCT 660' FB (COEXIST WITH SP# 122201 MISS, OTHER)
SPACING - 733408 (CD2023-000847)	[4/3/2023 - GB7] - (I.O.) 19, 30, & 31-13N-6W EST MULTIUNIT HORIZONTAL WELL X671185 MSSP 19-13N-6W X706530 MSSP 30-13N-6W X672701 MSSP 31-13N-6W 33% 19-13N-6W 34% 30-13N-6W 34% 30-13N-6W PALOMA PARTNERS IV LLC 04/03/2023