

**OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)**

API NUMBER: 073 26786 A

Approval Date: 09/07/2021
Expiration Date: 03/07/2023

Multi Unit Oil & Gas

Amend reason: CHANGE BHL

AMEND PERMIT TO DRILL

WELL LOCATION: Section: 18 Township: 17N Range: 9W County: KINGFISHER

SPOT LOCATION: SW SE NW NE FEET FROM QUARTER: FROM NORTH FROM EAST
SECTION LINES: 993 1694

Lease Name: ROSIA 1709 Well No: 2H-18X Well will be 993 feet from nearest unit or lease boundary.
Operator Name: OVINTIV USA INC Telephone: 2812105100 OTC/OCC Number: 21713 0

OVINTIV USA INC
4 WATERWAY SQUARE PLACE, STE 100
THE WOODLANDS, TX 77380-3197

VILHAUER FARM TRUST
CLARK W. VILHAUER AND JERRY J. VILHAUER, CO-TRUSTEES
3128 E 690 ROAD
LOYAL OK 73756

Formation(s) (Permit Valid for Listed Formations Only):

Name	Code	Depth
1 MISSISSIPPIAN	359MSSP	8670
2 WOODFORD	319WDFD	9236

Spacing Orders: 643923 Location Exception Orders: 719877 Increased Density Orders: 719865
719869 719870 719866
719909
719910

Pending CD Numbers: **No Pending** Working interest owners' notified: *** Special Orders: **No Special**
Total Depth: 20127 Ground Elevation: 1193 **Surface Casing: 1500** Depth to base of Treatable Water-Bearing FM: 220

Deep surface casing has been approved

Approved Method for disposal of Drilling Fluids:	
D. One time land application -- (REQUIRES PERMIT)	PERMIT NO: 21-37797
E. Haul to Commercial pit facility	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498
H. (Other)	SEE MEMO

PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits
Type of Mud System: WATER BASED
Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y
Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit **is not** located in a Hydrologically Sensitive Area.

Category of Pit: C
Liner not required for Category: C
Pit Location is: NON HSA
Pit Location Formation: FLOWERPOT

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits
Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y
Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit **is not** located in a Hydrologically Sensitive Area.

Category of Pit: C
Liner not required for Category: C
Pit Location is: NON HSA
Pit Location Formation: FLOWERPOT

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

MULTI UNIT HOLE 1

Section: 19	Township: 17N	Range: 9W	Meridian: IM	Total Length: 10212
County: KINGFISHER				Measured Total Depth: 20127
Spot Location of End Point: SE SW SE SW				True Vertical Depth: 9414
Feet From: SOUTH		1/4 Section Line: 85		End Point Location from
Feet From: WEST		1/4 Section Line: 1740		Lease,Unit, or Property Line: 85

NOTES:

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

Category	Description
DEEP SURFACE CASING	[9/3/2021 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
EXCEPTION TO RULE - 719877	[9/7/2021 - G56] - (I.O.) 18 & 19-17N-9W X165:10-3-28(C)(2)(B) MSSP (ROSIA 1709 2H-18X) MAY BE CLOSER THAN 600' FROM ROSIA 1H-18X, CLARK 1-18, EVANS 1-18, HALL 1-19, ESTILL 1-19, VILHAUER FARMS 1-19 NO OP NAMED 8/3/2021
HYDRAULIC FRACTURING	[9/3/2021 - GC2] - OCC 165:10-3-10 REQUIRES: 1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN; 2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCWEB.COM/OG/OGFORMS.HTML ; AND, 3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 719865	[9/7/2021 - G56] - 18-17N-9W X643923 MSSP 5 WELLS OVINTIV MID-CON INC (MERGED IN IT'S ENTIRETY WITH OVINTIV USA INC) 8/3/2021
INCREASED DENSITY - 719866	[9/7/2021 - G56] - 19-17N-9W X643923 MSSP 5 WELLS OVINTIV MID-CON INC (MERGED IN IT'S ENTIRETY WITH OVINTIV USA INC) 8/3/2021
INCREASED DENSITY - 719909	[9/7/2021 - G56] - 18-17N-9W X643923 WDFD 4 WELLS OVINTIV MID-CON INC (MERGED IN IT'S ENTIRETY WITH OVINTIV USA INC) 8/4/2021
INCREASED DENSITY - 719910	[9/7/2021 - G56] - 19-17N-9W X643923 WDFD 4 WELLS OVINTIV MID-CON INC (MERGED IN IT'S ENTIRETY WITH OVINTIV USA INC) 8/4/2021
LOCATION EXCEPTION - 719870	[9/7/2021 - G56] - (I.O.) 18 & 19-17N-9W X643923 MSSP, WDFD COMPL. INT. (19-17N-9W) NCT 165 FSL, NCT 0 FNL, NCT 1320 FWL COMPL. INT. (18-17N-9W) NCT 0 FSL, NCT 165 FNL, NCT 1320 FWL OVINTIV MID-CON INC (MERGED IN IT'S ENTIRETY WITH OVINTIV USA INC) 8/3/2021
MEMO	[9/3/2021 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 643923	[9/7/2021 - G56] - (640)(HOR) 18 & 19-17N-9W EXT 624294 MSSP, WDFD COMPL. INT. (MSSP) NLT 660' FB COMPL. INT. (WDFD) NLT 165' FNL & FSL, NLT 330' FEL & FWL (COEXIST SP. ORDER # 85148 MSSNC, MNNG, MSSSD 18-17N-9W & ORDER # 518551 WDFD SE4 18-17N-9W; ORDER # 85987 MSSNC, MNNG, MSSSD 19-17N-9W)
SPACING - 719869	[9/7/2021 - G56] - (I.O.) 18 & 19-17N-9W EST MULTIUNIT HORIZONTAL WELL X643923 MSSP, WDFD 50% 18-17N-9W 50% 19-17N-9W OVINTIV MID-CON INC. (MERGED IN IT'S ENTIRETY WITH OVINTIV USA INC.) 8/3/2021

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

073 26786 ROSIA 1709 2H-18X

WELL LOCATION
 ROSIA 1709 2H-18X
 OVINTIV MID-CONTINENT INC.
 SECTION 18, TOWNSHIP 17N, RANGE 9W, I.M.
 KINGFISHER COUNTY, OKLAHOMA

LEGEND

- SECTION LINE
- - - QUARTER SECTION LINE
- 16TH LINE
- RANGE LINE
- PROPOSED WELL BORE




SCALE: 1" = 2000'
 0' 1000' 2000'

SURFACE LOCATION
 993' FNL & 1694' FEL
 NAD-27
 X= 1941461
 Y= 347266
 LAT.: 35°57'13.8" N
 LONG.: 98°11'52.0" W
 LAT.: 35.953845° N
 LONG.: 98.197783° W
 ELEV.: 1192' (NGVD29)
 NAD-83
 X= 1909861
 Y= 347290
 LAT.: 35°57'14.0" N
 LONG.: 98°11'53.3" W
 LAT.: 35.953884° N
 LONG.: 98.198127° W
 ELEV.: 1193' (NAVD88)

LANDING POINT
 165' FNL & 1740' FWL
 NAD-27
 X= 1939664
 Y= 348071
 LAT.: 35°57'21.8" N
 LONG.: 98°12'13.9" W
 LAT.: 35.956046° N
 LONG.: 98.203860° W
 NAD-83
 X= 1908064
 Y= 348095
 LAT.: 35°57'21.9" N
 LONG.: 98°12'15.1" W
 LAT.: 35.956085° N
 LONG.: 98.204203° W

LAST TAKE POINT
 165' FSL & 1740' FWL
 NAD-27
 X= 1939664
 Y= 337859
 LAT.: 35°55'40.8" N
 LONG.: 98°12'13.6" W
 LAT.: 35.927992° N
 LONG.: 98.203788° W
 NAD-83
 X= 1908063
 Y= 337883
 LAT.: 35°55'40.9" N
 LONG.: 98°12'14.9" W
 LAT.: 35.928031° N
 LONG.: 98.204131° W

BOTTOM HOLE
 85' FSL & 1740' FWL
 NAD-27
 X= 1939664
 Y= 337779
 LAT.: 35°55'40.0" N
 LONG.: 98°12'13.6" W
 LAT.: 35.927772° N
 LONG.: 98.203787° W
 NAD-83
 X= 1908063
 Y= 337803
 LAT.: 35°55'40.1" N
 LONG.: 98°12'14.9" W
 LAT.: 35.927812° N
 LONG.: 98.204131° W



SURVEYOR'S CERTIFICATE:
 I, THOMAS L. HOWELL, AN OKLAHOMA LICENSED LAND SURVEYOR AND AN AUTHORIZED AGENT OF TOPOGRAPHIC LAND SURVEYORS, DO HEREBY CERTIFY TO THE INFORMATION SHOWN HEREIN.



Thomas L. Howell
 Thomas L. Howell, P.L.S. No. 1433
 Authorized Agent of Topographic Land Surveyors

13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134
 TELEPHONE: (405) 843-4847 OR (800) 654-3219
 CERTIFICATE OF AUTHORIZATION NO. 1292 LS
 WWW.TOPOGRAPHIC.COM

LEASE NAME & WELL NO. ROSLA 1709 2H-18X
 SECTION 18 TWP 17N RGE 9W MERIDIAN I.M.
 COUNTY KINGFISHER STATE OKLAHOMA
 DESCRIPTION 993' FNL & 1694' FEL

ROSLA 1709 2H-18X	REVISION:	
	INT	DATE
	KEU	09/24/2021
DATE:	08/18/2021	
FILE:	LO_ROSLA_1709_2H-18X_REV1	
DRAWN BY:	KEU	
SHEET :	1 OF 1	

- NOTES:**
1. ORIGINAL DOCUMENT SIZE: 8.5" X 14"
 2. ALL BEARINGS SHOWN HEREON ARE GRID OKLAHOMA COORDINATE SYSTEM OF 1983 NORTH ZONE ACCORDING TO THE RESULT OF STATIC GPS OBSERVATION PROCESSED THROUGH OPUS ON THE CONTROL POINT OCCUPIED WHILE MEASURING SAID LINES. OPUS RESULTS ARE CORRELATED TO OKLAHOMA COORDINATE SYSTEM THROUGH NORTH ZONE AND THE NORTH AMERICAN VERTICAL DATUM OF 1988.
 3. OKLAHOMA COORDINATE SYSTEM OF 1927 AND NATIONAL GEOGRAPHIC VERTICAL DATUM OF 1929 INFORMATION CONVERTED FROM OKLAHOMA COORDINATE SYSTEM OF 1983 AND NORTH AMERICAN VERTICAL DATUM OF 1988.
 4. CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT/LOCATION, IN RELATION TO THE EVIDENCE FOUND DURING A FIELD SURVEY, MADE ON THE GROUND, UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY OVINTIV MID-CONTINENT INC. ONLY UTILITIES/EASEMENTS THAT WERE VISIBLE ON THE DATE OF THIS SURVEY, WITHIN/ADJOINING THIS EASEMENT/LOCATION, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE. THIS CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAN AND IS NON-TRANSFERABLE, AND MADE FOR THIS TRANSACTION ONLY.
 5. LANDING POINT, BOTTOM HOLE, AND DRILL PATH INFORMATION PROVIDED BY OPERATOR AS SHOWN AND ARE NOT SURVEYED LOCATIONS.
 6. THE INFORMATION SHOWN HEREIN IS FOR CONSTRUCTION PURPOSES ONLY

