API NUMBER: 087 22447

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 07/03/2023

Expiration Date: 01/03/2025

Multi Unit Oil & Gas

PERMIT TO DRILL

	<u>PERIVIII I</u>	O DRILL		
WELL LOCATION: Section: 13 Township: 7N Rai	nge: 4W County: MC	CCLAIN		
SPOT LOCATION: NW NE NE NW FEET FROM QUAR	RTER: FROM NORTH	FROM WEST		
SECTION L	INES: 224	2221		
Lease Name: TECUMSEH	Well No: 0704 12-1-3	6-2WXH Wel	I will be 224 feet from	m nearest unit or lease boundary.
Operator Name: NATIVE EXPLORATION OPERATING LLC	Telephone: 4059223616	5	ОТ	C/OCC Number: 24070 0
NATIVE EXPLORATION OPERATING LLC BRAULIO MORALES GONSALEZ & MAYRA, H/W				
		25936 PORTLAND AV		
OKLAHOMA CITY, OK 73102-5804				70040
OKEATIONIA CITT, OK 75102-300-	·	BLANCHARD	OK	73010
Formation(s) (Permit Valid for Listed Formations Only):			
Name Code	Depth			
1 WOODFORD 319WDFD	9800			
	ocation Exception Orders:	No Exceptions	Increased D	ensity Orders: 735256
735143 735039				735181
733039				N. O
Pending CD Numbers: 202301718	Working interest owners'	notified: YES	Sı	pecial Orders: No Special
202301717				
202204025				
Total Depth: 24923 Ground Elevation: 1197	Surface Casing: 1	500	Depth to base of Treatab	le Water-Bearing FM: 280
			Deep sur	rface casing has been approved
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No		Approved Method for disposa	al of Drilling Fluids:	
		D. One time land application	(REQUIRES PERMIT)	PERMIT NO: 23-39133
Surface Water used to Drill: Yes		H. (Other)	SEE MEMO	
PIT 1 INFORMATION		Category of Pit:		
Type of Pit System: CLOSED Closed System Means Steel P Type of Mud System: WATER BASED	its	Liner not required for Categorial Pit Location is:		
Chlorides Max: 5000 Average: 3000		Pit Location Formation:		
Is depth to top of ground water greater than 10ft below base of pit?	Y			
Within 1 mile of municipal water well? N				
Wellhead Protection Area? N				
Pit <u>is</u> located in a Hydrologically Sensitive Area.				
PIT 2 INFORMATION		Category of Pit:	С	
Type of Pit System: CLOSED Closed System Means Steel Pits		Liner not required for Catego	ory: C	
Type of Mud System: OIL BASED		Pit Location is:	BED AQUIFER	
Chlorides Max: 300000 Average: 200000	Pit Location Formation:	DUNCAN		
Is depth to top of ground water greater than 10ft below base of pit?	Y			
Within 1 mile of municipal water well? N				
Wellhead Protection Area? N				
Pit <u>is</u> located in a Hydrologically Sensitive Area.				

MULTI UNIT HOLE 1

Section: 36 Township: 8N Range: 4W Meridian: IM Total Length: 15547

County: MCCLAIN Measured Total Depth: 24923

Spot Location of End Point: NW NW NE NE True Vertical Depth: 9800

Feet From: NORTH

1/4 Section Line: 100

End Point Location from
Lease, Unit, or Property Line: 100

NOTES:

NOTES:	
Category	Description
DEEP SURFACE CASING	[6/30/2023 - GE7] - APPROVED; (1) NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING. (2) SUBSEQUENT WELLS ON SAME PAD WILL NOT BE ALLOWED DEEP SURFACE CASING IN THE EVENT OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING.
HYDRAULIC FRACTURING	[6/30/2023 - GE7] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 735181 (CD2022- 004026)	[7/3/2023 - GB7] - (I.O.) 1-7N-4W X735039 WDFD 1 WELL NATIVE EXPLORATION OPERATING LLC 06/21/2023
INCREASED DENSITY - 735256 (CD2022- 004116)	[7/3/2023 - GB7] - (I.O.) 12-7N-4W X735143 WDFD 1 WELL NATIVE EXPLORATION OPERATING LLC 06/23/2023
MEMO	[6/30/2023 - GE7] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING - CD2023-001717	[7/3/2023 - GB7] - (I.O.) 1, 12-7N-4W & 36-8N-4W EST MULTIUNIT HORIZONTAL WELL X735143 WDFD, OTHER X735039 WDFD, OTHER X693704 WDFD, OTHER 33% 12-7N-4W 34% 1-7N-4W 33% 36-8N-4W NATIVE EXPLORATION OPERATING LLC REC 06/19/2023 (ORTEL)
PENDING - CD2023-001718	[7/3/2023 - GB7] - (I.O.) 1, 12-7N-4W & 36-8N-4W X735143 WDFD, OTHER X735039 WDFD, OTHER X693704 WDFD, OTHER X693704 WDFD, OTHER X165:10-3-28(C)(2)(B) MSSP MAY BE CLOSER THAN 600' TO SPAULDING 13-7-4 1WH (API# 087-22172) & PRICE 1H-13 (API# 087-22064) COMPL INT NCT 0' FNL, 165' FSL, 1000' FEL (12-7N-4W) COMPL INT NCT 0' FNL, 0' FSL, 1000' FEL (1-7N-4W) COMPL INT NCT 165' FNL, 0' FSL, 1000' FEL (36-8N-4W) NATIVE EXPLORATION OPERATING LLC REC 06/19/2023 (ORTEL)

PENDING - CD20232-004025	[7/3/2023 - GB7] - (I.O.) 36-8N-4W X693704 WDFD 1 WELL NATIVE EXPLORATION OPERATING LLC REC 06/28/2023 (NORRIS)
SPACING - 693704	[7/3/2023 - GB7] - (640)(HOR) 36-8N-4W VAC OTHERS EXT 672572 WDFD, OTHER EST OTHER COMPL INT NCT 165 FNL/FSL, NCT 330' FEL/FWL (NO CONCURRENT OR COEXISTING SPACING)
SPACING - 735039	[7/3/2023 - GB7] - (640)(HOR) 1-7N-4W EXT 693704 WDFD, OTHER COMPL INT NCT 165 FNL/FSL, NCT 330' FEL/FWL (NO CONCURRENT OR COEXISTING SPACING)
SPACING - 735143	[7/3/2023 - GB7] - (640)(HOR) 12-7N-4W EXT 678750 WDFD, OTHER COMPL INT NCT 165 FNL/FSL, NCT 330' FEL/FWL (NO CONCURRENT OR COEXISTING SPACING)