

OKLAHOMA CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
P.O. BOX 52000  
OKLAHOMA CITY, OK 73152-2000  
(Rule 165:10-3-1)

API NUMBER: 051 24701

Approval Date: 08/28/2019

Expiration Date: 02/28/2021

Horizontal Hole  
Multi Unit

Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Sec: 17 Twp: 7N Rge: 5W

County: GRADY

SPOT LOCATION: ☐ NW ☐ NE ☐ SE ☐ NE

FEET FROM QUARTER: FROM NORTH FROM EAST

SECTION LINES: 1472 570

Lease Name: LAMBRECHT

Well No: 5-17-20XHW

Well will be 570 feet from nearest unit or lease boundary.

Operator Name: CONTINENTAL RESOURCES INC

Telephone: 4052349020; 4052349

OTC/OCC Number: 3186 0

CONTINENTAL RESOURCES INC  
PO BOX 269000  
OKLAHOMA CITY, OK 73126-9000

Z 22, LLC  
3812 NW 6TH ST.  
NEWCASTLE OK 73065

Formation(s) (Permit Valid for Listed Formations Only):

Name	Depth	Name	Depth
1 WOODFORD	11797	6	
2		7	
3		8	
4		9	
5		10	

Spacing Orders: 632237  
633116

Location Exception Orders:

Increased Density Orders:

Pending CD Numbers: 201903776  
201903777  
201903760  
201903769

Special Orders:

Total Depth: 20630

Ground Elevation: 1256

Surface Casing: 1500

Depth to base of Treatable Water-Bearing FM: 300

Under Federal Jurisdiction: No

Fresh Water Supply Well Drilled: No

Surface Water used to Drill: No

PIT 1 INFORMATION

Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: CHICKASHA

D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 19-36842

H. SEE MEMO

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

## PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: CHICKASHA

## HORIZONTAL HOLE 1

Sec 20 Twp 7N Rge 5W County GRADY

Spot Location of End Point: S2 SE SE SE

Feet From: SOUTH 1/4 Section Line: 50

Feet From: EAST 1/4 Section Line: 330

Depth of Deviation: 11320

Radius of Turn: 467

Direction: 177

Total Length: 8577

Measured Total Depth: 20630

True Vertical Depth: 12096

End Point Location from Lease,  
Unit, or Property Line: 50

### Notes:

#### Category

#### Description

#### DEEP SURFACE CASING

8/8/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING

#### HYDRAULIC FRACTURING

8/8/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: [OCCEWEB.COM/OG/OGFORMS.HTML](http://OCCEWEB.COM/OG/OGFORMS.HTML); AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: [FRACFOCUS.ORG](http://FRACFOCUS.ORG)

#### MEMO

8/8/2019 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS (REQUIRED - WINDBURN LAKE), PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

#### PENDING CD - 201903760

8/27/2019 - GC2 - 17-7N-5W  
X632237 WDFD  
7 WELLS  
NO OP. NAMED  
REC. 8-6-2019 (NORRIS)

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

051 24701 LAMBRECHT 5-17-20XHW

Category	Description
PENDING CD - 201903769	8/27/2019 - GC2 - 20-7N-5W X633116 WDFD 4 WELLS NO. OP NAMED REC. 8-6-2019 (NORRIS)
PENDING CD - 201903776	8/27/2019 - GC2 - (I.O.) 17 & 20-7N-5W EST MULTIUNIT HORIZONTAL WELL X632237 WDFD, OTHERS 17-7N-5W X633113 WDFD, OTHERS 20-7N-5W *** 33% 17-7N-5W 67% 20-7N-5W CONTINENTAL RESOURCES, INC. REC. 8-6-2019 (NORRIS)
PENDING CD - 201903777	***S/B 633116; HAS BEEN AMENDED BY ATTORNEY FOR OPERATOR 8/27/2019 - GC2 - (I.O.) 17 & 20-7N-5W X632237 WDFD, OTHERS 17-7N-5W X633116 WDFD, OTHERS 20-7N-5W X165:10-3-28(C)(2)(B) WDFD MAY BE CLOSER THAN 600' TO SIMMS 2-32-29XHW, SIMMS 4-32-29XHW, Z 21 1-17H-8XH, Z 21 2-17-8XH, Z 21 4-17-8XH COMPL. INT. (17-7N-5W) NCT 1,320' FNL, NCT 0' FSL, NCT 330' FEL COMPL. INT. (20-7N-5W) NCT 0' FNL, NCT 150' FSL, NCT 330' FEL CONTINENTAL RESOURCES, INC. REC. 8-6-2019 (NORRIS)
SPACING - 632237	8/27/2019 - GC2 - (640) 17-7N-5W VAC OTHERS EXT OTHERS EST (VER) OTHERS EST (HOR) WDFD, OTHER COMPL. INT. NCT 330' FB
SPACING - 633116	8/27/2019 - GC2 - (640)(HOR) 20-7N-5W EXT 621966 WDFD, OTHERS COMPL. INT. NCT 165' FNL/FSL, NCT 330' FEL/FWL

EXHIBIT: A (1 of 5)  
 SHEET: 8.5x11  
 SHL: 17-7N-5W  
 BHL-Z4 8-7N-5W  
 BHL-L4 20-7N-5W  
 BHL-L5 20-7N-5W



## COVER SHEET

## CONTINENTAL RESOURCES, INC.

P.O. BOX 26900 OKLAHOMA CITY, OK 73126 \* (T) 1-800-256-8955 (F) 405-234-9253

Section 17 Township 7N Range 5W I.M.Well: Z 21-4-17-8XHWCounty GRADY State OKWell: LAMBRECHT 4-17-20XHWOperator CONTINENTAL RESOURCES, INC.Well: LAMBRECHT 5-17-20XHW

NAD-83

POINT	WELL NAME	NORTHING	EASTING	LATITUDE LONGITUDE	LATITUDE LONGITUDE		EXISTING ELEVATION	DESIGN ELEVATION
Z4	Z 21-4-17-8XHW	637163	2045384	35° 05' 01.88" -97° 44' 34.89"	35.083854 -97.743024	1412' FNL / 570' FEL (NE/4 SEC 17)	1255.77'	1256.11'
LP-Z4	LANDING POINT	637160	2044964	35° 05' 01.86" -97° 44' 39.94"	35.083850 -97.744428	1412' FNL / 990' FEL (NE/4 SEC 17)	--	--
BHL-Z4	BOTTOM HOLE LOCATION	643804	2044937	35° 06' 07.57" -97° 44' 40.06"	35.102102 -97.744460	50' FNL / 990' FEL (NE/4 SEC 8)	--	--
L4	LAMBRECHT 4-17-20XHW	637133	2045384	35° 05' 01.58" -97° 44' 34.89"	35.083772 -97.743024	1442' FNL / 570' FEL (NE/4 SEC 17)	1255.23'	1256.11'
LP-L4	LANDING POINT	637128	2044469	35° 05' 01.55" -97° 44' 45.90"	35.083764 -97.746083	1442' FNL / 1485' FEL (NE/4 SEC 17)	--	--
BHL-L4	BOTTOM HOLE LOCATION	628055	2044474	35° 03' 31.81" -97° 44' 46.11"	35.058837 -97.746141	50' FSL / 1485' FEL (SE/4 SEC 20)	--	--
L5	LAMBRECHT 5-17-20XHW	637103	2045384	35° 05' 01.28" -97° 44' 34.89"	35.083690 -97.743025	1472' FNL / 570' FEL (NE/4 SEC 17)	1254.67'	1256.11'
LP-L5	LANDING POINT	637104	2045624	35° 05' 01.29" -97° 44' 32.00"	35.083690 -97.742222	1472' FNL / 330' FEL (NE/4 SEC 17)	--	--
BHL-L5	BOTTOM HOLE LOCATION	628065	2045629	35° 03' 31.88" -97° 44' 32.22"	35.058857 -97.742282	50' FSL / 330' FEL (SE/4 SEC 20)	--	--
X-1	YATES #1-8	643142	2042089	35° 06' 01.10" -97° 45' 14.36"	35.100305 -97.753989	8-7N-5W:   TD: 10,800'   700' FNL / 1,425' FWL	--	--
X-2	FORBES "A" #1	634591	2041998	35° 04' 36.52" -97° 45' 15.70"	35.076811 -97.754362	17-7N-5W:   TD: 7,400'   1,320' FSL / 1,320' FWL	--	--
X-3	WINBURN #1-17	637913	2045295	35° 05' 09.30" -97° 44' 35.94"	35.085916 -97.743316	17-7N-5W:   TD: 10,800'   661' FNL / 659' FEL	--	--
X-4	Z 21 #1-17-8XH	633662	2040683	35° 04' 27.36" -97° 45' 31.55"	35.074266 -97.758763	17-7N-5W:   TD: 19,862'   400' FSL / 5' FWL	--	--
X-5	YATES SWD #1-17	638058	2042492	35° 05' 10.80" -97° 45' 09.66"	35.086333 -97.752683	17-7N-5W:   TD: 9,000'   501' FNL / 1,816' FWL	--	--
X-6	SMBS (FORCE "A" #1)	628485	2042816	35° 03' 36.11" -97° 45' 06.05"	35.060030 -97.751680	20-7N-5W:   TD: 7,370'   495' FNL / 2,145' FWL	--	--
X-7	WINBURN #1-20	629963	2041993	35° 03' 50.75" -97° 45' 15.90"	35.064096 -97.754417	20-7N-5W:   TD: 11,120'   1,980' FSL / 1,320' FWL	--	--

Certificate of Authorization No. 7318

Date Staked: \*\*-\*-19  
 Date Drawn: 6-25-19



Prepared By:  
 Petro Land Services South  
 10400 Vineyard Blvd.  
 Suite C  
 Oklahoma City, OK 73120

## REVISIONS

No.	DATE	BY	DESCRIPTION	COMMENTS
00	6-25-19	HGD	ISSUED FOR APPROVAL	--

EXHIBIT: A (2 of 5)  
 SHEET: 8.5x11  
 SHL: 17-7N-5W  
 BHL-Z4 8-7N-5W  
 BHL-L4 20-7N-5W  
 BHL-L5 20-7N-5W



## COVER SHEET CONTINUED...

### CONTINENTAL RESOURCES, INC.

P.O. BOX 26900 OKLAHOMA CITY, OK 73126 \* (T) 1-800-256-8955 (F) 405-234-9253

Section 17 Township 7N Range 5W I.M.

Well: Z 21-4-17-8XHW

County GRADY State OK

Well: LAMBRECHT 4-17-20XHW

Operator CONTINENTAL RESOURCES, INC.

Well: LAMBRECHT 5-17-20XHW

NAD-27							EXISTING ELEVATION	DESIGN ELEVATION
POINT	WELL NAME	NORTHING	EASTING	LATITUDE LONGITUDE	LATITUDE LONGITUDE			
Z4	Z 21-4-17-8XHW	637121	2076981	35° 05' 01.64" -97° 44' 33.74"	35.083788 -97.742707	1412' FNL / 570' FEL (NE/4 SEC 17)	1255.77'	1256.11'
LP-Z4	LANDING POINT	637118	2076561	35° 05' 01.62" -97° 44' 38.80"	35.083783 -97.744110	1412' FNL / 990' FEL (NE/4 SEC 17)	--	--
BHL-Z4	BOTTOM HOLE LOCATION	643761	2076534	35° 06' 07.33" -97° 44' 38.91"	35.102036 -97.744142	50' FNL / 990' FEL (NE/4 SEC 8)	--	--
L4	LAMBRECHT 4-17-20XHW	637091	2076981	35° 05' 01.34" -97° 44' 33.74"	35.083706 -97.742706	1442' FNL / 570' FEL (NE/4 SEC 17)	1255.23'	1256.11'
LP-L4	LANDING POINT	637085	2076066	35° 05' 01.31" -97° 44' 44.75"	35.083697 -97.745765	1442' FNL / 1485' FEL (NE/4 SEC 17)	--	--
BHL-L4	BOTTOM HOLE LOCATION	628013	2076071	35° 03' 31.57" -97° 44' 44.97"	35.058770 -97.745824	50' FSL / 1485' FEL (SE/4 SEC 20)	--	--
L5	LAMBRECHT 5-17-20XHW	637061	2076981	35° 05' 01.04" -97° 44' 33.75"	35.083623 -97.742707	1472' FNL / 570' FEL (NE/4 SEC 17)	1254.67'	1256.11'
LP-L5	LANDING POINT	637062	2077221	35° 05' 01.05" -97° 44' 30.86"	35.083624 -97.741905	1472' FNL / 330' FEL (NE/4 SEC 17)	--	--
BHL-L5	BOTTOM HOLE LOCATION	628023	2077226	35° 03' 31.64" -97° 44' 31.07"	35.058790 -97.741965	50' FSL / 330' FEL (SE/4 SEC 20)	--	--
X-1	YATES #1-8	643100	2073686	35° 06' 00.86" -97° 45' 13.22"	35.100239 -97.753671	8-7N-5W:   TD: 10,800'   700' FNL / 1,425' FWL	--	--
X-2	FORBES "A" #1	634549	2073595	35° 04' 36.28" -97° 45' 14.56"	35.076744 -97.754044	17-7N-5W:   TD: 7,400'   1,320' FSL / 1,320' FWL	--	--
X-3	WINBURN #1-17	637871	2076892	35° 05' 09.06" -97° 44' 34.79"	35.085849 -97.742998	17-7N-5W:   TD: 10,800'   661' FNL / 659' FEL	--	--
X-4	Z 21 #1-17-8XH	633619	2072280	35° 04' 27.12" -97° 45' 30.40"	35.074200 -97.758445	17-7N-5W:   TD: 19,862'   400' FSL / 5' FWL	--	--
X-5	YATES SWD #1-17	638016	2074089	35° 05' 10.56" -97° 45' 08.52"	35.086267 -97.752365	17-7N-5W:   TD: 9,000'   501' FNL / 1,816' FWL	--	--
X-6	SMBS (FORCE "A" #1)	628443	2074413	35° 03' 35.87" -97° 45' 04.90"	35.059964 -97.751362	20-7N-5W:   TD: 7,370'   495' FNL / 2,145' FWL	--	--
X-7	WINBURN #1-20	629921	2073590	35° 03' 50.51" -97° 45' 14.76"	35.064029 -97.754099	20-7N-5W:   TD: 11,120'   1,980' FSL / 1,320' FWL	--	--

Certificate of Authorization No. 7318

Date Staked: \*\*--\*\*--19  
 Date Drawn: 6-25-19



Prepared By:  
 Petro Land Services South  
 10400 Vineyard Blvd.  
 Suite C  
 Oklahoma City, OK 73120

CURRENT REV.: 0

EXHIBIT: A (5 of 5)

SHEET: 8.5x14

SHL: 17-7N-5W

BHL-L5 20-7N-5W

**PETRO LAND SERVICES SOUTH, LLC**

10400 VINEYARD BLVD. SUITE C, OKLA. CITY, OKLA. 73120 \* OFFICE (405) 212-3108  
Certificate of Authorization No. 7318




CONTINENTAL  
RESOURCES, INC.  
(OPERATOR)

GRADY

County Oklahoma

1472' FNL-570' FEL Section 17 Township 7N Range 5W I.M.

WELL: LAMBRECHT  
5-17-20XHW



CURRENT REV.: 0

Date Drawn: 6-25-19

Please note that this location was staked on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please contact PLS promptly if any inconsistency is determined. GPS data is observed from RTK-GPS. NOTE: X and Y data shown hereon for Section Corners may NOT have been surveyed on-the-ground, and further, does NOT represent a true Boundary Survey. Quarter Section distances may be assumed from a Government Survey Plat or assumed at a proportionate distance from opposing section corners, or occupation thereof, and may not have been measured on-the-ground, and further, does not represent a true Boundary Survey.

**CERTIFICATE:**

I, RANDALL J. BILYEU an Oklahoma Licensed Land Surveyor and an authorized agent of Petro Land Services South, LLC, do hereby certify to the information shown herein.



*Randall J. Bilyeu*

Oklahoma PLS No.1196 DATE