

API NUMBER: 137 27602

OKLAHOMA CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
P.O. BOX 52000  
OKLAHOMA CITY, OK 73152-2000  
(Rule 165:10-3-1)

Approval Date: 02/26/2020

Expiration Date: 08/26/2021

Multi Unit

Oil & Gas

## PERMIT TO DRILL

WELL LOCATION: Section: 15 Township: 2N Range: 4W County: STEPHENS

SPOT LOCATION: ☐ SW ☐ NE ☐ SE ☐ NE FEET FROM QUARTER: FROM NORTH FROM EAST  
SECTION LINES: 1660 445

Lease Name: HONEYCUTT Well No: 12-15-22XHS Well will be 445 feet from nearest unit or lease boundary.

Operator Name: CONTINENTAL RESOURCES INC Telephone: 4052349020; 4052349000; OTC/OCC Number: 3186 0

CONTINENTAL RESOURCES INC  
PO BOX 269000  
OKLAHOMA CITY, OK 73126-9000

PUMPING UNIT SERVICE INC.  
RHONDA STAPER, PRESIDENT  
PO BOX 712  
LINDSAY OK 73052

Formation(s) (Permit Valid for Listed Formations Only):

Name	Code	Depth
1 SPRINGER	401SPRG	12793

Spacing Orders: 596943 Location Exception Orders: No Exceptions Increased Density Orders: No Density Orders  
601726

Pending CD Numbers: 202000297  
202000298  
202000305  
202000306  
Special Orders: No Special Orders

Total Depth: 19803 Ground Elevation: 1163 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 570

Deep surface casing has been approved

Under Federal Jurisdiction: No  
Fresh Water Supply Well Drilled: No  
Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids:

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 20-37254  
H. SEE MEMO

### PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 3000 Average: 2000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER

Pit Location Formation: DUNCAN

### PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER

Pit Location Formation: DUNCAN

This permit does not address the right of entry or settlement of surface damages.  
The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1.  
Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District  
Office of the Conservation Division as to when Surface Casing will be run.

## MULTI UNIT HOLE 1

Section: 22	Township: 2N	Range: 4W	Total Length: 6759
County: STEPHENS			Measured Total Depth: 19803
Spot Location of End Point: S2	SE	SE	SE
Feet From: <b>SOUTH</b>			1/4 Section Line: 30
Feet From: <b>EAST</b>			1/4 Section Line: 330
End Point Location from			True Vertical Depth: 12793
Lease, Unit, or Property Line: 30			

## NOTES:

Category	Description
DEEP SURFACE CASING	2/13/2020 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	2/13/2020 - G71 - OCC 165:10-3-10 REQUIRES:  1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;  2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: <a href="http://OCCWEB.COM/OG/OGFORMS.HTML">OCCWEB.COM/OG/OGFORMS.HTML</a> ; AND,  3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: <a href="http://FRACFOCUS.ORG">FRACFOCUS.ORG</a>
MEMO	2/13/2020 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 202000297	2/18/2020 - GB6 - (I.O.) 15-2N-4W X601726 SPRG 4 WELLS NO OP. NAMED REC 02/24/2020 (DENTON)
PENDING CD - 202000298	2/18/2020 - GB6 - (I.O.) 22-2N-4W X596943 SPRG 1 WELL NO OP. NAMED REC 02/24/2020 (DENTON)
PENDING CD - 202000305	2/18/2020 - GB6 - (I.O.) 15 & 22 -2N-4W EST MULTIUNIT HORIZONTAL WELL X601726 SPRG 15-2N-4W X596943 SPRG 22-2N-4W 34% 15-2N-4W 66% 22-2N-4W NO OP. NAMED REC 02/24/2020 (DENTON)
PENDING CD - 202000306	2/18/2020 - GB6 - (I.O.) 15 & 22 -2N-4W X601726 SPRG 15-2N-4W X596943 SPRG 22-2N-4W X165:20-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO EXISTING AND/OR PROPOSED WELLBORE COMPL. INT. (15-2N-4W) NCT 1320' FNL, NCT 0' FSL, NCT 330' FEL COMPL. INT. (22-2N-4W) NCT 0' FNL, NCT 150' FSL, NCT 330' FEL NO OP. NAMED REC 02/24/2020 (DENTON)
SPACING - 596943	2/18/2020 - GB6 - (640) 22-2N-4W EST 121917 SPRG, OTHERS EXT OTHER EST OTHERS
SPACING - 601726	2/18/2020 - GB6 - (640) 15-2N-4W EXT 131585 SPRG, OTHERS EXT OTHER

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District

Office of the Conservation Division as to when Surface Casing will be run.

137 27602 HONEYCUTT 12-15-22XHS

EXHIBIT: A (1 of 6)  
 SHEET: 8.5x14  
 SHL: 15-2N-4W  
 BHL-9 10-2N-4W  
 BHL-12 22-2N-4W



## COVER SHEET

### CONTINENTAL RESOURCES, INC.

P.O. BOX 26900 OKLAHOMA CITY, OK 73126 \* (T) 1-800-256-8955 (F) 405-234-9253

Section 15 Township 2N Range 4W I.M.

Well: VANARKEL 9-15-10XHS

County STEPHENS State OK

Well: HONEYCUTT 12-15-22XHS

Operator CONTINENTAL RESOURCES, INC.

# API 137-27602

NAD-83						EXISTING ELEVATION	DESIGN ELEVATION
POINT	WELL NAME	NORTHING	EASTING	LATITUDE LONGITUDE	LATITUDE LONGITUDE		
W9	VANARKEL 9-15-10XHS	478593	2088975	34° 38' 52.00" -97° 35' 57.84"	34.647777 -97.599427	1630' FNL / 445' FEL (NE/4 SEC 15)	1162.61' 1162.58'
LP-9	LANDING POINT	478594	2088981	34° 38' 52.00" -97° 35' 58.57"	34.647777 -97.599427	1630' FNL / 330' FEL (NE/4 SEC 15)	-- --
BHL-9	BOTTOM HOLE LOCATION	485471	2089053	34° 40' 00.03" -97° 35' 58.69"	34.666874 -97.599078	30' FNL / 330' FEL (NE/4 SEC 10)	-- --
W12	HONEYCUTT 12-15-22XHS	478563	2088978	34° 38' 51.70" -97° 35' 57.24"	34.647685 -97.599427	1680' FNL / 445' FEL (NE/4 SEC 15)	1161.12' 1162.58'
LP-12	LANDING POINT	478564	2088981	34° 38' 51.70" -97° 35' 58.57"	34.647685 -97.599427	1680' FNL / 330' FEL (NE/4 SEC 15)	-- --
BHL-12	BOTTOM HOLE LOCATION	469667	2089122	34° 37' 23.89" -97° 35' 58.61"	34.623302 -97.599059	30' FSL / 330' FEL (SE/4 SEC 22)	-- --
X-1	SEABOARD JONE #1	484844	2087410	34° 39' 53.89" -97° 36' 18.39"	34.664971 -97.604553	10-2N-4W:   TD: 8,357'   854' FNL / 1077' FEL	-- --
X-2	CONNER #1-10	483520	2088076	34° 39' 40.77" -97° 36' 08.48"	34.661325 -97.602355	10-2N-4W:   TD: 8,822'   1878' FNL / 1319' FEL	-- --
X-3	LOWRANCE #1-10H	480429	2085585	34° 39' 10.29" -97° 36' 38.44"	34.652859 -97.610877	10-2N-4W:   TD: 10,140'   210' FSL / 1450' FNL	-- --
X-4	LOWRANCE #2-10H	480555	2088914	34° 39' 11.48" -97° 36' 22.53"	34.653189 -97.606258	10-2N-4W:   TD: 18,956'   330' FSL / 2500' FEL	-- --
X-5	3R 0204 #1-3-34WXH	485189	2088280	34° 39' 57.08" -97° 36' 03.83"	34.665854 -97.601625	10-2N-4W:   TD: 23,845'   330' FNL / 1098' FEL	-- --
X-6	SOUTHERLAND #1	483878	2088953	34° 39' 48.35" -97° 36' 21.90"	34.662587 -97.606083	10-2N-4W:   TD: UNKNOWN'   1519' FNL / 2430' FEL	-- --
X-7	3R 0204 #2-3-34WXH	485189	2088289	34° 39' 57.08" -97° 36' 08.09"	34.665855 -97.601691	10-2N-4W:   TD: 23,907'   330' FNL / 1118' FEL	-- --
X-8	3R 0204 #3-3-34WXH	485189	2088249	34° 39' 57.08" -97° 36' 08.33"	34.665855 -97.601758	10-2N-4W:   TD: 24,152'   330' FNL / 1136' FEL	-- --
X-9	3R 0204 #4-3-34WXH	485189	2088220	34° 39' 57.08" -97° 36' 08.57"	34.665855 -97.601824	10-2N-4W:   TD: 24,539'   330' FNL / 1150' FEL	-- --
X-10	3R 0204 #5-3-34WXH	485227	2085717	34° 39' 57.74" -97° 36' 39.84"	34.666040 -97.610179	10-2N-4W:   TD: 24,234'   270' FNL / 1809' FNL	-- --
X-11	3R 0204 #6-3-34WXH	485227	2085697	34° 39' 57.74" -97° 36' 36.86"	34.666040 -97.610248	10-2N-4W:   TD: 24,725'   270' FNL / 1589' FNL	-- --
X-12	3R 0204 #7-3-34WXH	485227	2085677	34° 39' 57.74" -97° 36' 37.12"	34.666040 -97.610312	10-2N-4W:   TD: 24,823'   270' FNL / 1569' FNL	-- --
X-13	PAPA PUMP 0204 #1-3-34SXH	485227	2085657	34° 39' 57.74" -97° 36' 37.36"	34.666040 -97.610379	10-2N-4W:   TD: 21,800'   270' FNL / 1549' FNL	-- --
X-14	PAPA PUMP 0204 #2-3-34SXH	484757	2088296	34° 39' 53.00" -97° 36' 05.79"	34.664722 -97.601808	10-2N-4W:   TD: 23,025'   742' FNL / 1092' FEL	-- --
X-15	VANARKEL #1-15H	475242	2087244	34° 38' 18.92" -97° 36' 18.82"	34.638588 -97.605226	15-2N-4W:   TD: 19,100'   308' FSL / 2188' FEL	-- --
X-16	JERRY #1-15H	478182	2086229	34° 38' 18.37" -97° 36' 30.88"	34.638435 -97.608603	15-2N-4W:   TD: 18,448'   250' FSL / 2078' FNL	-- --
X-17	VANARKEL #6-15-10XH	477357	2087634	34° 38' 39.83" -97° 36' 14.06"	34.644398 -97.603805	15-2N-4W:   TD: 21,089'   2420' FSL / 1780' FEL	-- --
X-18	VANARKEL #7-15-10XH	477358	2087678	34° 38' 39.83" -97° 36' 13.52"	34.644398 -97.603755	15-2N-4W:   TD: 22,018'   2420' FSL / 1745' FEL	-- --
X-19	VANARKEL #3-15-10XH	477368	2084666	34° 38' 40.03" -97° 36' 45.89"	34.644454 -97.612774	15-2N-4W:   TD: 22,383'   2440' FSL / 820' FNL	-- --
X-20	VANARKEL #4-15-10XH	477368	2085011	34° 38' 40.03" -97° 36' 45.45"	34.644454 -97.612825	15-2N-4W:   TD: 22,124'   2440' FSL / 863' FNL	-- --
X-21	VANARKEL #5-15-10XH	477312	2085977	34° 38' 39.44" -97° 36' 33.80"	34.644288 -97.609418	15-2N-4W:   TD: 22,178'   2380' FSL / 1830' FNL	-- --
X-22	MART MARRIS #1	469950	2085785	34° 37' 28.62" -97° 36' 36.53"	34.624081 -97.610147	22-2N-4W:   TD: 1,835'   300' FSL / 1620' FNL	-- --
X-23	HONEYCUTT #1-22H	469858	2088921	34° 37' 25.57" -97° 35' 59.01"	34.623771 -97.598724	22-2N-4W:   TD: 10,370'   200' FSL / 530' FEL	-- --
X-24	YANDELL #1H-27	470027	2084715	34° 37' 27.43" -97° 36' 49.33"	34.624288 -97.613703	22-2N-4W:   TD: 20,805'   380' FSL / 550' FNL	-- --
X-25	YANDELL #2H-27	469888	2085130	34° 37' 28.04" -97° 36' 44.37"	34.623899 -97.612324	22-2N-4W:   TD: 20,840'   240' FSL / 985' FNL	-- --
X-26	YANDELL #4H-27	469901	2086545	34° 37' 28.11" -97° 36' 27.44"	34.623920 -97.607821	22-2N-4W:   TD: 20,563'   250' FSL / 2360' FNL	-- --
X-27	YANDELL #3H-27	469901	2086505	34° 37' 28.11" -97° 36' 27.91"	34.623920 -97.607754	22-2N-4W:   TD: 20,470'   250' FSL / 2340' FNL	-- --

#### REVISIONS

No.	DATE	STAKED	BY	DESCRIPTION	COMMENTS
00	1-31-20	--	--	HOG	ISSUED FOR APPROVAL

Certificate of Authorization No. 7318



Prepared By:  
 Petra Land Services South  
 10400 Vineyard Blvd.  
 Suite C  
 Oklahoma City, OK 73120

EXHIBIT: A (2 of 6)  
SHEET: 8.5x14  
SHL: 15-2N-4W  
BHL-9 10-2N-4W  
BHL-12 22-2N-4W



COVER SHEET CONTINUED...

CONTINENTAL RESOURCES, INC.

P.O. BOX 26900 OKLAHOMA CITY, OK 73126 \* (T) 1-800-256-8955 (F) 405-234-9253

Section 15 Township 2N Range 4W I.M.

Well: VANARKEL 9-15-10XHS

County STEPHENS State OK

Well: HONEYCUTT 12-15-22XHS

Operator CONTINENTAL RESOURCES, INC.

NAD-83							
X-28	YANDELL #5H-27	469905	2088411	34° 37' 28.08" -97° 36' 05.11"	34.823910 -97.601419	22-2N-4W:   TD: 20,191'   250' FSL / 1040' FEL	-- --
X-29	YANDELL #6H-27	469905	2088451	34° 37' 28.08" -97° 36' 04.83"	34.823910 -97.601288	22-2N-4W:   TD: 20,050'   250' FSL / 1000' FEL	-- --
X-30	VANARKEL #2-15-10XH	474442	2088932	34° 36' 12.91" -97° 35' 58.85"	34.838920 -97.599824	22-2N-4W:   TD: 24,782'   300' FSL / 800' FEL	-- --

Certificate of Authorization No. 7318



Prepared By:  
Palco Land Services South  
10400 Vineyard Blvd.  
Suite C  
Oklahoma City, OK 73120

CURRENT REV.: 0

EXHIBIT: A (3 of 6)  
SHEET: 8.5x14  
SHL: 15-2N-4W  
BHL-9 10-2N-4W  
BHL-12 22-2N-4W



## COVER SHEET CONTINUED...

### CONTINENTAL RESOURCES, INC.

P.O. BOX 26900 OKLAHOMA CITY, OK 73126 \* (T) 1-800-256-8955 (F) 405-234-9253

Section 15 Township 2N Range 4W I.M.

Well: VANARKEL 9-15-10XHS

County STEPHENS State OK

Well: HONEYCUTT 12-15-22XHS

Operator CONTINENTAL RESOURCES, INC.

NAD-27						EXISTING ELEVATION	DESIGN ELEVATION
POINT	WELL NAME	NORTHING	EASTING	LATITUDE LONGITUDE	LATITUDE LONGITUDE		
WB	VANARKEL 9-15-10XHS	478551	2120571	34° 38' 51.71" -97° 35' 58.83"	34.647698 -97.599120	1630' FNL / 445' FEL (NE/4 SEC 15)	1162.61' 1162.58'
LP-9	LANDING POINT	478551	2120688	34° 38' 51.71" -97° 35' 55.46"	34.647698 -97.598739	1630' FNL / 330' FEL (NE/4 SEC 15)	-- --
BHL-9	BOTTOM HOLE LOCATION	485429	2120649	34° 39' 59.74" -97° 35' 55.58"	34.665396 -97.598772	30' FNL / 330' FEL (NE/4 SEC 10)	-- --
W12	HONEYCUTT 12-15-22XHS	478521	2120571	34° 38' 51.42" -97° 35' 58.83"	34.647616 -97.599120	1680' FNL / 445' FEL (NE/4 SEC 15)	1161.12' 1162.58'
LP-12	LANDING POINT	478521	2120688	34° 38' 51.42" -97° 35' 55.46"	34.647616 -97.598739	1680' FNL / 330' FEL (NE/4 SEC 15)	-- --
BHL-12	BOTTOM HOLE LOCATION	489844	2120717	34° 37' 23.60" -97° 35' 55.51"	34.623223 -97.598752	30' FSL / 330' FEL (SE/4 SEC 22)	-- --
X-1	SEABOARD JONE #1	464802	2119005	34° 39' 53.81" -97° 36' 15.28"	34.654892 -97.604245	10-2N-4W:   TD: 9,357'   654' FNL / 1977' FEL	-- --
X-2	CONNER #1-10	463478	2119871	34° 39' 40.48" -97° 36' 07.37"	34.661247 -97.602048	10-2N-4W:   TD: 9,622'   1979' FNL / 1319' FEL	-- --
X-3	LOWRANCE #1-10H	480387	2117181	34° 39' 10.01" -97° 36' 37.33"	34.652780 -97.610369	10-2N-4W:   TD: 19,140'   210' FSL / 1450' FNL	-- --
X-4	LOWRANCE #2-10H	480512	2118509	34° 39' 11.20" -97° 36' 21.42"	34.653110 -97.605851	10-2N-4W:   TD: 18,956'   330' FSL / 2500' FEL	-- --
X-5	3R 0204 #1-3-34WXH	485127	2119884	34° 39' 56.79" -97° 36' 04.74"	34.685778 -97.601317	10-2N-4W:   TD: 23,845'   330' FNL / 1086' FEL	-- --
X-6	SOUTHERLAND #1	483936	2118548	34° 39' 45.07" -97° 36' 20.76"	34.662518 -97.605776	10-2N-4W:   TD: UNKNOWN'   1519' FNL / 2439' FEL	-- --
X-7	3R 0204 #2-3-34WXH	485127	2119884	34° 39' 56.79" -97° 36' 04.88"	34.685778 -97.601383	10-2N-4W:   TD: 23,907'   330' FNL / 1116' FEL	-- --
X-8	3R 0204 #3-3-34WXH	485127	2118844	34° 39' 56.79" -97° 36' 05.22"	34.685778 -97.601450	10-2N-4W:   TD: 24,152'   330' FNL / 1136' FEL	-- --
X-9	3R 0204 #4-3-34WXH	485127	2119824	34° 39' 58.80" -97° 36' 05.46"	34.685778 -97.601517	10-2N-4W:   TD: 24,539'   330' FNL / 1156' FEL	-- --
X-10	3R 0204 #5-3-34WXH	485185	2117312	34° 39' 57.48" -97° 36' 35.54"	34.665981 -97.609871	10-2N-4W:   TD: 24,234'   270' FNL / 1609' FNL	-- --
X-11	3R 0204 #6-3-34WXH	485185	2117292	34° 39' 57.48" -97° 36' 35.78"	34.665982 -97.609936	10-2N-4W:   TD: 24,725'   270' FNL / 1589' FNL	-- --
X-12	3R 0204 #7-3-34WXH	485185	2117272	34° 39' 57.46" -97° 36' 38.02"	34.665982 -97.610004	10-2N-4W:   TD: 24,623'   270' FNL / 1589' FNL	-- --
X-13	PAPA PUMP 0204 #1-3-34SXH	485185	2117252	34° 39' 57.46" -97° 36' 38.25"	34.665982 -97.610071	10-2N-4W:   TD: 21,800'   270' FNL / 1549' FNL	-- --
X-14	PAPA PUMP 0204 #2-3-34SXH	484715	2119891	34° 39' 52.72" -97° 36' 04.88"	34.684644 -97.601301	10-2N-4W:   TD: 23,025'   742' FNL / 1092' FEL	-- --
X-15	VANARKEL #1-15H	475200	2118840	34° 38' 18.63" -97° 36' 17.71"	34.638508 -97.604921	15-2N-4W:   TD: 19,100'   306' FSL / 2186' FEL	-- --
X-16	JERRY #1-15H	475140	2117824	34° 38' 18.08" -97° 36' 29.87"	34.638358 -97.608297	15-2N-4W:   TD: 18,448'   250' FSL / 2076' FNL	-- --
X-17	VANARKEL #6-15-10XHS	477315	2119229	34° 38' 39.54" -97° 36' 12.95"	34.644317 -97.603597	15-2N-4W:   TD: 21,989'   2420' FSL / 1780' FEL	-- --
X-18	VANARKEL #7-15-10XHS	477315	2118274	34° 38' 39.54" -97° 36' 12.41"	34.644317 -97.603446	15-2N-4W:   TD: 22,018'   2420' FSL / 1745' FEL	-- --
X-19	VANARKEL #3-15-10XHS	477328	2116582	34° 38' 39.75" -97° 36' 44.88"	34.644375 -97.612467	15-2N-4W:   TD: 22,363'   2440' FSL / 820' FNL	-- --
X-20	VANARKEL #4-15-10XHS	477328	2116807	34° 38' 39.75" -97° 36' 44.34"	34.644375 -97.612317	15-2N-4W:   TD: 22,124'   2440' FSL / 865' FNL	-- --
X-21	VANARKEL #5-15-10XHS	477269	2117572	34° 38' 39.15" -97° 36' 32.79"	34.644209 -97.609109	15-2N-4W:   TD: 22,178'   2380' FSL / 1830' FNL	-- --
X-22	MART MARRIS #1	469907	2117381	34° 37' 28.33" -97° 36' 35.42"	34.623981 -97.609839	22-2N-4W:   TD: 1,835'   300' FSL / 1620' FNL	-- --
X-23	HONEYCUTT #1-22H	469814	2120517	34° 37' 25.29" -97° 35' 57.90"	34.623691 -97.598417	22-2N-4W:   TD: 19,370'   200' FSL / 530' FEL	-- --
X-24	YANDELL #1H-27	469855	2116310	34° 37' 27.14" -97° 36' 48.22"	34.624207 -97.613395	22-2N-4W:   TD: 20,805'   380' FSL / 550' FNL	-- --
X-25	YANDELL #2H-27	469846	2118728	34° 37' 25.75" -97° 36' 43.26"	34.623820 -97.612017	22-2N-4W:   TD: 20,840'   240' FSL / 985' FNL	-- --
X-26	YANDELL #4H-27	469859	2118141	34° 37' 25.82" -97° 36' 26.33"	34.623840 -97.607314	22-2N-4W:   TD: 20,563'   250' FSL / 2380' FNL	-- --
X-27	YANDELL #3H-27	469859	2118101	34° 37' 25.83" -97° 36' 26.81"	34.623840 -97.607447	22-2N-4W:   TD: 20,470'   250' FSL / 2340' FNL	-- --
X-28	YANDELL #5H-27	469863	2120008	34° 37' 25.79" -97° 36' 04.00"	34.623831 -97.601112	22-2N-4W:   TD: 20,191'   250' FSL / 1040' FEL	-- --

Certificate of Authorization No. 7318



Prepared By:  
Petro Land Services South  
10400 Vineyard Blvd.  
Suite C  
Oklahoma City, OK 73120

CURRENT REV.: 0

EXHIBIT: A (4 of 6)  
SHEET: 8.5x14  
SHL: 15-2N-4W  
BHL-9 10-2N-4W  
BHL-12 22-2N-4W



COVER SHEET CONTINUED...

CONTINENTAL RESOURCES, INC.

P.O. BOX 26900 OKLAHOMA CITY, OK 73126 \* (T) 1-800-256-8955 (F) 405-234-9253

Section 15 Township 2N Range 4W I.M.

Well: VANARKEL 9-15-10XHS

County STEPHENS State OK

Well: HONEYCUTT 12-15-22XHS

Operator CONTINENTAL RESOURCES, INC.

NAD-27							
X-29	YANDELL #6H-27	468863	2120046	34' 37" 25.79" -97° 36' 03.52"	34.623831 -97.600879	22-2N-4W:   TD: 20,050'   250' FSL / 1000' FEL	--
X-30	VANARKEL #2-15-10XH	474800	2120528	34' 38" 12.63" -97° 35' 57.54"	34.636841 -97.599317	22-2N-4W:   TD: 24,782'   300' FNL / 600' FEL	--

Certificate of Authorization No. 7318



Prepared By:  
Petro Land Services South  
10400 Vineyard Blvd.  
Suite C  
Oklahoma City, OK 73120

CURRENT REV.: 0

Oklahoma PLS No.1985 DATE